

# BLMC - MORRIS

Application	Engine	Cyl			Set Number		Line No
	Model	Bore	CC	Years	Chrome	Plain	
(5-Ring Replc.)	B, J-4	73.03	1489	54-65		<b>P1971</b>	15
	J-2	73.03				<b>P1389</b>	14
1300	12G	70.61	1275	68-71	<b>C1280</b>	<b>P1280</b>	11
1800	18G	80.25	1798	66-71		<b>P1337</b>	22
1800 (5-Ring Replc.)	B Series	80.25	1800	63-71		<b>P1396</b>	23
Cowley 1500	B	73.03	1489	54-65		<b>P1971</b>	15
Cowley 1500, Oxford (5-Ring Replc.)	J-4	73.03				<b>P1227</b>	13
Isis (5-Ring Replc.)		79.37				<b>P1228</b>	21
J-2		73.03	1489	63-66		<b>P1052</b>	12
Marina 1.3	12Y	70.61	1275	71-80	<b>C1280</b>	<b>P1280</b>	11
Mini 1000, City, Estate, HL	A Series	64.60	998	75-82	<b>C5045</b>	<b>P5045</b>	9
Mini 95 Pick-up, 95 Van	A Series	64.60	998	77-83	<b>C5045</b>	<b>P5045</b>	9
Mini Clubman	A Series	64.60	998	70-71	<b>C5045</b>	<b>P5045</b>	9
Mini Clubman 1000 Mk II	A Series	64.60	998	68-69	<b>C5045</b>	<b>P5045</b>	9
Mini Delux (Australia)		64.60	998	63-69	<b>C1704</b>		5
Mini Mark II 1000	99H	64.60	998	68-69	<b>C1072</b>	<b>P1072</b>	6
Mini Mark II 1000, Minor 1000, Minor 1100 (5-Ring Replc.)		64.60				<b>P1349</b>	8
Mini Minor 850	ADO15	62.93	848	59-75		<b>P1058</b>	1
Mini Minor 850, Minor 1000 (3-Ring Replc.)		62.93				<b>P1133</b>	3
Mini Minor 850, Minor 1000 (5-Ring Replc.)		62.93				<b>P1225</b>	4
Minor 1000	ADO15	62.93	948	57-62		<b>P1058</b>	2
Minor 1000	99H	64.60	998	63-71	<b>C1072</b>	<b>P1072</b>	6
Minor 1100	ADO16	64.60	1098	63-71	<b>C1072</b>	<b>P1072</b>	7
Morris Cowley		65.50	1198	54-57		<b>P1961<sup>A</sup></b>	10
Morris Isis		79.37	2639	55-58		<b>P1008</b>	20
Morris Oxford		76.20	1622	62-71	<b>C1074</b>	<b>P1074</b>	17
Morris Van		79.37	2199	54-63		<b>P1006</b>	19
Oxford	B	73.03	1489	54-65		<b>P1971</b>	15
Oxford (5-Ring Replc.)		76.20				<b>P1543</b>	18
Oxford (Australia)	A60	76.20	2000	59-62	<b>C1637</b>		16

Line					Bore Diameter		Ring Size	
No	Application	CC	Set No	Cyl	Inch	MM	Comp	Oil
1	Mini Minor 850	848	<b>P1058</b>	4	2.478	62.93	4 - .070" 4 - .070" 4 - .070"	4 - .125"
2	Minor 1000 (.9L)	948	<b>P1058</b>	4	2.478	62.93	4 - .070" 4 - .070" 4 - .070"	4 - .125"
3	Mini Minor 850, Minor 1000 (3-Ring Replc.)		<b>P1133</b>	4	2.478	62.93	4 - 1.60 4 - 1.60	4 - 3.17
4	Mini Minor 850, Minor 1000 (5-Ring Replc.)		<b>P1225</b>	4	2.478	62.93	4 - .070" 4 - .070" 4 - .070"	4 - .125" 4 - .125"
5	Mini Delux (Australia) (1.0L)	998	<b>C1704</b>	4	2.542	64.60	4 - 2.00 4 - 2.00	4 - 4.00
6	Mini Mark II 1000 Minor 1000 (1.0L)	998	<b>P1072</b> <b>C1072</b>	4	2.542	64.60	4 - 1/16 4 - 1/16 4 - 1/16	4 - 1/8
7	Minor 1100 (1.1L)	1098	<b>P1072</b> <b>C1072</b>	4	2.542	64.60	4 - 1/16 4 - 1/16 4 - 1/16	4 - 1/8

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# BLMC - MORRIS

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
8	Mini Mark II 1000, Minor 1000, Minor 1100 (5-Ring Replc.)		<b>P1349</b>	4	2.542	64.60	4 - 1.60 4 - 1.60 4 - 1.60	4 - 3.17 4 - 3.17
9	Mini 95 Pick-up, 95 Van (1.0L) Mini Clubman Mini 1000, City, Estate, HL Mini Clubman 1000 Mk II	998	<b>P5045</b> <b>C5045</b>	4	2.542	64.60	4 - 1/16 4 - 1/16 4 - 1/16	4 - 4.00
10	Morris Cowley (1.2L)	1198	<b>P1961</b> <sup>A</sup>	4	2.579	65.50	4 - 5/64 4 - 5/64 4 - 5/64	4 - 5/32
11	1300 (1.3L) Marina 1.3	1275	<b>P1280</b> <b>C1280</b>	4	2.780	70.61	4 - 1/16 4 - 1/16 4 - 1/16	4 - 5/32
12	J-2 (1.5L)	1489	<b>P1052</b>	4	2.875	73.03	4 - 1.60 4 - 1.60 4 - 1.60	4 - 4.00
13	Cowley 1500, Oxford (5-Ring Replc.)		<b>P1227</b>	4	2.875	73.03	4 - 5/64 4 - 5/64 4 - 5/64	4 - 5/32 4 - 5/32
14	(5-Ring Replc.)		<b>P1389</b>	4	2.875	73.03	4 - 1.60 4 - 1.60 4 - 1.60	4 - 4.00 4 - 4.00
15	Cowley 1500 (1.5L) Oxford	1489	<b>P1971</b>	4	2.875	73.03	4 - 5/64 4 - 5/64 4 - 5/64	4 - 5/32
16	Oxford (Australia) (2.0L)	2000	<b>C1637</b>	4	3.000	76.20	4 - 2.00 4 - 2.00	4 - 4.75 4 - 4.75
17	Morris Oxford (1.6L)	1622	<b>P1074</b> <b>C1074</b>	4	3.000	76.20	4 - 5/64 4 - 5/64 4 - 5/64	4 - 5/32
18	Oxford (5-Ring Replc.)		<b>P1543</b>	4	3.000	76.20	4 - 5/64 4 - 5/64 4 - 5/64	4 - 5/32 4 - 5/32
19	Morris Van (2.2L)	2199	<b>P1006</b>	4	3.125	79.37	4 - 3/32 4 - 3/32 4 - 3/32	4 - 3/16
20	Morris Isis (2.6L)	2639	<b>P1008</b>	6	3.125	79.37	6 - 3/32 6 - 3/32 6 - 3/32	6 - 3/16
21	Isis (5-Ring Replc.)		<b>P1228</b>	6	3.125	79.37	6 - 2.38 6 - 2.38 6 - 2.38	6 - 4.75 6 - 4.75
22	1800 (1.8L)	1798	<b>P1337</b>	4	3.160	80.25	4 - 1.60 4 - 1.60 4 - 1.60	4 - 4.00
23	1800 (5-Ring Replc.) (1.8L)	1800	<b>P1396</b>	4	3.160	80.25	4 - 1.60 4 - 1.60 4 - 1.60	4 - 4.00 4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone