

# CHECKER MOTORS

Cubic			Set No	Cyl	Bore Diameter		Ring Size	
Inch	Year	Application			Inch	MM	Comp	Oil
226	60-64	(3.7L) (Continental)	<b>P2315</b> <b>C2315</b>	6	3.312	84.12	6 - 3/32 6 - 3/32	6 - 5/32 6 - 5/32
226	52-59	(3.7L) (Continental)	<b>P2529</b>	6	3.312	84.12	6 - 3/32 6 - 1/8 6 - 1/8	6 - 1/4 6 - 5/32
229	80-82	(3.8L)	<b>P3820</b> <b>C3820</b>	6	3.736	94.89	6 - 5/64 6 - 5/64	6 - 3/16
230	64-68	(3.8L)	<b>P2240</b> <b>C2240</b>	6	3.875	98.40	6 - 5/64 6 - 5/64	6 - 3/16
250	69-79	(4.1L)	<b>P2240</b> <b>C2240</b>	6	3.875	98.40	6 - 5/64 6 - 5/64	6 - 3/16
267	80-82	(4.4L)	<b>P2291</b> <b>C2291</b>	8	3.500	88.90	8 - 5/64 8 - 5/64	8 - 3/16
283	64-67	(4.6L)	<b>P2221</b> <b>C2221</b>	8	3.875	98.40	8 - 5/64 8 - 5/64	8 - 3/16
305	77-81	(5.0L)	<b>P3817</b> <b>C3817</b>	8	3.736	94.89	8 - 5/64 8 - 5/64	8 - 3/16
307	68-70	(5.0L)	<b>P2221</b> <b>C2221</b>	8	3.875	98.40	8 - 5/64 8 - 5/64	8 - 3/16
318	59-67	(5.2L)	<b>P2127</b> <b>C2127</b>	8	3.910	99.30	8 - 5/64 8 - 5/64	8 - 3/16
327	66-68	(5.4L)	<b>P2271</b> <b>C2271</b>	8	4.000	101.60	8 - 5/64 8 - 5/64	8 - 3/16
350	69-79	(5.7L) Cab L	<b>P2271</b> <b>C2271</b>	8	4.000	101.60	8 - 5/64 8 - 5/64	8 - 3/16
350	80-82	(5.7L) Cab (Diesel) N	<b>C3837</b> <sup>+</sup>	8	4.057	103.05	8 - 5/64 8 - 5/64	8 - 3/16

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone