

# CITROEN

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
2 CV 6 Charleston	M28 (AM2)	74.00	602	80-90	C1892	P1892	4
AX	TU2.4	75.00	1294	87-88	C1865	P1865	11
AX	TU3.2	75.00	1360	91-94	C1865	P1865	12
AX 1.4D, 1.4RD, 1.4TDZ (Diesel)	TUD3 (K9A/K9Y)	75.00	1361	88-94	S5117 <sup>+</sup>		5
AX, BX, ZX, C15	TU3	75.00	1360	86-97	C1865	P1865	12
AX, ZX (Diesel)	TU3JP.L3 (KFX)	75.00	1360	95-96	S5265 <sup>+</sup>		6
Ami 6	M28 (AM2)	74.00	602	63-68	C1892	P1892	4
Ami 8	M28 (AM2)	74.00	602	69-77	C1892	P1892	4
BERLINGO (B9) 1.6 HDi 110 (Diesel)	9HL, 9HR	75.00	1560	10-On	S5422 <sup>+N</sup>		8
BERLINGO (B9) 1.6 HDi 115 (Diesel)	9HR	75.00	1560	10-On	S5422 <sup>+N</sup>		8
BERLINGO Kasten (B9) 1.6 HDi 115 (Diesel)	9HL	75.00	1560	10-On	S5422 <sup>+N</sup>		8
BERLINGO Kasten (B9) 1.6 HDi 90 (Diesel)	9HP	75.00	1560	10-On	S5422 <sup>+N</sup>		8
BX (Diesel)	B2C	83.00	1580	89-92	C1974 <sup>+</sup>	P1974 <sup>+</sup>	19
BX 14, 14 E, RE, Break, Leader	XY7 (150A/150D)	75.00	1360	82-88	C1665	P1665	10
BX 17D, RD, SRD, BXC (Diesel)	XUD7 (161A)	80.00	1768	85-93	C1862		16
BX 19D TRD (Diesel)	XUD9 (D9B)	83.00	1905	83-89	C1974 <sup>+</sup>	P1974 <sup>+</sup>	20
BX Break, BX 16 (Diesel)	XU5J (180Z)	83.00	1580	86-94	S5146 <sup>+</sup>		18
Berlingo	TU1JP	72.00	1124	1996	C5420 <sup>N</sup>	P5420 <sup>N</sup>	1
Berlingo	EP6	77.00	1598	2009	S5389 <sup>+N</sup>		14
Berlingo (Diesel)	DV6TED4	75.00	1560	2005	S5421 <sup>+N</sup>		7
Berlingo (Diesel)	XUD9 (D9B/DJY)	83.00	1905	96-98	C1974 <sup>+</sup>	P1974 <sup>+</sup>	20
Berlingo Break (Diesel)	TU3JP (KFW/KFX)	75.00	1360	96-On	S5265 <sup>+</sup>		6
Berlingo FGT (Diesel)	TU3JP.L3/.L4 (KFW/KFX)	75.00	1360	99-On	S5265 <sup>+</sup>		6
C15 1.1	E1A	74.00	1118	84-96	C1377	P1377	3
C15 Fourgon.E	G1/A	76.70	1294	87-88	C1481	P1481	13
C15D, BXD, TD (Diesel)	XUD7(161A)	80.00	1768	1985	C1862		16
C15E	XY7 (150D)	75.00	1360	85-88	C1665	P1665	10
C2	TU1JP	72.00	1124	2003	C5420 <sup>N</sup>	P5420 <sup>N</sup>	1
C2 (Diesel)	DV6TED4	75.00	1560	2005	S5421 <sup>+N</sup>		7
C25 Box, Bus	XN1T	88.00	1971	81-94	C1370 <sup>A</sup>	P1370 <sup>A</sup>	24
C25 Bus (Diesel)	U25/661(CRD93L)	93.00	2499	81-94	S5115 <sup>+</sup>		30
C3	TU1JP	72.00	1124	2002	C5420 <sup>N</sup>	P5420 <sup>N</sup>	1
C3	EP6	77.00	1598	2009	S5389 <sup>+N</sup>		14
C3 (Diesel)	DV6TED4	75.00	1560	2005	S5421 <sup>+N</sup>		7
C3 HDi (Diesel)	DV4TD, DV4TED4	73.70	1399	02-On	S5247 <sup>+</sup>		2
C3 II 1.6 HDi (Diesel)	9HP	75.00	1560	09-On	S5422 <sup>+N</sup>		8
C3 II 1.6 HDi 110 (Diesel)	9HR	75.00	1560	09-On	S5422 <sup>+N</sup>		8
C3 Picasso 1.6 HDi 90 (Diesel)	9HP	75.00	1560	10-On	S5422 <sup>+N</sup>		8
C3 Picasso 1.6 HDi 110 (Diesel)	9HR	75.00	1560	10-On	S5422 <sup>+N</sup>		8
C3 Picasso 1.6 HDi 115 (Diesel)	9HD	75.00	1560	13-On	S5422 <sup>+N</sup>		8
C35	M22/617	90.00	2175	66-75	C1305	P1305	28
C35 Box (Diesel)	B25/637	93.00	2500	80-94	S5115 <sup>+</sup>		31
C4	EP6	77.00	1598	2009	S5389 <sup>+N</sup>		14
C4 (Diesel)	DV6TED4	75.00	1560	2004	S5421 <sup>+N</sup>		7
C4 AIRCROSS 1.6 HDi 115 (Diesel)	9HL	75.00	1560	12-On	S5422 <sup>+N</sup>		8
C4 Grand Picasso I (UA) 1.6 HDi 110 (Diesel)	9HL, 9HR	75.00	1560	10-On	S5422 <sup>+N</sup>		8
C4 II (B7) 1.6 HDi 110 (Diesel)	9HR	75.00	1560	09-On	S5422 <sup>+N</sup>		8
C4 II (B7) 1.6 HDi 115 (Diesel)	9HR	75.00	1560	12-On	S5422 <sup>+N</sup>		8
C4 II (B7) 1.6 HDi 90 (Diesel)	9HP	75.00	1560	09-On	S5422 <sup>+N</sup>		8
C4 Picasso I (UD) 1.6 HDi 110 (Diesel)	9HR	75.00	1560	10-On	S5422 <sup>+N</sup>		8
C4 Picasso II, Grand Picasso II 1.6 HDi 90 (Diesel)	9HP	75.00	1560	13-On	S5422 <sup>+N</sup>		8
C5	EP6	77.00	1598	2010	S5389 <sup>+N</sup>		14

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# CITROEN

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
C5 (Diesel)	DV6TED4	75.00	1560	2004	S5421 <sup>+N</sup>		7
C5 III (RD) 1.6 HDi 110 (Diesel)	9HR	75.00	1560	10-On	S5422 <sup>+N</sup>		8
C5 III (RD) 1.6 HDi 115 (Diesel)	9HR	75.00	1560	12-On	S5422 <sup>+N</sup>		8
C5 III Break (TD_) 1.6 HDi 110 (Diesel)	9HR	75.00	1560	10-On	S5422 <sup>+N</sup>		8
C5 III Break (TD_) 1.6 HDi 115 (Diesel)	9HR	75.00	1560	12-On	S5422 <sup>+N</sup>		8
CX 20, Break, Enterprise	829.A5	88.00	1995	82-89	C1598	P1598	25
CX 22	J6T.A500	88.00	2165	85-89	C1598	P1598	26
CX Break 22	J6T.A500	88.00	2165	87-89	C1598	P1598	26
CX Evasion	J6T.A500	88.00	2165	89-91	C1598	P1598	26
CX Familiale	829.A5	88.00	1995	82-87	C1598	P1598	27
CX Leader	829.A5	88.00	1995	84-89	C1598	P1598	27
DS 19/20	M20/616-B20/614	86.00	1985	66-77	C1570 <sup>A</sup>	P1570 <sup>A</sup>	22
DS 21, Pallas, Safari	M22/617	90.00	2175	66-75	C1305	P1305	28
DS3	EP6	77.00	1598	2010	S5389 <sup>+N</sup>		14
DS3 1.6 HDi 110 (Diesel)	9HR	75.00	1560	09-On	S5422 <sup>+N</sup>		8
DS3 1.6 HDi 115 (Diesel)	9HL	75.00	1560	12-On	S5422 <sup>+N</sup>		8
DS3 1.6 HDi 90 (Diesel)	9HP	75.00	1560	09-On	S5422 <sup>+N</sup>		8
DS3 Cabriolet 1.6 HDi 90 (Diesel)	9HP	75.00	1560	13-On	S5422 <sup>+N</sup>		8
DS4	EP6	77.00	1598	2011	S5389 <sup>+N</sup>		14
DS4 1.6 HDi 110 (Diesel)	9HR	75.00	1560	11-On	S5422 <sup>+N</sup>		8
DS4 1.6 HDi 115 (Diesel)	9HL	75.00	1560	12-On	S5422 <sup>+N</sup>		8
DS4 1.6 HDi 90 (Diesel)	9HP	75.00	1560	11-On	S5422 <sup>+N</sup>		8
DS5 1.6 HDi 110 (Diesel)	9HR	75.00	1560	11-On	S5422 <sup>+N</sup>		8
Dyane	M28 (AM2)	74.00	602	68-84	C1892	P1892	4
Evasion	XU10	86.00	1998	94-On	C5047	P5047	23
Evasion (Diesel)	DW10	85.00	1997	99-02	S5150 <sup>+</sup>		21
GS 1220	G12/611	77.00	1222	72-75	C1299	P1299	15
ID 19/20	M20/616-B20/614	86.00	1985	66-77	C1570 <sup>A</sup>	P1570 <sup>A</sup>	22
JUMPY 1.6 HDi 90 8V (Diesel)	9HH, 9HM	75.00	1560	07-On	S5422 <sup>+N</sup>		8
Jumper	XU10	86.00	1998	94-On	C5047	P5047	23
Jumper (Diesel)	XUD9A (D9B)	83.00	1905	95-02	C1974 <sup>+</sup>	P1974 <sup>+</sup>	20
Jumper (Diesel)	DW10	85.00	1997	99-On	S5150 <sup>+</sup>		21
Jumper (Diesel)	XU10	85.00	1997	94-On	S5150 <sup>+</sup>		21
Jumper (Diesel)	XUD9	85.00	1997	95-02	S5150 <sup>+</sup>		21
Jumper (Diesel)	DJ5	85.00	1997	94-02	S5150 <sup>+</sup>		21
Jumper (Diesel)	DW12	85.00	1997	02-On	S5150 <sup>+</sup>		21
Jumper 2.5D, SOHC (12V) (Diesel)	DJ5 (T9A)	92.00	2446	94-02	S5173 <sup>+</sup>		29
Jumpy (Diesel)	XUD9D (D9B)	83.00	1905	95-98	C1974 <sup>+</sup>	P1974 <sup>+</sup>	20
Mehari	M28/1 (AK2)	74.00	602	68-87	C1892	P1892	4
Saxo (Diesel)	TU3JP (KFW)	75.00	1360	98-02	S5265 <sup>+</sup>		6
Saxo X, SX	TU1JP	72.00	1124	96-03	C5420 <sup>N</sup>	P5420 <sup>N</sup>	1
Visa 11 Super X	129/5	75.00	1218	80-82	C1665	P1665	9
Visa 16 GTI (Diesel)	XU5J/ JA	83.00	1580	85-91	S5146 <sup>+</sup>		18
Visa 17D Enterprise, RD, SRD (Diesel)	XUD7 (161A)	80.00	1768	84-89	C1862		16
Visa GT	XY6/XY7 (150A/150D)	75.00	1360	85-88	C1665	P1665	10
Xantia	XU10	86.00	1998	93-On	C5047	P5047	23
Xantia (Diesel)	XUD9A (D9B)	83.00	1905	93-98	C1974 <sup>+</sup>	P1974 <sup>+</sup>	20
Xantia (Diesel)	DW10	85.00	1997	98-On	S5150 <sup>+</sup>		21
Xantia 1.6 i (Diesel)	XU5JP (B6D)	83.00	1580	93-98	S5146 <sup>+</sup>		18
Xsara (Diesel)	TU3JP (KFW/KFX)	75.00	1360	98-On	S5265 <sup>+</sup>		6
Xsara (Diesel)	XUD9	83.00	1905	98-On	C1974 <sup>+</sup>	P1974 <sup>+</sup>	20
Xsara (Diesel)	DW10	85.00	1997	99-On	S5150 <sup>+</sup>		21
Xsara Picasso 16V	EW7J4	82.70	1749		S5239 <sup>+N</sup>		17
ZX Break, ZX 1.6 i (Diesel)	XU5JP (BFZ)	83.00	1580	91-97	S5146 <sup>+</sup>		18

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# CITROEN

Application		Engine Model	Cyl Bore	CC	Years	Set Number		Line No
Application		Engine Model	Cyl Bore	CC	Years	Chrome	Plain	Line No
ZX, C25 (Diesel)		XUD9A (D9B)	83.00	1905	90-95	C1974 <sup>+</sup>	P1974 <sup>+</sup>	20
Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
No	Application	CC	Set No	Cyl	Inch	MM	Comp	Oil
1	Saxo X, SX Berlingo C2 C3	(1.1L) 1124	P5420 <sup>N</sup> C5420 <sup>N</sup>	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 2.50
2	C3 HDi (Diesel)	(1.4L) 1399	S5247 <sup>+</sup>	4	2.901	73.70	4 - 2.50 <sup>FK</sup> 4 - 1.95	4 - 2.50
3	C15 1.1	(1.1L) 1118	P1377 C1377	4	2.913	74.00	4 - 1.75 4 - 2.00	4 - 4.00
4	2 CV 6 Charleston Ami 6 Ami 8 Dyane Mehari	(.6L) 602	P1892 C1892	2	2.913	74.00	2 - 1.50 2 - 2.00	2 - 4.00
5	AX 1.4D, 1.4RD, 1.4TDZ (Diesel)	(1.4L) 1361	S5117 <sup>+</sup>	4	2.953	75.00	4 - 2.25 4 - 1.75	4 - 3.00
6	AX, ZX (Diesel) Berlingo Break (Diesel) Berlingo FGT (Diesel) Saxo (Diesel) Xsara (Diesel)	(1.4L) 1360	S5265 <sup>+</sup>	4	2.953	75.00	4 - 1.50 4 - 1.50	4 - 2.50
7	C5 (Diesel) Berlingo (Diesel) C3 (Diesel) C2 (Diesel) C4 (Diesel)	(1.6L) 1560	S5421 <sup>+N</sup>	4	2.953	75.00	4 - 3.00 <sup>FK</sup> 4 - 1.95	4 - 2.50
8	C3 Picasso 1.6 HDi 115 (Diesel) JUMPY 1.6 HDi 90 8V (Diesel) BERLINGO Kasten (B9) 1.6 HDi 115 (Diesel) C4 AIRCROSS 1.6 HDi 115 (Diesel) DS3 1.6 HDi 115 (Diesel) DS4 1.6 HDi 115 (Diesel) BERLINGO (B9) 1.6 HDi 110 (Diesel) C4 Grand Picasso I (UA) 1.6 HDi 110 (Diesel) BERLINGO Kasten (B9) 1.6 HDi 90 (Diesel) C3 II 1.6 HDi (Diesel) C3 Picasso 1.6 HDi 90 (Diesel) C4 Picasso II, Grand Picasso II 1.6 HDi 90 (Diesel) C4 II (B7) 1.6 HDi 90 (Diesel) DS3 1.6 HDi 90 (Diesel) DS3 Cabriolet 1.6 HDi 90 (Diesel) DS4 1.6 HDi 90 (Diesel) BERLINGO (B9) 1.6 HDi 115 (Diesel) C3 II 1.6 HDi 110 (Diesel) C3 Picasso 1.6 HDi 110 (Diesel) C4 II (B7) 1.6 HDi 110 (Diesel) C4 II (B7) 1.6 HDi 115 (Diesel) C4 Picasso I (UD) 1.6 HDi 110 (Diesel) C5 III (RD) 1.6 HDi 110 (Diesel)	(1.6L) 1560	S5422 <sup>+N</sup>	4	2.953	75.00	4 - 2.00 4 - 2.50	4 - 2.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# CITROEN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > C5 III (RD) 1.6 HDi 115 (Diesel) C5 III Break (TD_) 1.6 HDi 110 (Diesel) C5 III Break (TD_) 1.6 HDi 115 (Diesel) DS3 1.6 HDi 110 (Diesel) DS4 1.6 HDi 110 (Diesel) DS5 1.6 HDi 110 (Diesel)							
9	Visa 11 Super X (1.2L)	1218	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
10	Visa GT (1.4L) BX 14, 14 E, RE, Break, Leader C15E	1360	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
11	AX (1.3L)	1294	<b>P1865</b> <b>C1865</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
12	AX (1.4L) AX, BX, ZX, C15	1360	<b>P1865</b> <b>C1865</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
13	C15 Fourgon.E (1.3L)	1294	<b>P1481</b> <b>C1481</b>	4	3.020	76.70	4 - 1.75 4 - 2.00	4 - 4.00
14	DS4 (1.6L) Berlingo C3 C4 C5 DS3	1598	<b>S5389</b> <sup>+N</sup>	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 2.00
15	GS 1220 (1.2L)	1222	<b>P1299</b> <b>C1299</b>	4	3.031	77.00	4 - 1.75 4 - 2.00	4 - 4.00
16	BX 17D, RD, SRD, BXC (Diesel) (1.8L) C15D, BXD, TD (Diesel) Visa 17D Enterprise, RD, SRD (Diesel)	1768	<b>C1862</b>	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 3.00
17	Xsara Picasso 16V (1.8L)	1749	<b>S5239</b> <sup>+N</sup>	4	3.256	82.70	4 - 1.20 4 - 1.50	4 - 2.00
18	Visa 16 GTI (Diesel) (1.6L) BX Break, BX 16 (Diesel) Xantia 1.6 i (Diesel) ZX Break, ZX 1.6 i (Diesel)	1580	<b>S5146</b> <sup>+</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 4.00
19	BX (Diesel) (1.6L)	1580	<b>P1974</b> <sup>+</sup> <b>C1974</b> <sup>+</sup>	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 3.00
20	Xsara (Diesel) (1.9L) BX 19D TRD (Diesel) ZX, C25 (Diesel) Xantia (Diesel) Jumper (Diesel) Berlingo (Diesel) Jumpy (Diesel)	1905	<b>P1974</b> <sup>+</sup> <b>C1974</b> <sup>+</sup>	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 3.00
21	Xantia (Diesel) (2.0L) Xsara (Diesel) Evasion (Diesel) Jumper (Diesel)	1997	<b>S5150</b> <sup>+</sup>	4	3.346	85.00	4 - 3.50 <sup>FK</sup> 4 - 2.00	4 - 3.00
22	ID 19/20 (2.0L) DS 19/20	1985	<b>P1570</b> <sup>A</sup> <b>C1570</b> <sup>A</sup>	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 5.00
23	Xantia (2.0L) Evasion Jumper	1998	<b>P5047</b> <b>C5047</b>	4	3.386	86.00	4 - 1.50 4 - 1.75	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# CITROEN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
24	C25 Box, Bus	(2.0L)	1971	4	3.465	88.00	4 - 1.50 4 - 2.00	4 - 4.00
25	CX 20, Break, Enterprise	(2.0L)	1995	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
26	CX 22 CX Break 22 CX Evasion	(2.2L)	2165	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
27	CX Familiale CX Leader	(2.0L)	1995	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
28	DS 21, Pallas, Safari C35	(2.2L)	2175	4	3.543	90.00	4 - 2.00 4 - 2.00	4 - 5.00
29	Jumper 2.5D, SOHC (12V) (Diesel)	(2.5L)	2446	4	3.622	92.00	4 - 2.25 4 - 2.00	4 - 3.00
30	C25 Bus (Diesel)	(2.5L)	2499	4	3.661	93.00	4 - 2.50 4 - 2.00	4 - 4.00
31	C35 Box (Diesel)	(2.5L)	2500	4	3.661	93.00	4 - 2.50 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone