

FIAT

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
	138A, 138AE	86.40	1498	79-81	C1447	P1447	78
1.9 JTD 105 HSX, SX (Diesel)	AR37101-188A2.000	82.00	1910		S5244⁺		54
1100 (4 ring piston)		72.00	1100	62-65	C1386	P1386	25
1100 D, Sedan	103G	72.00	1221	62-69	C1224	P1224	24
1100 R, Sedan	103	68.00	1089	55-67	C1126	P1126	11
1200 (4 ring piston)		72.00	1200	62-65	C1386	P1386	26
1200 Granluce	103G	72.00	1221	53-64		P1118	21
1200 Granluce Spider, Sedan	103G	72.00	1221	60-63	C1224	P1224	24
124 Coupe, Spyder	124B	80.00	1438	67-72	C1291	P1291	41
124 Coupe, Spyder	125A	80.00	1608	68-73	C1291	P1291	42
124 Coupe, Spyder	132AB	80.00	1590	1973	C1291	P1291	44
124 Coupe, Spyder	132	84.00	1756	71-78	C1369	P1369	72
124 Sedan	124A	73.00	1197	66-74	C1315	P1315	27
126	141A	77.00	652	83-96	S5369^N		35
126	126A1	77.00	652	77-87	S5369^N		35
127 (Diesel)	127 A5.000	76.00	1297	81-83	S5429^{+N}		31
127 (Diesel)	127 AB.5C.0	76.00	1297	84-89	S5429^{+N}		31
127, L, Special, GL 146	100GBC	65.00	903	71-83	C1275	P1275	6
128 Sedan, Wagon, SL	128A1.000/AC.000	86.00	1290	72-84	C1353	P1353	75
1300	116	72.00	1295	61-64	C1224	P1224	23
131	132	84.00	1756	71-78	C1369	P1369	72
131 2500D	8144.61	93.00	2445	78-87	C1890		81
131 eng.	131	84.00			C1941	P1941	74
132 2500D	8144.61	93.00	2445	78-87	C1890		81
1500, C, L, TS	115	77.00	1481	61-70	C1245	P1245	38
1500S	118	78.00	1491	1959	C1262	P1262	39
1800	112B	72.00	1795	59-68	C1171	P1171	22
2100	114	77.00	2054	59-61	C1141	P1141	37
2300S	114B	78.00	2279	61-68	C1311	P1311	40
238-241 Vans	124A	73.00	1197	66-74	C1315	P1315	27
500, Beancia	110	66.00	479	56-60		P1120	9
600, Multipla (Diesel)	100	60.00	633	55-61		P1034	1
600D, Multipla	100D	62.00	767	61-70	C1180	P1180	2
850 Coupe	100G3	64.00	817	68-69		P1312	3
850 Coupe	100C	65.00	903	63-73	C1275	P1275	4
850 Coupe	100G	65.00	843	63-73	C1275	P1275	5
850 Racer	100G	65.00	903	70-71	C1275	P1275	6
850 Sedan	100G3	64.00	817	68-71		P1312	3
850 Sedan	100G	65.00	903	70-73	C1275	P1275	6
850 Special, GL 146	100GBC	65.00	903	71-83	C1275	P1275	6
850 Spyder	100G	65.00	843	1967	C1275	P1275	5
850 Spyder	100G	65.00	903	70-73	C1275	P1275	6
900 E/Panorama	100GBC	65.00	903	80-84	C1275	P1275	6
900 T Van, CZ	200B/BF/FC	65.00	903	76-80	C1275	P1275	6
Argenta 2.5TD (Diesel)	8144.81.200	93.00	2445	1983	S5108⁺		82
Argenta DS	8144.61	93.00	2445	81-85	C1890		81
Barchetta	188A6.000	82.00	1747	99-00	S5208⁺		50
Barchetta	839A7.000 EURO 3	82.00	1747	2000	S5208⁺		50
Brava	132A	84.00	1756	77-78	C1369	P1369	72
Brava	132C	84.00	1995	79-81	C1369	P1369	73
Brava (Diesel)	160A7.000	82.60	1929	95-96	S5122⁺	P5122⁺	58
Brava 1.9 JTD 105 ELX (Diesel)	AR37101-188A2.000	82.00	1910	2000	S5244⁺		54
Brava V, Bravo, 12V	182A3.000	82.00	1370	95-01	C1695	P1695	55
Brava, Bravo 115 1.8i	182A2.000	82.00	1747	95-01	S5208⁺		52

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Brava, Bravo, 12V	182A5.000	82.00	1370	95-01	C1695	P1695	55
Brava, Bravo, 16V	182B6.000	80.50	1596	2000	S5255⁺		48
Bravo	185A8.000	82.00	1998	2001	S5208⁺		51
Bravo (Diesel)	160A7.000	82.60	1929	95-96	S5122⁺	P5122⁺	58
Bravo HGT 20V	182A1.000	82.00	1998	95-99	S5209⁺		53
Bravo HGT 20V	182B7.000	82.00	1998	99-00	S5209⁺		53
Campagnola 1107AD	8142.61	93.00	2445	1979	C1890		81
Cinquecento	170A1.000	65.00	903	92-93	C1875	P1875	8
Cinquecento	M644LA.11.T	70.00	1108	1994	S5078⁺		14
Coupe	182A1.000	82.00	1998	96-99	S5209⁺		53
Coupe (Diesel)	836A3.000	84.00	1995	93-96	S5236⁺		71
Coupe 20V	182B7.000	82.00	1998	99-00	S5209⁺		53
Croma (Diesel)	M601SA.20.A	84.00	1995	87-89	S5236⁺		71
Croma (Diesel)	M619AA.20.A	84.00	1995	87-89	S5236⁺		71
Croma (Diesel)	M619AA20.C014	84.00	1995	87-89	S5236⁺		71
Croma (Diesel)	M611CA.20.A	84.00	1995	87-89	S5236⁺		71
Croma (Diesel)	M615HA.20.C	84.00	1995	1992	S5236⁺		71
Croma 2.5D/DS (Diesel)	8144.91	93.00	2445	1985	S5108⁺		82
Croma 2.5D/DS (Diesel)	8144.91	93.00	2445	85-88	S5133⁺		83
Croma 2.5TD (Diesel)	8144.91	93.00	2445	85-88	S5108⁺		82
Doblo (Diesel)	188A3.000	82.00	1910	2000	S5244⁺		54
Doblo 16V	182B6.000	80.50	1596	2001	S5255⁺		48
Doblo TD 16v Multijet (Diesel)	188A9.000	69.60	1251	2003	S5245⁺		12
Ducato (Diesel)	280	82.60	1929	88-98	S5122⁺	P5122⁺	58
Duna (Diesel)	149B3.000	82.60	1697	87-91	S5122⁺	P5122⁺	59
Duna SDL, SDR (Diesel)	149B1.000	82.60	1929	90-94	S5074⁺		56
Europa	103G	72.00	1221	62-69	C1224	P1224	24
Fiorino	127A/127A	65.00	903	77-78	C1275	P1275	6
Fiorino	E201	76.00	1500	92-On	C1895	P1895	34
Fiorino	E201	76.00	1500	92-On	C1895	P1895	34
Fiorino (Diesel)	149B3.000	82.60	1697	88-91	S5122⁺	P5122⁺	59
Fiorino 1300 (Brazil)(Alcohol)	131A	76.00	1297	1976	C1737⁺		30
Fire Flex, Idea, Palio, Weekend, Siena, Strada		72.00		05-08	S5299		19
Fire Motor	156A2.246	70.00	999	1985	C1824	P1824	16
Gingo (Diesel)	M733AT.12.Z	69.60	1247		S5245⁺		13
Grinta 2.5TD (Diesel)	8140.21	93.00	2445	85-89	S5133⁺		83
Idea	E.torQ	77.00	1598	2003	S5427⁺N		36
Idea TD 16v Multijet (Diesel)	188A9.000	69.60	1251	2003	S5245⁺		12
Lancia Delta (Diesel)	M615HT.20.C	84.00	1995	1993	S5236⁺		71
Lancia K 2.4i 20V	838 A2	83.00	2446	1994	S5240⁺N		69
Lancia K 2.4i 20V Coupe	M649AA.24.T.TER	83.00	2446	1996	S5240⁺N		69
Malaga		75.00	1200		C1823		28
Malaga	021 A 2000	83.00	1461		C1825		68
Marea 1.9 JTD 105 ELX (Diesel)	AR37101-188A2.000	82.00	1910		S5244⁺		54
Marea 115 1.8i	182A2.000	82.00	1747	96-99	S5208⁺		52
Marea 16V	182B6.000	80.50	1596	2000	S5255⁺		48
Marea 20V Weekend HLX, HLX	182A1.000	82.00	1998	96-99	S5209⁺		53
Marea 80, Marea Weekend 80, 12V	182A3.000	82.00	1370	1996	C1695	P1695	55
Marea HLX 20V	182B7.000	82.00	1998	99-00	S5209⁺		53
Marenga 2500	8144.61	93.00	2445	1981	C1890		81
Marengo (Diesel)	149A1.000	82.60	1929	83-90	S5122⁺	P5122⁺	60
Miafiori	131A	76.00	1297	1976	C1517	P1517	33
Multipla 1.9 JTD (Diesel)	AR37101-188A2.000	82.00	1910		S5244⁺		54
Palio	E.torQ	77.00	1598	1996	S5427⁺N		36

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Palio (Diesel)	188A3.000	82.00	1910	2000	S5244 ⁺		54
Palio 1.9 JTD (Diesel)	AR37101-188A2.000	82.00	1910	2002	S5244 ⁺		54
Palio 16V	182B6.000	80.50	1596		S5255 ⁺		48
Palio, Palio Weekend	178B3.000	86.40	1581	97-00	C1880	P1880	79
Panda	156A2.000	70.00	999	85-93	C1824	P1824	16
Panda 1100	M609VA.11.C	70.00	1108	1992	S5078 ⁺		14
Panda 1100	M204AA.11.0	70.00	1108	85-93	C1824	P1824	17
Panda 45	127A/127A	65.00	903	80-86	C1275	P1275	6
Panda 650	141A	77.00	652	82-04	S5369 ^N		35
Panda 750 Fire Motor	156A4.00	65.00	769	86-92	C1875	P1875	7
Panda 950, 950 4 x 4	A112B1.054	67.20	965	82-86	C1878		10
Panda TD 16v Multijet (Diesel)	188A9.000	69.60	1251	2003	S5245 ⁺		12
Panorama 1300 (Brazil) (Alcohol)	131A	76.00	1297		C1737 ⁺		30
Premio 1500 (Brazil) (Alcohol)	138A	86.40	1498	1985	C1732 ⁺		76
Punto	E.torQ	77.00	1598	2005	S5427 ^{+N}		36
Punto	839A7.000 EURO 3	82.00	1747	99-00	S5208 ⁺		50
Punto 1.9 (Diesel)	188A3.000	82.00	1910	1999	S5244 ⁺		54
Punto 1.9 JTD ELX (Diesel)	AR37101-188A2.000	82.00	1910	1999	S5244 ⁺		54
Punto 55, 6 speed	176 A6 SPI	70.00	1108	93-99	S5078 ⁺		14
Punto 60 (Diesel)	176A6SPI	70.80	1242	93-99	S5079 ⁺		18
Punto 60 Cabrio (Diesel)	176A7SPI	70.80	1242	94-99	S5079 ⁺		18
Punto 75 (Diesel)	176A8MPI	70.80	1242	93-99	S5079 ⁺		18
Punto 85 16V (Diesel)	176B9000	70.80	1242	97-99	S5079 ⁺		18
Punto EVO	8X Flex	72.00	1368	2009	S5407 ^{+N}		20
Punto GT	146A8.000	80.50	1372	1993	S5232 ⁺		47
Punto GT	176A4.000	80.50	1372	94-98	S5232 ⁺		47
Punto TD 16v Multijet (Diesel)	188A9.000	69.60	1251	2003	S5245 ⁺		12
Regata (Diesel)	149B3.000	82.60	1697	86-89	S5122 ⁺	P5122 ⁺	61
Regata (Diesel)	M707BT.19.0	82.60	1929	86-89	S5122 ⁺	P5122 ⁺	62
Regata (Diesel)	831D1.000	82.60	1929	87-89	S5122 ⁺	P5122 ⁺	62
Regata (Diesel)	149A1.000	82.60	1929	83-90	S5122 ⁺	P5122 ⁺	62
Regata 1.9TD (Diesel)	138TD.000-831D.1.000	82.60	1929	1986	S5132 ⁺		57
Ritmo	127A	76.00	1049	1980	C1517	P1517	32
Ritmo (Diesel)	149B3.000	82.60	1697	86-88	S5122 ⁺	P5122 ⁺	63
Ritmo (Diesel)	831D1.000	82.60	1929	86-88	S5122 ⁺	P5122 ⁺	64
Ritmo 1.9TD (Diesel)	138TD.000-831D.1.000	82.60	1929	1986	S5132 ⁺		57
Ronda		75.00	1200		C1823		28
Ronda	021 A 2000	83.00	1461		C1825		68
Scudo Multijet (Diesel)	DV6UTED4	75.00	1560	2007	S5421 ^{+N}		29
Sedan	132AC	80.00	1592	1974	C1291	P1291	45
Sedan, Wagon	128A	80.00	1116	72-73	C1291	P1291	43
Sedan, Wagon, Special	124B	80.00	1438	70-73	C1291	P1291	41
Sevel	159B9.000	86.40	1598	1992	S5237 ⁺		77
Siena	E.torQ	77.00	1598	2007	S5427 ^{+N}		36
Siena	182A4.000	86.40	1598	99-00	S5237 ⁺		77
Spyder 100	100G3	64.00	817	68-69		P1312	3
Spyder 2000	132AZ	84.00	1995	79-83	C1369	P1369	73
Stilo	839A7.000 EURO 3	82.00	1747	2001	S5208 ⁺		52
Stilo 1.8i 16V	182B7.000	82.00	1747		S5208 ⁺		50
Stilo 1.9 JTD (Diesel)	AR37101-188A2.000	82.00	1910	2000	S5244 ⁺		54
Stilo 16V	182B6.000	80.50	1596	2001	S5255 ⁺		48
Strada	E.torQ	77.00	1598	1998	S5427 ^{+N}		36
Strada (Diesel)	188A3.000	82.00	1910	2000	S5244 ⁺		54
Talanto (Diesel)	149B1.000	82.60	1929	90-94	S5074 ⁺		56

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
Talanto (Diesel)	149B1.000	82.60	1929	87-94	S5122 ⁺	P5122 ⁺	64
Tempra	159B9.000	86.40	1598	94-96	S5237 ⁺		77
Tempra (Diesel)	149B1.000	82.60	1929	90-94	S5074 ⁺		56
Tempra (Diesel)	835AM-M710.AT.19.0	82.60	1929	90-96	S5132 ⁺		57
Tempra (Diesel)	160A7.000	82.60	1929	90-96	S5122 ⁺	P5122 ⁺	64
Tempra (Diesel)	280	82.60	1929	95-96	S5122 ⁺	P5122 ⁺	64
Tempra (Diesel)	M610LA.18.C	84.00	1756	1991	S5236 ⁺		70
Tempra (Diesel)	835C.2000	84.00	1756	93-96	S5236 ⁺		70
Tempra (Diesel)	M611LA20C025	84.00	1995	1990	S5236 ⁺		71
Tempra (Diesel)	159A4.000	84.00	1995	92-96	S5236 ⁺		71
Tempra (Diesel)	159A6.046	84.00	1995	1990	S5236 ⁺		71
Tempra (Diesel)	160A2.000	86.40	1581	1990	C1893	P1893	80
Tipo	160A3.000	70.00	1108	88-95	C1824	P1824	17
Tipo	160A3.000	70.00	1108	88-95	C1824	P1824	17
Tipo	160A1.000	80.50	1372	87-89	C1840	P1840	49
Tipo	159B9.000	86.40	1598	1992	S5237 ⁺		77
Tipo (Diesel)	149B1.000	82.60	1929	90-94	S5074 ⁺		56
Tipo (Diesel)	835AM-M710.AT.19.0	82.60	1929	90-95	S5132 ⁺		57
Tipo (Diesel)	149B4.000	82.60	1697	88-93	S5122 ⁺	P5122 ⁺	65
Tipo (Diesel)	160A7.000	82.60	1929	91-95	S5122 ⁺	P5122 ⁺	66
Tipo (Diesel)	149B3.000	82.60	1697	86-89	S5122 ⁺	P5122 ⁺	67
Tipo (Diesel)	M610LA.18.C	84.00	1756	90-93	S5236 ⁺		70
Tipo (Diesel)	835C.2000	84.00	1756	93-95	S5236 ⁺		70
Tipo (Diesel)	M611LA20C025	84.00	1995	93-95	S5236 ⁺		71
Tipo (Diesel)	159A4.000	84.00	1995	1994	S5236 ⁺		71
Tipo (Diesel)	159A6.046	84.00	1995	90-93	S5236 ⁺		71
Tipo (Diesel)	M615KA.20.C	84.00	1995	93-95	S5236 ⁺		71
Tipo (Diesel)	160A8046	84.00	1995	1991	S5236 ⁺		71
Tipo 1600 (Diesel)	160A2.000	86.40	1581	1988	C1893	P1893	80
Uno	160A3.000	70.00	1108	88-95	C1824	P1824	15
Uno	M204AA.11.0	70.00	1108	89-93	C1824	P1824	17
Uno (Diesel)	127 A5.000	76.00	1297	83-92	S5429 ^{+N}		31
Uno (Diesel)	127 AB.5C.0	76.00	1297	83-92	S5429 ^{+N}		31
Uno (Diesel)	146 B1.000	76.00	1297	83-92	S5429 ^{+N}		31
Uno 45 Sting-Panda 45	146A0.000	65.00	903	83-92	C1275	P1275	6
Uno 45, GL146	100GBC	65.00	903	83-90	C1275	P1275	6
Uno 60 (Diesel)	149B1.000	82.60	1929	90-94	S5074 ⁺		56
Uno turbo	146A2.000	80.50	1301	85-91	C1913		46
Uno turbo	146A8.000	80.50	1372	90-93	S5232 ⁺		47
Weekend HLX 20V	182B7.000	82.00	1998	99-00	S5209 ⁺		53
X1/9	128AS.000	86.00	1290	73-79	C1353	P1353	75
X1/9	138A	86.40	1498	79-83	C1447	P1447	78

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	600, Multipla (Diesel)	(.6L) 633	P1034	4	2.362	60.00	4 - 2.50 4 - 2.50	4 - 4.00
2	600D, Multipla	(.8L) 767	P1180 C1180	4	2.441	62.00	4 - 2.00 4 - 2.00	4 - 4.00
3	Spyder 100 850 Sedan 850 Coupe	(.8L) 817	P1312	4	2.520	64.00	4 - 1.75 4 - 2.00	4 - 4.00
4	850 Coupe	(.9L) 903	P1275 C1275	4	2.559	65.00	4 - 1.75 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
5	850 Coupe 850 Spyder	(.8L)	843	P1275 C1275	4	2.559	65.00	4 - 1.75 4 - 2.00	4 - 4.00
6	850 Sedan 850 Racer 850 Spyder 127, L, Special, GL 146 850 Special, GL 146 900 E/Panorama Uno 45, GL146 Fiorino Panda 45 Uno 45 Sting-Panda 45 900 T Van, CZ	(.9L)	903	P1275 C1275	4	2.559	65.00	4 - 1.75 4 - 2.00	4 - 4.00
7	Panda 750 Fire Motor	(.8L)	769	P1875 C1875	4	2.559	65.00	4 - 1.50 4 - 1.50	4 - 3.00
8	Cinquecento	(.9L)	903	P1875 C1875	4	2.559	65.00	4 - 1.50 4 - 1.50	4 - 3.00
9	500, Beancia	(.5L)	479	P1120	2	2.598	66.00	2 - 2.00 2 - 2.00 2 - 2.00	2 - 4.00
10	Panda 950, 950 4 x 4	(1.0L)	965	C1878	4	2.646	67.20	4 - 1.50 4 - 1.75	4 - 4.00
11	1100 R, Sedan	(1.1L)	1089	P1126 C1126	4	2.677	68.00	4 - 2.50 4 - 2.50	4 - 4.00
12	Doblo TD 16v Multijet (Diesel) Idea TD 16v Multijet (Diesel) Panda TD 16v Multijet (Diesel) Punto TD 16v Multijet (Diesel)	(1.2L)	1251	S5245⁺	4	2.740	69.60	4 - 2.00 4 - 1.50	4 - 2.00
13	Gingo (Diesel)	(1.2L)	1247	S5245⁺	4	2.740	69.60	4 - 2.00 4 - 1.50	4 - 2.00
14	Punto 55, 6 speed Cinquecento Panda 1100	(1.1L)	1108	S5078⁺	4	2.756	70.00	4 - 1.20 4 - 1.20	4 - 2.50
15	Uno	(1.1L)	1108	P1824 C1824	4	2.756	70.00	4 - 1.50 4 - 1.50	4 - 3.00
16	Fire Motor Panda	(1.0L)	999	P1824 C1824	4	2.756	70.00	4 - 1.50 4 - 1.50	4 - 3.00
17	Tipo Panda 1100 Uno Tipo	(1.1L)	1108	P1824 C1824	4	2.756	70.00	4 - 1.50 4 - 1.50	4 - 3.00
18	Punto 75 (Diesel) Punto 85 16V (Diesel) Punto 60 (Diesel) Punto 60 Cabrio (Diesel)	(1.2L)	1242	S5079⁺	4	2.787	70.80	4 - 1.20 4 - 1.20	4 - 2.50
19	Fire Flex, Idea, Palio, Weekend, Siena, Strada	(1.4L)		S5299	4	2.835	72.00	4 - 1.20 4 - 1.20	4 - 2.00
20	Punto EVO	(1.4L)	1368	S5407^{+N}	4	2.835	72.00	4 - 1.00 4 - 1.00	4 - 1.50
21	1200 Granluce	(1.2L)	1221	P1118	4	2.835	72.00	4 - 2.50 4 - 2.50	4 - 4.00
22	1800	(1.8L)	1795	P1171 C1171	6	2.835	72.00	6 - 2.00 6 - 2.00	6 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
23	1300	(1.3L)	1295	P1224 C1224	4	2.835	72.00	4 - 2.00 4 - 2.00	4 - 4.00
24	Europa 1200 Granluxe Spider, Sedan 1100 D, Sedan	(1.2L)	1221	P1224 C1224	4	2.835	72.00	4 - 2.00 4 - 2.00	4 - 4.00
25	1100 (4 ring piston)	(1.1L)	1100	P1386 C1386	4	2.835	72.00	4 - 2.00 4 - 2.00	4 - 4.00
26	1200 (4 ring piston)	(1.2L)	1200	P1386 C1386	4	2.835	72.00	4 - 2.00 4 - 2.00	4 - 4.00
27	124 Sedan 238-241 Vans	(1.2L)	1197	P1315 C1315	4	2.874	73.00	4 - 1.50 4 - 2.00	4 - 4.00
28	Malaga Ronda	(1.2L)	1200	C1823	4	2.953	75.00	4 - 1.50 4 - 1.75	4 - 4.00
29	Scudo Multijet (Diesel)	(1.6L)	1560	S5421 ^{+N}	4	2.953	75.00	4 - 3.00 ^{FK} 4 - 1.95	4 - 2.50
30	Fiorino 1300 (Brazil)(Alcohol) Panorama 1300 (Brazil) (Alcohol)	(1.3L)	1297	C1737 ⁺	4	2.992	76.00	4 - 1.50 4 - 2.00	4 - 4.00
31	127 (Diesel) Uno (Diesel)	(1.3L)	1297	S5429 ^{+N}	4	2.992	76.00	4 - 2.50 ^{FK} 4 - 2.00	4 - 3.00
32	Ritmo	(1.0L)	1049	P1517 C1517	4	2.992	76.00	4 - 1.50 4 - 2.00	4 - 4.00
33	Miafiori	(1.3L)	1297	P1517 C1517	4	2.992	76.00	4 - 1.50 4 - 2.00	4 - 4.00
34	Fiorino	(1.5L)	1500	P1895 C1895	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 3.00
35	Panda 650 126	(.65L)	652	S5369 ^N	2	3.031	77.00	2 - 1.50 2 - 2.00	2 - 4.00
36	Strada Idea Palio Punto Siena	(1.6L)	1598	S5427 ^{+N}	4	3.031	77.00	4 - 1.20 4 - 1.20	4 - 2.50
37	2100	(2.1L)	2054	P1141 C1141	6	3.031	77.00	6 - 2.00 6 - 2.00	6 - 4.00
38	1500, C, L, TS	(1.5L)	1481	P1245 C1245	4	3.031	77.00	4 - 2.00 4 - 2.00	4 - 4.00
39	1500S	(1.5L)	1491	P1262 C1262	4	3.071	78.00	4 - 2.00 4 - 2.00	4 - 4.00
40	2300S	(2.3L)	2279	P1311 C1311	6	3.071	78.00	6 - 2.00 6 - 2.00	6 - 4.00
41	124 Coupe, Spyder Sedan, Wagon, Special	(1.4L)	1438	P1291 C1291	4	3.150	80.00	4 - 1.50 4 - 2.00	4 - 4.00
42	124 Coupe, Spyder	(1.6L)	1608	P1291 C1291	4	3.150	80.00	4 - 1.50 4 - 2.00	4 - 4.00
43	Sedan, Wagon	(1.1L)	1116	P1291 C1291	4	3.150	80.00	4 - 1.50 4 - 2.00	4 - 4.00
44	124 Coupe, Spyder	(1.6L)	1590	P1291 C1291	4	3.150	80.00	4 - 1.50 4 - 2.00	4 - 4.00
45	Sedan	(1.6L)	1592	P1291 C1291	4	3.150	80.00	4 - 1.50 4 - 2.00	4 - 4.00
46	Uno turbo	(1.3L)	1301	C1913	4	3.169	80.50	4 - 1.50 4 - 2.00	4 - 4.00
47	Uno turbo Punto GT	(1.4L)	1372	S5232 ⁺	4	3.169	80.50	4 - 1.50 4 - 2.00	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
48	Brava, Bravo, 16V Doblo 16V Marea 16V Palio 16V Stilo 16V	(1.6L)	1596	S5255 ⁺	4	3.169	80.50	4 - 1.20 4 - 1.20	4 - 2.00
49	Tipo	(1.4L)	1372	P1840 C1840	4	3.169	80.50	4 - 1.50 4 - 1.75	4 - 3.00
50	Barchetta Punto Stilo 1.8i 16V	(1.8L)	1747	S5208 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
51	Bravo	(2.0L)	1998	S5208 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
52	Stilo Brava, Bravo 115 1.8i Marea 115 1.8i	(1.8L)	1747	S5208 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
53	Bravo HGT 20V Coupe Marea 20V Weekend HLX, HLX Bravo HGT 20V Coupe 20V Marea HLX 20V Weekend HLX 20V	(2.0L)	1998	S5209 ⁺	5	3.228	82.00	5 - 1.50 5 - 1.50	5 - 3.00
54	Doblo (Diesel) Palio (Diesel) Punto 1.9 (Diesel) Strada (Diesel) Brava 1.9 JTD 105 ELX (Diesel) 1.9 JTD 105 HSX, SX (Diesel) Marea 1.9 JTD 105 ELX (Diesel) Multipla 1.9 JTD (Diesel) Palio 1.9 JTD (Diesel) Punto 1.9 JTD ELX (Diesel) Stilo 1.9 JTD (Diesel)	(1.9L)	1910	S5244 ⁺	4	3.228	82.00	4 - 2.00 4 - 2.00	4 - 2.00
55	Brava V, Bravo, 12V Marea 80, Marea Weekend 80, 12V Brava, Bravo, 12V	(1.4L)	1370	P1695 C1695	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 3.00
56	Tipo (Diesel) Tempra (Diesel) Talanto (Diesel) Duna SDL, SDR (Diesel) Uno 60 (Diesel)	(1.9L)	1929	S5074 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 3.00
57	Ritmo 1.9TD (Diesel) Tipo (Diesel) Regata 1.9TD (Diesel) Tempra (Diesel)	(1.9L)	1929	S5132 ⁺	4	3.252	82.60	4 - 3.00 ^{FK} 4 - 2.00	4 - 3.00
58	Brava (Diesel) Bravo (Diesel) Ducato (Diesel)	(1.9L)	1929	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
59	Duna (Diesel) Fiorino (Diesel)	(1.7L)	1697	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
60	Marengo (Diesel)	(1.9L)	1929	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
61	Regata (Diesel)	(1.7L)	1697	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
62	Regata (Diesel)	(1.9L)	1929	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
63	Ritmo (Diesel)	(1.7L)	1697	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
64	Ritmo (Diesel) Talanto (Diesel) Tempra (Diesel)	(1.9L)	1929	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
65	Tipo (Diesel)	(1.7L)	1697	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
66	Tipo (Diesel)	(1.9L)	1929	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
67	Tipo (Diesel)	(1.7L)	1697	P5122 ⁺ S5122 ⁺	4	3.252	82.60	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
68	Malaga Ronda	(1.5L)	1461	C1825	4	3.268	83.00	4 - 1.50 4 - 1.75	4 - 4.00
69	Lancia K 2.4i 20V Lancia K 2.4i 20V Coupe	(2.4L)	2446	S5240 ^{+N}	5	3.268	83.00	5 - 1.20 5 - 1.50	5 - 3.00
70	Tipo (Diesel) Tempra (Diesel)	(1.8L)	1756	S5236 ⁺	4	3.307	84.00	4 - 1.50 4 - 1.50	4 - 3.00
71	Tipo (Diesel) Tempra (Diesel) Tipo (Diesel) Tempra (Diesel) Croma (Diesel) Tipo (Diesel) Croma (Diesel) Coupe (Diesel) Lancia Delta (Diesel)	(2.0L)	1995	S5236 ⁺	4	3.307	84.00	4 - 1.50 4 - 1.50	4 - 3.00
72	124 Coupe, Spyder 131 Brava	(1.8L)	1756	P1369 C1369	4	3.307	84.00	4 - 1.50 4 - 2.00	4 - 4.00
73	Brava Spyder 2000	(2.0L)	1995	P1369 C1369	4	3.307	84.00	4 - 1.50 4 - 2.00	4 - 4.00
74	131 eng.			P1941 C1941	4	3.307	84.00	4 - 2.00 4 - 2.00	4 - 4.00
75	128 Sedan, Wagon, SL X1/9	(1.3L)	1290	P1353 C1353	4	3.386	86.00	4 - 1.50 4 - 2.00	4 - 4.00
76	Premio 1500 (Brazil) (Alcohol)	(1.5L)	1498	C1732 ⁺	4	3.402	86.40	4 - 1.50 4 - 2.00	4 - 4.00
77	Sevel Tempra Tipo Siena	(1.6L)	1598	S5237 ⁺	4	3.402	86.40	4 - 1.50 4 - 1.50	4 - 3.00
78		(1.5L)	1498	P1447 C1447	4	3.402	86.40	4 - 1.50 4 - 2.00	4 - 4.00
78	X1/9		1498						
79	Palio, Palio Weekend	(1.6L)	1581	P1880 C1880	4	3.402	86.40	4 - 1.50 4 - 1.50	4 - 3.00
80	Tempra (Diesel) Tipo 1600 (Diesel)	(1.6L)	1581	P1893 C1893	4	3.402	86.40	4 - 1.50 4 - 1.75	4 - 3.00
81	Campagnola 1107AD 131 2500D 132 2500D Argenta DS Marenga 2500	(2.5L)	2445	C1890	4	3.661	93.00	4 - 3.00 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FIAT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
82	Argenta 2.5TD (Diesel)	(2.5L)	2445	S5108 ⁺	4	3.661	93.00	4 - 3.00 ^{FK}	4 - 3.00
	Croma 2.5D/DS (Diesel)							4 - 2.00	
	Croma 2.5TD (Diesel)								
83	Croma 2.5D/DS (Diesel)	(2.5L)	2445	S5133 ⁺	4	3.661	93.00	4 - 3.00	4 - 3.00
	Grinta 2.5TD (Diesel)							4 - 2.00	

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone