

FORD (BRITISH)

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
Anglia	E93A	63.50	1172	39-53	C1016	P1016	1
Anglia	100E	63.50	1172	54-62		P1019	2
Anglia		63.50	1172	39-53		P5274	4
Anglia (4-Ring Replc.)	100E	63.50	1172			P1024	3
Anglia - 106E	105E	80.95	997	60-68	C1040	P1040	9
Anglia Super	123E	80.95	1198	62-68	C1040	P1040	12
Capri	2305E	87.65	1593	70-73	C1509	P1509	18
Capri 2000 GT		93.67	1996	66-72	C1548	P1548	22
Capri 3000 GT	2604	93.67	2991	66-67	C1549	P1549	26
Classic 315	109E	80.95	1340	61-62	C1040	P1040	10
Classic 315	116E	80.95	1498	63-67	C1040	P1040	11
Consul	L	93.67	1966	66-72	C1548	P1548	25
Consul MK II	204E	82.55	1703	56-63	C1020	P1020	16
Consul Mk1		79.37	1508	51-56	C1015	P1015	5
Corsair - 122E	120E	80.95	1498	63-67	C1040	P1040	11
Corsair Deluxe	2601E	93.67	1663	66-75	C1548	P1548	23
Corsair RGT	2602E	93.67	1996	66-67	C1548	P1548	24
Cortina	751M	80.95	1298	1970	C1307	P1307	15
Cortina	2305E	87.65	1593	70-On	C1509	P1509	18
Cortina 1600, E, GT	3036E	80.95	1599	68-70	C1040	P1040	13
Escort	711M	80.95	1098	70-75	C1307	P1307	14
Escort	751M	80.95	1298	75-80	C1307	P1307	15
Escort 1300	CVH	80.00	1296	1980	C1487	P1487	8
Escort 1600	CVH	80.00	1597	1980	C1487	P1487	7
Ford Transit (Diesel)	2401E	93.67	2358	1972	C1592 ^A		19
Popular		63.50	1172	54-59		P5274	4
Prefect	E93A	63.50	1172	39-59	C1016	P1016	1
Prefect	100E	63.50	1172	54-59		P1019	2
Prefect		63.50	1172	39-53		P5274	4
Prefect	107E	80.95	997	60-68	C1040	P1040	9
Super, 118E,Cortina 1500 3016E, 3017E	116E	80.95	1498	63-68	C1040	P1040	11
Thames 10 Cwt	E93A	63.50	1172	39-59	C1016	P1016	1
Thames 10 Cwt		63.50	1172	39-53		P5274	4
Transit 100L, 120/130/150/160/190 (Diesel)	York	93.67	2496	1988	S7038 ^{+A}		21
Transit 80/100/120/130/160 (Diesel)	York	93.67	2496	84-88	S7037 ^{+A}		20
Zephyr	RBP	79.37	2262	51-58	C1018	P1018	6
Zephyr	206E	82.55	2553	56-63	C1021	P1021	17
Zephyr		96.00	2298	78-81	C1308	P1308	29
Zephyr-4	204E	82.55	1703	62-66	C1020	P1020	16
Zephyr-4 MK IV	2602E	93.67	1996	66-67	C1548	P1548	22
Zephyr-6	2603E	93.67	2495	66-75	C1549	P1549	27
Zodiac	RBP	79.37	2262	51-58	C1018	P1018	6
Zodiac	206E	82.55	2553	56-62	C1021	P1021	17
Zodiac MKIV	2604E	93.67	2994	66-67	C1549	P1549	28

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	Anglia	(1.2L)	1172	4	2.500	63.50	4 - .075"	4 - .156"
	Prefect			C1016			4 - .075"	
	Thames 10 Cwt							
2	Anglia	(1.2L)	1172	4	2.500	63.50	4 - .075"	4 - .156"
	Prefect						4 - .0937"	
3	Anglia (4-Ring Replc.)	(1.2L)	1172	4	2.500	63.50	4 - .075"	4 - .156"
							4 - .0937"	4 - .156"

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FORD (BRITISH)

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
4	Prefect Anglia Thames 10 Cwt Popular	(1.2L)	1172	P5274	4	2.500	63.50	4 - .075" 4 - .075"	4 - .156" 4 - .156"
5	Consul Mk1	(1.5L)	1508	P1015 C1015	4	3.125	79.37	4 - 5/64 4 - 5/64	4 - 3/16
6	Zephyr Zodiac	(2.3L)	2262	P1018 C1018	6	3.125	79.37	6 - 5/64 6 - 5/64	6 - 3/16
7	Escort 1600	(1.6L)	1597	P1487 C1487	4	3.150	80.00	4 - 1.60 4 - 2.00	4 - 4.00
8	Escort 1300	(1.3L)	1296	P1487 C1487	4	3.150	80.00	4 - 1.60 4 - 2.00	4 - 4.00
9	Anglia - 106E Prefect	(1.0L)	997	P1040 C1040	4	3.187	80.95	4 - 5/64 4 - 5/64	4 - 5/32
10	Classic 315	(1.3L)	1340	P1040 C1040	4	3.187	80.95	4 - 5/64 4 - 5/64	4 - 5/32
11	Classic 315 Super, 118E, Cortina 1500 3016E, 3017E Corsair - 122E	(1.5L)	1498	P1040 C1040	4	3.187	80.95	4 - 5/64 4 - 5/64	4 - 5/32
12	Anglia Super	(1.2L)	1198	P1040 C1040	4	3.187	80.95	4 - 5/64 4 - 5/64	4 - 5/32
13	Cortina 1600, E, GT	(1.6L)	1599	P1040 C1040	4	3.187	80.95	4 - 5/64 4 - 5/64	4 - 5/32
14	Escort	(1.1L)	1098	P1307 C1307	4	3.187	80.95	4 - 1.60 4 - 2.00	4 - 3.97
15	Cortina Escort	(1.3L)	1298	P1307 C1307	4	3.187	80.95	4 - 1.60 4 - 2.00	4 - 3.97
16	Consul MK II Zephyr-4	(1.7L)	1703	P1020 C1020	4	3.250	82.55	4 - 5/64 4 - 5/64	4 - 3/16
17	Zephyr Zodiac	(2.6L)	2553	P1021 C1021	6	3.250	82.55	6 - 5/64 6 - 5/64	6 - 3/16
18	Capri Cortina	(1.6L)	1593	P1509 C1509	4	3.451	87.65	4 - 2.00 4 - 2.50	4 - 4.00
19	Ford Transit (Diesel)	(2.4L)	2358	C1592 ^A	4	3.688	93.67	4 - 2.38 ^{HK} 4 - 2.38	4 - 4.75
20	Transit 80/100/120/130/160 (Diesel)	(2.5L)	2496	S7037 ^{+A}	2	3.688	93.67	2 - 2.00 2 - 2.00	2 - 4.00
21	Transit 100L, 120/130/150/160/190 (Diesel)	(2.5L)	2496	S7038 ^{+A}	4	3.688	93.67	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
22	Capri 2000 GT Zephyr-4 MK IV	(2.0L)	1996	P1548 C1548	4	3.688	93.67	4 - 5/64 4 - 5/64	4 - 3/16
23	Corsair Deluxe	(1.7L)	1663	P1548 C1548	4	3.688	93.67	4 - 5/64 4 - 5/64	4 - 3/16
24	Corsair RGT	(2.0L)	1996	P1548 C1548	4	3.688	93.67	4 - 5/64 4 - 5/64	4 - 3/16
25	Consul	(2.0L)	1966	P1548 C1548	4	3.688	93.67	4 - 5/64 4 - 5/64	4 - 3/16
26	Capri 3000 GT	(3.0L)	2991	P1549 C1549	6	3.688	93.67	6 - 5/64 6 - 5/64	6 - 3/16
27	Zephyr-6	(2.5L)	2495	P1549 C1549	6	3.688	93.67	6 - 5/64 6 - 5/64	6 - 3/16
28	Zodiac MKIV	(3.0L)	2994	P1549 C1549	6	3.688	93.67	6 - 5/64 6 - 5/64	6 - 3/16

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

FORD (BRITISH)

Line						Bore Diameter		Ring Size	
No	Application	CC	Set No	Cyl	Inch	MM	Comp	Oil	
29	Zephyr	(2.3L)	2298		3.780	96.00	4 - 2.00	4 - 4.75	
			P1308						
			C1308				4 - 2.00		

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone