

# HONDA

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
	D15B8	75.00	1500	92-96	S5435 <sup>+N</sup>		28
	D15Z1	75.00	1500	92-96	S5435 <sup>+N</sup>		28
600	N600	74.00	598	68-72	C1415	P1415	13
Accord	EF1, 2	74.00	1599	76-78	C1475	P1475	16
Accord	EK1	77.00	1751	79-83	C1446	P1446	31
Accord	A20A1	82.70	1955	87-89	C1641	P1641	36
Accord	BS1	82.70	1955	1986	C1641	P1641	36
Accord	F22	85.00	2156	90-97	C1782 <sup>+</sup>		39
Accord	F23	86.00	2254	98-02	C5017 <sup>+</sup>		40
Accord	K24A4	87.00	2354	03-07	S5249 <sup>+N</sup>		46
Accord	K24A2	87.00	2354	03-07	S5355 <sup>+N</sup>		48
Accord	K24Z3	87.00	2354	08-12	S5356 <sup>+N</sup>		49
Accord	K24Z2	87.00	2354	08-12	S5356 <sup>+N</sup>		49
Accord CVCC	EP	77.00	1601	1980	C1446	P1446	30
Accord LXi	A20A3	82.70	1955	87-89	C1641	P1641	36
Accord LXi	BS2	82.70	1955	1986	C1641	P1641	36
Accord Lx, Ex	C27A4	87.00	2675	95-97	C1678 <sup>+</sup>		42
Accord SE	F22A6	85.00	2156	90-95	C1782 <sup>+</sup>		39
Accord SEi	ES3	80.00	1829	1985	C1552	P1552	32
CRV	K24A1	87.00	2354	02-06	S5249 <sup>+N</sup>		46
CRV	K24Z6	87.00	2354	12-15	S5356 <sup>+N</sup>		49
CRV	K24Z1	87.00	2354	07-11	S5356 <sup>+N</sup>		49
CRV, DOHC	B20B4	84.00	1972	97-98	S5168 <sup>+</sup>		38
CRV, DOHC	B20Z4, B20Z2	84.00	1972	99-02	S5168 <sup>+</sup>		38
CRX	D15B1/B2	75.00	1493	88-91	C1676 <sup>+</sup>		21
CRX DX	D15A2	74.00	1488	84-87	C1516 <sup>+</sup>		10
CRX DX	EW1	74.00	1488	84-86	C1516 <sup>+</sup>		10
CRX DX	EV1	74.00	1342	84-87	C1577 <sup>+</sup>		11
CRX HF	D15A2	74.00	1488	1987	C1642 <sup>+</sup>		12
CRX HF	EW1	74.00	1488	85-86	C1642 <sup>+</sup>		12
CRX HF	D15B6	75.00	1493	88-95	C1781 <sup>+</sup>		22
CRX Si	D15A3	74.00	1488	86-87	C1640	P1640	19
CRX Si	EW3	74.00	1488	1985	C1640	P1640	19
City	LDA-MF3	73.00	1339	03-05	S5332 <sup>+N</sup>		8
City, Jazz	R	66.00	1231	81-86	C1881	P1881	1
Civic	EB1	70.00	1169	1973	C1416	P1416	2
Civic	EJ1	72.00	1335	82-83	C1599 <sup>+</sup>		3
Civic	EB2	72.00	1237	74-78	C1401	P1401	4
Civic	EB3	72.00	1237	78-79	C1460	P1460	6
Civic	EJ1	72.00	1335	80-81	C1460	P1460	7
Civic	EF	74.00	1488	82-87	C1516 <sup>+</sup>		10
Civic	D15A2	74.00	1488	1987	C1516 <sup>+</sup>		10
Civic	EM1	74.00	1488	82-83	C1516 <sup>+</sup>		10
Civic	EW1	74.00	1488	84-87	C1516 <sup>+</sup>		10
Civic	EV1	74.00	1342	84-87	C1577 <sup>+</sup>		11
Civic	EC	74.00	1488	74-79	C1469	P1469	14
Civic	EM1	74.00	1488	80-83	C1475	P1475	17
Civic	D13A2	74.00	1342	1987	C1640	P1640	18
Civic	D16A6	75.00	1590	89-93	C1676 <sup>+</sup>		20
Civic	D15B1/B2	75.00	1493	88-91	C1676 <sup>+</sup>		21
Civic	D15B7/B8	75.00	1493	92-95	C1676 <sup>+</sup>		21
Civic	D15Z1	75.00	1493	88-95	C1781 <sup>+</sup>		22
Civic	D16Y5	75.00	1590	96-98	C1781 <sup>+</sup>		23
Civic	D17A1	75.00	1668	01-05	S5200 <sup>+N</sup>		27

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# HONDA

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Civic	R18A1	81.00	1799	06-15	S5397 <sup>+N</sup>		35
Civic (Ka200)	SH4	75.00	1600		C1905 <sup>+</sup>		24
Civic (Shallow Compression Grooves)	D16Y5	75.00	1590	88-92	C1942 <sup>+</sup>		25
Civic (Shallow Compression Grooves)	D15Z1	75.00	1493	88-92	C1942 <sup>+</sup>		26
Civic CVCC	ED1, 2, 3, 4	74.00	1488	75-88	C1475	P1475	15
Civic Ex	D16Z6	75.00	1590	92-95	C1676 <sup>+</sup>		20
Civic Hybrid w/VTECH, SOHC	LDA-MF3	73.00	1339	03-05	S5332 <sup>+N</sup>		8
Civic I-VTEC	K20A1/K20A3	86.00	1998	02-08	S5235 <sup>+</sup>		41
Civic I-VTECH (DOHC)	K20A3	86.00	1998	02-06	S5235 <sup>+</sup>		41
Civic Si	D15A3	74.00	1488	1987	C1640	P1640	19
Civic Si	EW4	74.00	1488	86-87	C1640	P1640	19
Civic Si	K24Z7	87.00	2354	12-15	S5356 <sup>+N</sup>		49
Civic, Del Sol	D16Y7	75.00	1590	96-98	C1781 <sup>+</sup>		23
Civic, Del Sol	D16Y8	75.00	1590	96-98	C1781 <sup>+</sup>		23
Civic, Del Sol (VTEC)	B16A2	81.00	1590	94-00	S5189 <sup>+</sup>		34
Civic, Stream	D17A1	75.00	1668	01-05	S5200 <sup>+N</sup>		27
Del Sol	D15B8	75.00	1493	92-93	C1676 <sup>+</sup>		21
Del Sol Si	D16Z6	75.00	1590	93-97	C1676 <sup>+</sup>		20
Element	K24A1	87.00	2354	03-09	S5249 <sup>+N</sup>		46
Fit	LDA-MF3	73.00	1339	03-05	S5332 <sup>+N</sup>		8
Fit SOHC	LDA-MF3	73.00	1497	07-13	S5332 <sup>+N</sup>		9
Odyssey	J35A1	89.00	3471	99-10	C5019 <sup>+</sup>		50
Passport (Isuzu engine)	4ZE1	92.60	2559	94-97	C1679	P1679	51
Passport (Isuzu engine)	6VD1	93.40	3165	94-02	C1930 <sup>+</sup>		52
Passport (Isuzu engine)	6VE1	93.40	3494	98-02	C5018 <sup>+</sup>		53
Prelude	EK1	77.00	1751	79-82	C1446	P1446	29
Prelude DX	A18A1	80.00	1829	86-87	C1552	P1552	32
Prelude DX	ES1, 2	80.00	1829	1983	C1552	P1552	32
Prelude DX	ET2	80.00	1829	84-87	C1552	P1552	32
Prelude S	B20A3	81.00	1958	88-91	C1779 <sup>+</sup>		33
Prelude Si	BT2	82.70	1955	85-86	C1641	P1641	36
Prelude Si	B21A1	83.00	2056	90-91	C1803 <sup>+</sup>		37
Prelude Si	H23A1	87.00	2259	92-00	C1885 <sup>+</sup>		43
Prelude Si (Dohc)	B20A5	81.00	1958	88-91	C1779 <sup>+</sup>		33
Prelude Si (VTEC)	H22A4	87.00	2156	97-02	C1885 <sup>+</sup>		44
S-2000 (VTECH)	F20C	87.00	1997	00-03	S5249 <sup>+N</sup>		45
S-2000 (VTECH)	F22C	87.00	2157	04-09	S5249 <sup>+N</sup>		47
Van	EB5	72.00	1433	72-78	C1401	P1401	5

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	City, Jazz	(1.2L)	1231	4	2.598	66.00	4 - 1.50 4 - 1.50	4 - 4.00
2	Civic	(1.2L)	1169	4	2.756	70.00	4 - 1.50 4 - 1.50	4 - 2.80
3	Civic	(1.3L)	1335	4	2.835	72.00	4 - 1.00 4 - 1.20	4 - 2.80
4	Civic	(1.2L)	1237	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 2.80
5	Van	(1.4L)	1433	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 2.80
6	Civic	(1.2L)	1237	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Civic	(1.3L)	1335	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# HONDA

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
8	Fit City Civic Hybrid w/VTECH, SOHC	(1.3L)	1339	<b>S5332</b> <sup>+N</sup>	4	2.874	73.00	4 - 1.00 4 - 1.20	4 - 2.00
9	Fit SOHC	(1.5L)	1497	<b>S5332</b> <sup>+N</sup>	4	2.874	73.00	4 - 1.00 4 - 1.20	4 - 2.00
10	Civic CRX DX Civic CRX DX Civic	(1.5L)	1488	<b>C1516</b> <sup>+</sup>	4	2.913	74.00	4 - 1.20 4 - 1.20	4 - 2.80
11	CRX DX Civic	(1.3L)	1342	<b>C1577</b> <sup>+</sup>	4	2.913	74.00	4 - 1.20	4 - 2.80
12	CRX HF	(1.5L)	1488	<b>C1642</b> <sup>+</sup>	4	2.913	74.00	4 - 1.00 4 - 1.20	4 - 2.80
13	600	(.6L)	598	<b>P1415</b> <b>C1415</b>	2	2.913	74.00	2 - 1.50 2 - 1.50	2 - 2.50
14	Civic	(1.5L)	1488	<b>P1469</b> <b>C1469</b>	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 2.80
15	Civic CVCC	(1.5L)	1488	<b>P1475</b> <b>C1475</b>	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
16	Accord	(1.6L)	1599	<b>P1475</b> <b>C1475</b>	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
17	Civic	(1.5L)	1488	<b>P1475</b> <b>C1475</b>	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
18	Civic	(1.3L)	1342	<b>P1640</b> <b>C1640</b>	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
19	Civic Si CRX Si Civic Si	(1.5L)	1488	<b>P1640</b> <b>C1640</b>	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
20	Civic Civic Ex Del Sol Si	(1.6L)	1590	<b>C1676</b> <sup>+</sup>	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 2.80
21	Civic CRX Del Sol Civic	(1.5L)	1493	<b>C1676</b> <sup>+</sup>	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 2.80
22	CRX HF Civic	(1.5L)	1493	<b>C1781</b> <sup>+</sup>	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80
23	Civic Civic, Del Sol	(1.6L)	1590	<b>C1781</b> <sup>+</sup>	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80
24	Civic (Ka200)	(1.6L)	1600	<b>C1905</b> <sup>+</sup>	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 4.00
25	Civic (Shallow Compression Grooves)	(1.6L)	1590	<b>C1942</b> <sup>+</sup>	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80
26	Civic (Shallow Compression Grooves)	(1.5L)	1493	<b>C1942</b> <sup>+</sup>	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80
27	Civic Civic, Stream	(1.7L)	1668	<b>S5200</b> <sup>+N</sup>	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.00
28		(1.5L)	1500	<b>S5435</b> <sup>+N</sup>	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 3.00
29	Prelude	(1.8L)	1751	<b>P1446</b> <b>C1446</b>	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00
30	Accord CVCC	(1.6L)	1601	<b>P1446</b> <b>C1446</b>	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# HONDA

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
31	Accord	(1.8L)	1751	<b>P1446</b> <b>C1446</b>	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00
32	Prelude DX Accord SEi Prelude DX	(1.8L)	1829	<b>P1552</b> <b>C1552</b>	4	3.150	80.00	4 - 1.50 4 - 1.50	4 - 4.00
33	Prelude S Prelude Si (Dohc)	(2.0L)	1958	<b>C1779</b> <sup>+</sup>	4	3.189	81.00	4 - 1.20 4 - 1.50	4 - 2.80
34	Civic, Del Sol (VTEC)	(1.6L)	1590	<b>S5189</b> <sup>+</sup>	4	3.189	81.00	4 - 1.00 4 - 1.20	4 - 2.80
35	Civic	(1.8L)	1799	<b>S5397</b> <sup>+N</sup>	4	3.189	81.00	4 - 1.20 4 - 1.20	4 - 2.00
36	Accord Accord LXi Accord Accord LXi Prelude Si	(2.0L)	1955	<b>P1641</b> <b>C1641</b>	4	3.256	82.70	4 - 1.50 4 - 1.50	4 - 4.00
37	Prelude Si	(2.0L)	2056	<b>C1803</b> <sup>+</sup>	4	3.268	83.00	4 - 1.20 4 - 1.20	4 - 2.80
38	CRV, DOHC	(2.0L)	1972	<b>S5168</b> <sup>+</sup>	4	3.307	84.00	4 - 1.20 4 - 1.20	4 - 2.80
39	Accord Accord SE	(2.2L) (2.1L)	2156	<b>C1782</b> <sup>+</sup>	4	3.346	85.00	4 - 1.20 4 - 1.20	4 - 2.80
40	Accord	(2.3L)	2254	<b>C5017</b> <sup>+</sup>	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.80
41	Civic I-VTEC Civic I-VTECH (DOHC)	(2.0L)	1998	<b>S5235</b> <sup>+</sup>	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.00
42	Accord Lx, Ex	(2.7L)	2675	<b>C1678</b> <sup>+</sup>	6	3.425	87.00	6 - 1.20 6 - 1.20	6 - 4.00
43	Prelude Si	(2.3L)	2259	<b>C1885</b> <sup>+</sup>	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.80
44	Prelude Si (VTEC)	(2.2L)	2156	<b>C1885</b> <sup>+</sup>	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.80
45	S-2000 (VTECH)	(2.0L)	1997	<b>S5249</b> <sup>+N</sup>	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
46	CRV Accord Element	(2.4L)	2354	<b>S5249</b> <sup>+N</sup>	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
47	S-2000 (VTECH)	(2.2L)	2157	<b>S5249</b> <sup>+N</sup>	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
48	Accord	(2.4L)	2354	<b>S5355</b> <sup>+N</sup>	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.50
49	Accord Civic Si CRV Accord	(2.4L)	2354	<b>S5356</b> <sup>+N</sup>	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
50	Odyssey	(3.5L)	3471	<b>C5019</b> <sup>+</sup>	6	3.504	89.00	6 - 1.20 6 - 1.20	6 - 2.80
51	Passport (Isuzu engine)	(2.6L)	2559	<b>P1679</b> <b>C1679</b>	4	3.646	92.60	4 - 1.50 4 - 1.50	4 - 4.00
52	Passport (Isuzu engine)	(3.2L)	3165	<b>C1930</b> <sup>+</sup>	6	3.677	93.40	6 - 1.50 6 - 1.50	6 - 4.00
53	Passport (Isuzu engine)	(3.5L)	3494	<b>C5018</b> <sup>+</sup>	6	3.677	93.40	6 - 1.50 6 - 1.50	6 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone