

# HYUNDAI

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
Accent	G4EA	71.50	1300	1994	C1981	P1981	7
Accent	G4EK	75.50	1468	96-97	S5185 <sup>+</sup>		11
Accent	G4AE	75.50	1468	95-99	C1936	P1936	15
Accent	G4EB	75.50	1468	00-03	C1936	P1936	15
Accent	G4DE, G4ED, G4GR, G4KC	76.50	1599	01-10	S5125 <sup>+</sup>		16
Accent	G4ED	76.50	1599	06-10	S5384 <sup>+N</sup>		17
Accent CRDi Turbo-Diesel Intercooled (Diesel)	D3EA	83.00	1496	02-05	S5305 <sup>+</sup>		28
Accent GL	G4EE	75.50	1399	05-10	S5338 <sup>+N</sup>		13
Accent, Avente HD	GAMMA G4FC	77.00	1396		S5342 <sup>+N</sup>		19
Alpha ES	G4EA	71.50	1300	1994	C1981	P1981	7
Atos	G4HA, Epsilon	63.00	798		S5311		1
Atos	G4HC	66.00	998		S5044 <sup>+</sup>		2
Atos	G4HC	67.00	1100	05-08	S5291 <sup>+</sup>		5
Atos (2.5mm oil groove)	G4HC	67.00	1100	05-08	S5278 <sup>+</sup>		4
Atos (2mm oil groove)	G4HC	67.00	1100	05-08	S5276 <sup>+N</sup>		3
Avente	G4EK	75.50	1468	96-97	S5185 <sup>+</sup>		11
Avente HD	GAMMA G4FC	77.00	1591		S5342 <sup>+N</sup>		20
Azera	G6DB	92.00	3342	07-12	S5400 <sup>+N</sup>		41
Azera	RS3800	96.00	3778	06-12	S5401 <sup>+N</sup>		44
Beta, GLI	G4DR	82.00	1836	1994	C5043		25
Click	G4AJ	75.50	1468		S5338 <sup>+N</sup>		12
ERA (Diesel)		75.00	1500	2006	S5246 <sup>+</sup>		10
Elantra	G4JP	82.00	1997	99-08	C5020 <sup>+</sup>		23
Elantra	G4CN, M	82.00	1800	96-99	C5020 <sup>+</sup>		24
Elantra	G4JP	82.00	1975	06-10	S5402 <sup>+N</sup>		26
Elantra 16V DOHC	G4CR	82.30	1595	92-95	C1724 <sup>+</sup>		27
Elantra CRDi (Diesel)	D4EA	83.00	1991	01-06	S5409 <sup>+N</sup>		29
Elantra, 16V, DOHC	G4JN	81.50	1836	93-98	C1967 <sup>+</sup>		22
Elantra, GLI	G4DR	82.00	1836	1994	C5043		25
Elantra, GLS, DOHC, 16 valve	J2, G4	77.40	1599	94-96	S5042 <sup>+</sup>		21
Entourage	RS3800	96.00	3778	07-09	S5401 <sup>+N</sup>		44
Excel	4G15	75.50	1468	86-95	C1602	P1602	14
Excel (Unleaded)	X11	71.00	1300		C5128		6
Galloper, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530 <sup>+</sup>		38
Genesis	RS3800	96.00	3778	09-15	S5401 <sup>+N</sup>		44
Genesis Coupe	Theta II G4KD	86.00	1998	10-15	S5410 <sup>+N</sup>		32
Getz CRDi Turbo-Diesel Intercooled (Diesel)	D3EA	83.00	1496	03-05	S5305 <sup>+</sup>		28
Getz i	G4EE	75.50	1399	05-10	S5338 <sup>+N</sup>		13
Grace (Diesel)	D4BA	91.10	2500	1996	C5002 <sup>+</sup>	P5002 <sup>+</sup>	40
Grace (ZETA)	2.8	94.00	2800	1997	C5046		43
Grace, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530 <sup>+</sup>		38
H-1 CRDi (Diesel)	D4CB	91.00	2497	2002	S5343 <sup>+N</sup>		37
H100 (Diesel)	D4BA	91.10	2500	1996	C5002 <sup>+</sup>	P5002 <sup>+</sup>	40
Matrix CRDi Turbo-Diesel Intercooled (Diesel)	D3EA	83.00	1496	01-10	S5305 <sup>+</sup>		28
Multi	G4EA	71.50	1300	1994	C1981	P1981	7
Pony	4G33	73.00	1439	79-85	C1521	P1521	8
Pony	4G36	73.00	1238	75-78	C1521	P1521	9
Pony	4G15	75.50	1468	1985	C1602	P1602	14
Pony	4G32	76.90	1597	1984	C1298	P1298	18
Porter (Diesel)	D4BA	91.10	2500	1996	C5002 <sup>+</sup>	P5002 <sup>+</sup>	40
Porter CRDi (Diesel)	D4CB	91.00	2497	2003	S5343 <sup>+N</sup>		37
Porter, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	1994	C1530 <sup>+</sup>		38
RS	G4EA	71.50	1300	1994	C1981	P1981	7
Santa Fe	Theta II G4KD	86.00	1998	13-15	S5410 <sup>+N</sup>		32

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# HYUNDAI

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Santa Fe	G6BA	86.70	2656	06-09	<b>S5371</b> <sup>N</sup>		35
Santa Fe	G6DB	92.00	3342	07-09	<b>S5400</b> <sup>+N</sup>		41
Santa Fe CRDi (Diesel)	D4EA	83.00	1991	01-06	<b>S5409</b> <sup>+N</sup>		29
Santa Fe, Sonata, Tiburon	G6BA	86.70	2656	01-08	<b>S5298</b> <sup>+N</sup>		34
Scoupe	4G15	75.50	1468	90-92	<b>C1602</b>	<b>P1602</b>	14
Scoupe	G4AE	75.50	1468	93-95	<b>C1936</b>	<b>P1936</b>	15
Signsma, Santa Fe	G6CU, XG35	93.00	3647	02-06	<b>C1984</b>	<b>P1984</b>	42
Sonata		84.00	2493	99-02	<b>C5021</b> <sup>+</sup>		30
Sonata	EF, EF2	85.00			<b>C1951</b> <sup>+</sup>		31
Sonata	Theta II G4KD	86.00	1998	11-15	<b>S5410</b> <sup>+N</sup>		32
Sonata	4G64	86.50	2351	89-91	<b>C1652</b>	<b>P1652</b>	33
Sonata	G4KC	88.00	2359		<b>S5335</b> <sup>+N</sup>		36
Sonata	G6	91.10	2972	90-95	<b>C1664</b>	<b>P1664</b>	39
Sonata	G6DB	92.00	3342	06-10	<b>S5400</b> <sup>+N</sup>		41
Sonata CRDi (Diesel)	D4EA	83.00	1991	2001	<b>S5409</b> <sup>+N</sup>		29
Sonata, 16V, DOHC	G4JN	81.50	1836	93-98	<b>C1967</b> <sup>+</sup>		22
Starex (ZETA)	2.8	94.00	2800	1997	<b>C5046</b>		43
Starex 1, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	<b>C1530</b> <sup>+</sup>		38
Stellar	4G33	73.00	1439	1984	<b>C1521</b>	<b>P1521</b>	8
Stellar	4G32	76.90	1597	1984	<b>C1298</b>	<b>P1298</b>	18
Tiburon	F	82.00	1997	97-00	<b>C5020</b> <sup>+</sup>		23
Tiburon	G4CN, M	82.00	1800	96-99	<b>C5020</b> <sup>+</sup>		24
Tiburon	G6BA	86.70	2656	07-08	<b>S5371</b> <sup>N</sup>		35
Trajjet CRDi (Diesel)	D4EA	83.00	1991	01-08	<b>S5409</b> <sup>+N</sup>		29
Tucson	G4GF	82.00	1975	04-09	<b>S5402</b> <sup>+N</sup>		26
Tucson	Theta II G4KD	86.00	1998	11-13	<b>S5410</b> <sup>+N</sup>		32
Tucson	G6BA	86.70	2656	07-10	<b>S5371</b> <sup>N</sup>		35
Tucson	THETA II	88.00	2359		<b>S5335</b> <sup>+N</sup>		36
Tucson CRDi (Diesel)	D4EA	83.00	1991	01-10	<b>S5409</b> <sup>+N</sup>		29
Veracruz	RS3800	96.00	3778	07-12	<b>S5401</b> <sup>+N</sup>		44
i30 CRDi (Diesel)	D4EA	83.00	1991	07-12	<b>S5409</b> <sup>+N</sup>		29

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	Atos	(.8L) 798	<b>S5311</b>	4	2.480	63.00	4 - 1.20 4 - 1.50	4 - 2.80
2	Atos	(1.0L) 998	<b>S5044</b> <sup>+</sup>	4	2.598	66.00	4 - 1.20 4 - 1.20	4 - 2.50
3	Atos (2mm oil groove)	(1.1L) 1100	<b>S5276</b> <sup>+N</sup>	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.00
4	Atos (2.5mm oil groove)	(1.1L) 1100	<b>S5278</b> <sup>+</sup>	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.50
5	Atos	(1.1L) 1100	<b>S5291</b> <sup>+</sup>	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.80
6	Excel (Unleaded)	(1.3L) 1300	<b>C5128</b>	4	2.795	71.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Accent Alpha ES Multi RS	(1.3L) 1300	<b>P1981</b> <b>C1981</b>	4	2.815	71.50	4 - 1.50 4 - 1.50	4 - 3.00
8	Pony Stellar	(1.4L) 1439	<b>P1521</b> <b>C1521</b>	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
9	Pony	(1.2L) 1238	<b>P1521</b> <b>C1521</b>	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# HYUNDAI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
10	ERA (Diesel)	(1.5L)	1500	<b>S5246</b> <sup>+</sup>	4	2.953	75.00	4 - 1.75 4 - 1.75	4 - 3.00
11	Avente Accent	(1.5L)	1468	<b>S5185</b> <sup>+</sup>	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 3.00
12	Click	(1.4L)	1468	<b>S5338</b> <sup>+N</sup>	4	2.973	75.50	4 - 1.20 4 - 1.20	4 - 2.00
13	Getz i Accent GL	(1.4L)	1399	<b>S5338</b> <sup>+N</sup>	4	2.973	75.50	4 - 1.20 4 - 1.20	4 - 2.00
14	Excel Pony Scoupe	(1.5L)	1468	<b>P1602</b> <b>C1602</b>	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 4.00
15	Accent Scoupe Accent	(1.5L)	1468	<b>P1936</b> <b>C1936</b>	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 3.00
16	Accent	(1.6L)	1599	<b>S5125</b> <sup>+</sup>	4	3.012	76.50	4 - 1.20 4 - 1.20	4 - 2.50
17	Accent	(1.6L)	1599	<b>S5384</b> <sup>+N</sup>	4	3.012	76.50	4 - 1.20 4 - 1.20	4 - 2.00
18	Pony Stellar	(1.6L)	1597	<b>P1298</b> <b>C1298</b>	4	3.028	76.90	4 - 2.00 4 - 2.00	4 - 4.00
19	Accent, Avente HD	(1.4L)	1396	<b>S5342</b> <sup>+N</sup>	4	3.031	77.00	4 - 1.20 4 - 1.20	4 - 2.00
20	Avente HD	(1.6L)	1591	<b>S5342</b> <sup>+N</sup>	4	3.031	77.00	4 - 1.20 4 - 1.20	4 - 2.00
21	Elantra, GLS, DOHC, 16 valve	(1.6L)	1599	<b>S5042</b> <sup>+</sup>	4	3.047	77.40	4 - 1.20 4 - 1.20	4 - 2.50
22	Sonata, 16V, DOHC Elantra, 16V, DOHC	(1.8L)	1836	<b>C1967</b> <sup>+</sup>	4	3.209	81.50	4 - 1.20 4 - 1.50	4 - 3.00
23	Elantra Tiburon	(2.0L)	1997	<b>C5020</b> <sup>+</sup>	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.50
24	Elantra Tiburon	(1.8L)	1800	<b>C5020</b> <sup>+</sup>	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.50
25	Elantra, GLI Beta, GLI	(1.8L)	1836	<b>C5043</b>	4	3.228	82.00	4 - 2.00 4 - 2.00	4 - 3.00
26	Tucson Elantra	(2.0L)	1975	<b>S5402</b> <sup>+N</sup>	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
27	Elantra 16V DOHC	(1.6L)	1595	<b>C1724</b> <sup>+</sup>	4	3.240	82.30	4 - 1.20 4 - 1.50	4 - 3.00
28	Matrix CRDi Turbo-Diesel Intercooled (Diesel) Accent CRDi Turbo-Diesel Intercooled (Diesel) Getz CRDi Turbo-Diesel Intercooled (Diesel)	(1.5L)	1496	<b>S5305</b> <sup>+</sup>	3	3.268	83.00	3 - 2.00 <sup>FK</sup> 3 - 2.00	3 - 3.00
29	Tucson CRDi (Diesel) Elantra CRDi (Diesel) i30 CRDi (Diesel) Santa Fe CRDi (Diesel) Sonata CRDi (Diesel) Trajet CRDi (Diesel)	(2.0L)	1991	<b>S5409</b> <sup>+N</sup>	4	3.268	83.00	4 - 2.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
30	Sonata	(2.5L)	2493	<b>C5021</b> <sup>+</sup>	6	3.307	84.00	6 - 1.20 6 - 1.20	6 - 2.50
31	Sonata			<b>C1951</b> <sup>+</sup>	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 2.80

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# HYUNDAI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
32	Tucson Genesis Coupe Santa Fe Sonata	(2.0L)	1998	<b>S5410</b> <sup>+N</sup>	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.00
33	Sonata	(2.4L)	2351	<b>P1652</b> <b>C1652</b>	4	3.406	86.50	4 - 1.50 4 - 1.50	4 - 4.00
34	Santa Fe, Sonata, Tiburon	(2.7L)	2656	<b>S5298</b> <sup>+N</sup>	6	3.413	86.70	6 - 1.20 6 - 1.20	6 - 2.50
35	Santa Fe Tiburon Tucson	(2.7L)	2656	<b>S5371</b> <sup>N</sup>	6	3.413	86.70	6 - 1.20 6 - 1.20	6 - 2.00
36	Sonata Tucson	(2.4L)	2359	<b>S5335</b> <sup>+N</sup>	4	3.465	88.00	4 - 1.20 4 - 1.20	4 - 2.00
37	Porter CRDi (Diesel) H-1 CRDi (Diesel)	(2.5L)	2497	<b>S5343</b> <sup>+N</sup>	4	3.583	91.00	4 - 2.50 <sup>HK</sup> 4 - 2.00	4 - 3.00
38	Starex 1, 1.5 ton(new) (Diesel) Grace, 1.5 ton(new) (Diesel) Porter, 1.5 ton(new) (Diesel) Gallopser, 1.5 ton(new) (Diesel)	(2.5L)	2476	<b>C1530</b> <sup>+</sup>	4	3.587	91.10	4 - 2.50 <sup>HK</sup> 4 - 2.00 <sup>HK</sup>	4 - 4.00
39	Sonata	(3.0L)	2972	<b>P1664</b> <b>C1664</b>	6	3.587	91.10	6 - 1.50 6 - 1.50	6 - 4.00
40	Grace (Diesel) Porter (Diesel) H100 (Diesel)	(2.5L)	2500	<b>P5002</b> <sup>+</sup> <b>C5002</b> <sup>+</sup>	4	3.587	91.10	4 - 2.00 4 - 2.00	4 - 3.00
41	Sonata Azera Santa Fe	(3.3L)	3342	<b>S5400</b> <sup>+N</sup>	6	3.622	92.00	6 - 1.20 6 - 1.20	6 - 2.00
42	Signsma, Santa Fe	(3.5L)	3647	<b>P1984</b> <b>C1984</b>	6	3.661	93.00	6 - 1.50 6 - 1.50	6 - 3.00
43	Starex (ZETA) Grace (ZETA)	(2.8L)	2800	<b>C5046</b>	4	3.701	94.00	4 - 2.00 4 - 1.50	4 - 3.00
44	Veracruz Azera Entourage Genesis	(3.8L)	3778	<b>S5401</b> <sup>+N</sup>	6	3.780	96.00	6 - 1.20 6 - 1.20	6 - 2.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone