

# INTERNATIONAL TRACTOR

| Cubic<br>Inch | Year | Application   | Set No                       | Cyl | Bore Diameter |        | Ring Size                                      |          |
|---------------|------|---|------------------------------|-----|---------------|--------|--|----------|
|               |      |   |                              |     | Inch          | MM     | Comp   | Oil      |
|               |      | C60 Cub   | <b>P2653</b>                 | 4   | 2.625         | 66.68  | 4 - 3/32<br>4 - 3/32                           | 4 - 3/16 |
|               |      | Late (Diesel)   | <b>P2747</b>                 | 4   | 3.000         | 76.20  | 4 - 1/8<br>4 - 1/8<br>4 - 1/8                  | 4 - 1/4  |
|               |      | C113 Early  | <b>P2761</b>                 | 4   | 3.000         | 76.20  | 4 - 1/8<br>4 - 1/8<br>4 - 1/8                  | 4 - 3/16 |
|               |      | (3-Ring) Zollner Piston #4082   | <b>P2834</b>                 | 4   | 3.000         | 76.20  | 4 - 1/8<br>4 - 1/8                             | 4 - 3/16 |
|               |      | C123  | <b>P3585</b><br><b>C3585</b> | 4   | 3.125         | 79.37  | 4 - 3/32<br>4 - 3/32<br>4 - 3/32               | 4 - 3/16 |
|               |      | Overbore  | <b>P2802</b><br><b>C2802</b> | 4   | 3.187         | 80.95  | 4 - 3/32<br>4 - 3/32                           | 4 - 1/4  |
|               |      | C135  | <b>P2457</b>                 | 4   | 3.250         | 82.55  | 4 - 3/32<br>4 - 3/32                           | 4 - 3/16 |
|               |      | Overbore  | <b>P2767</b><br><b>C2767</b> | 4   | 3.250         | 82.55  | 4 - 3/32<br>4 - 3/32<br>4 - 3/32               | 4 - 3/16 |
|               |      | GRD 233   | <b>P2561</b><br><b>C2561</b> | 6   | 3.312         | 84.12  | 6 - 3/32<br>6 - 3/32<br>6 - 3/32               | 6 - 3/16 |
|               |      | C153  | <b>P3753</b><br><b>C3753</b> | 4   | 3.375         | 85.70  | 4 - 3/32<br>4 - 3/32                           | 4 - 3/16 |
|               |      | D310 (Diesel) 666, 706, 756   | <b>S7162</b> <sup>+AN</sup>  | 1   | 3.875         | 98.42  | 1 - 1/8 <sup>FK</sup><br>1 - 1/8<br>1 - 1/8    | 1 - 3/16 |
| 414           |      | (6.8L) DT414, Combine, Loader, Scraper, Wheel Tractor (6 Cyl.) (Diesel) DT414       | <b>S7142</b> <sup>+</sup>    | 1   | 4.300         | 109.22 | 1 - 1/8 <sup>FK</sup><br>1 - 1/8 <sup>FK</sup> | 1 - 1/4  |
| 436           |      | (7.1L) DT436, Combine, Tractor (6 Cyl.) (Diesel) DT436                              | <b>S7142</b> <sup>+</sup>    | 1   | 4.300         | 109.22 | 1 - 1/8 <sup>FK</sup><br>1 - 1/8 <sup>FK</sup> | 1 - 1/4  |
| 466           |      | (7.6L) DT466, Combine, Loader, Power Unit, Scraper, Tractor (6 Cyl.) (Diesel) DT466 | <b>S7142</b> <sup>+</sup>    | 1   | 4.300         | 109.22 | 1 - 1/8 <sup>FK</sup><br>1 - 1/8 <sup>FK</sup> | 1 - 1/4  |
| 817           |      | (13.4L) DT817, DTI817/B/C, Industrial (6 Cyl.) (Diesel) DT817, DTI817/B/C           | <b>S7141</b> <sup>+</sup>    | 1   | 5.375         | 136.50 | 1 - 1/8 <sup>FK</sup><br>1 - 1/8 <sup>FK</sup> | 1 - 1/4  |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone