

JEEP

Cubic Inch	Year	Application	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
89-90		(1.5L) Summit (Eagle) 4G15	P1602 C1602	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 4.00
75-81		Jeep 4G53	P1703 C1703	4	3.465	88.00	4 - 2.00 4 - 2.00	4 - 4.00
144	07-15	(2.4L) Patriot GEMA 2.4	S5335 ^{+N}	4	3.465	88.00	4 - 1.20	4 - 2.00
144	07-15	(2.4L) Compass GEMA 2.4					4 - 1.20	
148	02-05	(2.4L) Liberty B, G, X, 1	C3918 ⁺	4	3.445	87.50	4 - 1.20 4 - 1.50	4 - 3.00
150	96-02	(2.5L) P	P3898 C3898	4	3.875	98.40	4 - 1.50 4 - 1.50	4 - 4.00
182	88-92	(3.0L) Eagle Premier (Renault)	P1774 ^A C1774 ^A	6	3.661	93.00	6 - 1.75 6 - 1.75	6 - 3.50
231	01-10	(3.8L) Wrangler 1	C3887 ⁺	6	3.780	96.00	6 - 1.20 6 - 1.50	6 - 3.00
239	92-99	(3.9L)	P3912 C3912	6	3.910	99.30	6 - 2.00 6 - 2.00	6 - 4.00
242	86-92	(4.0L) Comanche	P2240 C2240	6	3.875	98.40	6 - 5/64	6 - 3/16
242	86-90	(4.0L) Wagoneer					6 - 5/64	
242	89-95	(4.0L) Wrangler					6 - 5/64	
242	96-06	(4.0L) S	P3899 C3899	6	3.875	98.40	6 - 1.50 6 - 1.50	6 - 4.00
287	1999	(4.7L) Eagle	P3927 C3927	8	3.661	93.00	8 - 1.50 8 - 1.50	8 - 3.00
318	91-99	(5.2L) Shallow Oil Ring Groove	P3911 C3911	8	3.910	99.30	8 - 2.00 8 - 2.00	8 - 4.00
345	10-15	(5.7L) Grand Cherokee Hemi 5.7	S3982 ^N	8	3.917	99.50	8 - 1.20 8 - 1.20	8 - 2.00
370	07-10	(6.1L) Grand Cherokee Hemi 6.1	S3991 ^{+N}	8	4.055	103.00	8 - 1.50 8 - 1.50	8 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone