

MAZDA

Application	Engine	Cyl		Years	Set Number		Line No	
	Model	Bore	CC		Chrome	Plain		
(Diesel)		PN	78.00	1720		C1926 ⁺	18	
(Diesel)	J155A/WL		93.00	2499	1997	S5053 ⁺	65	
1000		PB	68.00	987	67-78	C1510	P1510	1
1200		TB	70.00	1169	68-76	C1456	P1456	3
1300		TC	73.00	1272	70-78	C1170	P1170	5
1500		UB	78.00	1490	66-70	C1262	P1262	21
1600		NA	78.00	1586	72-78	C1330	P1330	23
1800		VC	80.00	1769	1962	C1244	P1244	31
323		PA	70.00	985	66-68	C1456	P1456	2
323		PC	70.00	985	71-78	C1456	P1456	2
323		TC	73.00	1272	72-78	C1170	P1170	5
323		E3	77.00	1296	80-82	C1514 ⁺		12
323		E5	77.00	1490	80-86	C1514 ⁺		13
323		UC	77.00	1415	79-81	C1446	P1446	14
323		E3	77.00	1296	83-85	C1541	P1541	15
323		E5	77.00	1490	83-85	C1541	P1541	16
323		B6	78.00	1597	86-95	C1330	P1330	22
323, Protege	6, BP, BP01, BP05-VE		83.00	1839	90-05	C1790	P1790	39
616		NA	78.00	1586	72-78	C1330	P1330	23
618		VB	78.00	1796	72-73	C1330	P1330	24
626		MA	80.00	1970	79-81	C1458 ⁺		30
626		MA	80.00	1970	1982	C1540	P1540	32
626		F6	81.00	1587	1982	C1666	P1666	34
626		F2	86.00	2184	88-92	C1542	P1542	47
626		FE	86.00	1998	83-87	C1542	P1542	49
626 (Diesel)		R2	86.00	2184	1988	C1657 ⁺		42
626 LX, ES		KL	84.50	2497	93-99	C1882	P1882	41
626, DOHC (24V)		KF	78.00	1970	93-On	C5085	P5085	28
626, KL, MX-6, DOHC		KL	84.50	2507	93-02	C1882	P1882	40
626, MX6, DOHC		FS	83.00	1931	93-03	C1939 ⁺		38
808		TC	73.00	1272	76-78	C1170	P1170	5
808		UB	78.00	1490	72-77	C1262	P1262	21
808		NA	78.00	1586	72-78	C1330	P1330	23
929		MA	80.00	1970	79-81	C1458 ⁺		30
929		VC	80.00	1769	73-82	C1244	P1244	31
929,S		JE	90.00	2954	88-95	C1711	P1711	59
Aeva		VA	82.00	1985	62-71	C1814	P1814	37
Aspire 323		B3	71.00	1323	85-88	C1643 ⁺		4
B-1600		NA	78.00	1586	71-82	C1608 ⁺		17
B1600		NA	78.00	1586	72-78	C1330	P1330	23
B1600		NA	78.00	1586	1983	C1607	P1607	25
B1800		VB	78.00	1796	77-78	C1330	P1330	24
B2000		MA	80.00	1970	79-81	C1458 ⁺		30
B2000		MA	80.00	1970	82-84	C1540	P1540	32
B2000		FE	86.00	1998	85-87	C1542	P1542	49
B2200		F2	86.00	2184	86-93	C1542	P1542	47
B2200 (Diesel)		R2	86.00	2184	87-88	C1657 ⁺		44
B2200 (Diesel)		S2	88.90	2209	82-85	C1503	P1503	55
B2300		A	96.00	2300	94-97	C1613	P1613	69
B2600		AM	91.10	2555	86-88	C1529	P1529	60
B2600		G6	92.00	2606	89-94	C1589	P1589	64
B3000		U	89.00	2954	94-97	C1950	P1950	57
B3000		AJ, V	89.00	2967	98-02	C1950	P1950	58
B4000, Navajo		XS	100.40	4018	91-06	C3870	P3870	71

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
BT-50 (Diesel)	WL	93.00	2499	06-11	S5425 ^{+N}		67
Bongo	FE	86.00	1998	83-87	C1542	P1542	51
Bongo (Diesel)	R2	86.00	2184	87-88	C1657 ⁺		44
Bongo (Diesel)	R2	86.00	2184		S5174 ⁺		45
Bongo (Diesel)	R2	86.00	2184		S5312		46
Brawny (Diesel)	R2	86.00	2184	87-88	C1657 ⁺		44
CX-7, 3, 6, Speed 6	L3-VDT	87.50	2260	06-12	S5367 ^N		54
Capella	F8	86.00	1789		C1542	P1542	50
Cosmo	F8	86.00	1789		C1542	P1542	48
Craft (New)	UA	75.00	1484	71-On	C1300	P1300	8
E2000 (Diesel)	RF	86.00	1998	84-86	C1657 ⁺		43
Eunos300	FE	86.00	1998		C1542	P1542	49
Familia	PB	68.00	987	67-74	C1510	P1510	1
Familia	TC	73.00	1272	78-80	C1521	P1521	6
GLC	TC	73.00	1272	76-78	C1170	P1170	5
GLC	E5	77.00	1490	80-86	C1514 ⁺		13
GLC	UC	77.00	1415	79-81	C1446	P1446	14
GLC	E5	77.00	1490	83-85	C1541	P1541	16
Laser	B6	78.17	1568	89-93	C1821	P1821	29
Luce	F8	86.00	1789		C1542	P1542	50
Luce	FE	86.00	1998		C1542	P1542	51
MPV	GY	81.60	2498	00-01	S5103 ⁺		35
MPV	G6	92.00	2606	89-95	C1589	P1589	64
MPV (6 Cyl.)	JE	90.00	2954	89-95	C1711	P1711	59
MX3	K8	75.00	1844	92-94	C1848	P1848	10
MX3	B6	78.00	1597	92-94	C1847	P1847	27
MX5 Miata (Automatic Trans.)	B6	78.00	1597	89-93	C1847	P1847	27
MX6 DX, LX	F2	86.00	2184	88-92	C1542	P1542	47
MX6 LS	KL	84.50	2497	93-99	C1882	P1882	41
MX6 Miata (Manual Trans.)	B6	78.00	1597	90-93	C1846	P1846	26
MZ-DE (Diesel)	BT-50	93.00	2498		S5344 ^{+N}		66
Mazda 2 (Axala, Demio)	ZY-VE	78.00	1498		S5345 ^N		20
Mazda2 (Demio) (Diesel)	DV6TED4	75.00	1560	2008	S5421 ^{+N}		7
Mazda3	LF-DE	87.50	1998	04-13	S5282 ^{+N}		52
Mazda3	L3-VE	87.50	2261	02-10	S5282 ^{+N}		53
Mazda3 (Diesel)	DV6TED4	75.00	1560	2003	S5421 ^{+N}		7
Mazda5	L3-VE	87.50	2261	06-10	S5282 ^{+N}		53
Mazda6	LF-DE	87.50	1998	02-06	S5282 ^{+N}		52
Mazda6	L3-VE	87.50	2261	02-08	S5282 ^{+N}		53
Miata MX5	LF-DE	87.50	1998	06-15	S5282 ^{+N}		52
Millenia	KJ	80.29	2255	95-02	C5026		33
Mizer	TC	73.00	1272	76-78	C1170	P1170	5
New Craft	UA	75.00	1484	60-65	C1624	P1624	9
Protege	Z5	75.30	1498	95-98	C5025 ⁺		11
Protege	ZL	78.00	1597	99-01	S5271 ⁺		19
SR29V (Diesel)	R2	86.00	2184		S5174 ⁺		45
T4100, Trader (Diesel)	ZB	92.00	4052		C5127		63
Titan	VA	82.00	1985	71-76	C1606	P1606	36
Titan (Diesel)	SL	100.00	3455	1986	C5038 ⁺	P5038 ⁺	70
Titan 2500 (Diesel)	XA	88.90	2522	81-84	C1503	P1503	56
Titan E2000	VA	82.00	1985	62-71	C1814	P1814	37
Titan E2700 (Diesel)	XB	92.00	2701	72-77	C1617 ^A		61
Titan E3000 (Diesel)	HA	95.00	2977	77-83	C1626	P1626	68
Titan E4000 (Diesel)	ZB	92.00	4052	72-77	C1799 ^A		62

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Application		Engine Model	Cyl Bore	CC	Years	Set Number		Line No	
Line No		Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
Tribute		L3-VE	87.50	2261	05-06	S5282 ^{+N}		53	
Tribute		AJ, V	89.00	2967	01-06	C1950	P1950	58	
Truck (Diesel)		R2	86.00	2184	87-88	C1657 ⁺		42	
Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
1	1000 Familia	(1.0L)	987	P1510 C1510	4	2.677	68.00	4 - 2.00 4 - 2.00	4 - 4.00
2	323	(1.0L)	985	P1456 C1456	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 4.00
3	1200	(1.2L)	1169	P1456 C1456	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 4.00
4	Aspire 323	(1.3L)	1323	C1643 ⁺	4	2.795	71.00	4 - 1.20 4 - 1.50	4 - 3.00
5	323 808 1300 GLC Mizer	(1.3L)	1272	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00
6	Familia	(1.3L)	1272	P1521 C1521	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Mazda3 (Diesel) Mazda2 (Demio) (Diesel)	(1.6L)	1560	S5421 ^{+N}	4	2.953	75.00	4 - 3.00 ^{FK} 4 - 1.95	4 - 2.50
8	Craft (New)	(1.5L)	1484	P1300 C1300	4	2.953	75.00	4 - 2.00 4 - 2.00	4 - 4.00
9	New Craft	(1.5L)	1484	P1624 C1624	4	2.953	75.00	4 - 2.50 4 - 2.50	4 - 4.00
10	MX3	(1.9L)	1844	P1848 C1848	6	2.953	75.00	6 - 1.50 6 - 1.50	6 - 3.00
11	Protege	(1.5L)	1498	C5025 ⁺	4	2.965	75.30	4 - 1.00 4 - 1.20	4 - 2.50
12	323	(1.3L)	1296	C1514 ⁺	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 4.00
13	323 GLC	(1.5L)	1490	C1514 ⁺	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 4.00
14	323 GLC	(1.4L)	1415	P1446 C1446	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00
15	323	(1.3L)	1296	P1541 C1541	4	3.031	77.00	4 - 1.50 4 - 2.00	4 - 4.00
16	GLC 323	(1.5L)	1490	P1541 C1541	4	3.031	77.00	4 - 1.50 4 - 2.00	4 - 4.00
17	B-1600	(1.6L)	1586	C1608 ⁺	4	3.071	78.00	4 - 1.20 4 - 1.50	4 - 4.00
18	(Diesel)	(1.7L)	1720	C1926 ⁺	4	3.071	78.00	4 - 2.00 4 - 1.50	4 - 3.00
19	Protege	(1.6L)	1597	S5271 ⁺	4	3.071	78.00	4 - 1.20 4 - 1.50	4 - 3.00
20	Mazda 2 (Axala, Demio)	(1.5L)	1498	S5345 ^N	4	3.071	78.00	4 - 1.20 4 - 1.20	4 - 2.50
21	808 1500	(1.5L)	1490	P1262 C1262	4	3.071	78.00	4 - 2.00 4 - 2.00	4 - 4.00
22	323	(1.6L)	1597	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
23	616 808	(1.6L)	1586	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
	< Continued > 1600 B1600								
24	618 B1800	(1.8L)	1796	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
25	B1600	(1.6L)	1586	P1607 C1607	4	3.071	78.00	4 - 1.50 4 - 2.00	4 - 4.00
26	MX6 Miata (Manual Trans.)	(1.6L)	1597	P1846 C1846	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
27	MX3 MX5 Miata (Automatic Trans.)	(1.6L)	1597	P1847 C1847	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 3.00
28	626, DOHC (24V)	(2.0L)	1970	P5085 C5085	6	3.071	78.00	6 - 1.50 6 - 1.50	6 - 3.00
29	Laser	(1.6L)	1568	P1821 C1821	4	3.078	78.17	4 - 1.50 4 - 1.50	4 - 4.00
30	626 929 B2000	(2.0L)	1970	C1458 ⁺	4	3.150	80.00	4 - 1.20 4 - 1.50	4 - 4.00
31	929 1800	(1.8L)	1769	P1244 C1244	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 4.00
32	626 B2000	(2.0L)	1970	P1540 C1540	4	3.150	80.00	4 - 1.50 4 - 2.00	4 - 4.00
33	Millenia	(2.3L)	2255	C5026	6	3.161	80.29	6 - 1.50 6 - 1.50	6 - 3.00
34	626	(1.6L)	1587	P1666 C1666	4	3.189	81.00	4 - 1.50 4 - 1.50	4 - 4.00
35	MPV	(2.5L)	2498	S5103 ⁺	6	3.213	81.60	6 - 1.20 6 - 1.50	6 - 3.00
36	Titan	(2.0L)	1985	P1606 C1606	4	3.228	82.00	4 - 2.00 4 - 2.00	4 - 4.50
37	Titan E2000 Aeva	(2.0L)	1985	P1814 C1814	4	3.228	82.00	4 - 2.50 4 - 2.50	4 - 4.50
38	626, MX6, DOHC	(2.0L)	1931	C1939 ⁺	4	3.268	83.00	4 - 1.20 4 - 1.50	4 - 3.00
39	323, Protege	(1.9L)	1839	P1790 C1790	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
40	626, KL, MX-6, DOHC	(2.5L)	2507	P1882 C1882	6	3.327	84.50	6 - 1.50 6 - 1.50	6 - 3.00
41	626 LX, ES MX6 LS	(2.5L)	2497	P1882 C1882	6	3.327	84.50	6 - 1.50 6 - 1.50	6 - 3.00
42	Truck (Diesel) 626 (Diesel)	(2.2L)	2184	C1657 ⁺	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 4.00
43	E2000 (Diesel)	(2.0L)	1998	C1657 ⁺	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 4.00
44	B2200 (Diesel) Bongo (Diesel) Brawny (Diesel)	(2.2L)	2184	C1657 ⁺	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 4.00
45	SR29V (Diesel) Bongo (Diesel)	(2.2L)	2184	S5174 ⁺	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 3.00
46	Bongo (Diesel)	(2.2L)	2184	S5312	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 3.00
47	626 B2200 MX6 DX, LX	(2.2L)	2184	P1542 C1542	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
48	Cosmo	(1.8L)	1789	P1542 C1542	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00
49	626 B2000 Eunos300	(2.0L)	1998	P1542 C1542	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00
50	Capella Luce	(1.8L)	1789	P1542 C1542	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00
51	Bongo Luce	(2.0L)	1998	P1542 C1542	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00
52	Mazda3 Mazda6 Miata MX5	(2.0L)	1998	S5282 ^{+N}	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 2.50
53	Mazda3 Mazda6 Tribute Mazda5	(2.3L)	2261	S5282 ^{+N}	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 2.50
54	CX-7, 3, 6, Speed 6	(2.3L)	2260	S5367 ^N	4	3.445	87.50	4 - 1.50 4 - 1.20	4 - 2.00
55	B2200 (Diesel)	(2.2L)	2209	P1503 C1503	4	3.500	88.90	4 - 2.38 4 - 2.38	4 - 4.75
56	Titan 2500 (Diesel)	(2.5L)	2522	P1503 C1503	4	3.500	88.90	4 - 2.38 4 - 2.38	4 - 4.75
57	B3000	(3.0L)	2954	P1950 C1950	6	3.504	89.00	6 - 1.50 6 - 1.50	6 - 4.00
58	Tribute B3000	(3.0L)	2967	P1950 C1950	6	3.504	89.00	6 - 1.50 6 - 1.50	6 - 4.00
59	929,S MPV (6 Cyl.)	(3.0L)	2954	P1711 C1711	6	3.543	90.00	6 - 1.50 6 - 1.50	6 - 4.00
60	B2600	(2.6L)	2555	P1529 C1529	4	3.587	91.10	4 - 1.50 4 - 1.50	4 - 4.00
61	Titan E2700 (Diesel)	(2.7L)	2701	C1617 ^A	4	3.622	92.00	4 - 2.38 4 - 2.38 4 - 2.38	4 - 4.75 4 - 4.75
62	Titan E4000 (Diesel)	(4.0L)	4052	C1799 ^A	6	3.622	92.00	6 - 2.38 6 - 2.38 6 - 2.38	6 - 4.75 6 - 4.75
63	T4100, Trader (Diesel)	(4.0L)	4052	C5127	6	3.622	92.00	6 - 2.38 6 - 2.38	6 - 4.75
64	B2600 MPV	(2.6L)	2606	P1589 C1589	4	3.622	92.00	4 - 1.50 4 - 1.50	4 - 4.00
65	(Diesel)	(2.5L)	2499	S5053 ⁺	4	3.661	93.00	4 - 2.50 4 - 2.00	4 - 3.00
66	MZ-DE (Diesel)	(2.5L)	2498	S5344 ^{+N}	4	3.661	93.00	4 - 2.00 4 - 1.20	4 - 2.00
67	BT-50 (Diesel)	(2.5L)	2499	S5425 ^{+N}	4	3.661	93.00	4 - 2.00 4 - 1.50	4 - 2.00
68	Titan E3000 (Diesel)	(3.0L)	2977	P1626 C1626	4	3.740	95.00	4 - 2.38 4 - 2.38	4 - 4.75
69	B2300	(2.3L)	2300	P1613 C1613	4	3.780	96.00	4 - 1.50 4 - 1.50	4 - 4.00
70	Titan (Diesel)	(3.5L)	3455	P5038 ⁺ C5038 ⁺	4	3.937	100.00	4 - 2.50 4 - 2.00	4 - 4.50
71	B4000, Navajo	(4.0L)	4018	P3870 C3870	6	3.953	100.40	6 - 1.60 6 - 1.75	6 - 3.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone