

# MERCEDES BENZ

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
170 D (Diesel)	OM636.915	75.00	1767	49-51	C1533	P1533	2
170 D/DA/DB/DS/ (4-Ring Replc.) (Diesel)	OM636.930	75.00	1767		C1480 <sup>A</sup>	P1480 <sup>A</sup>	1
170 DA/DB (Diesel)	OM636.916	75.00	1767	50-53	C1533	P1533	2
170 DS (Diesel)	OM636.918	75.00	1767	51-53	C1533	P1533	2
180 A/B	M121.923	85.00	1897	57-62	C1043	P1043	15
180 D/DB (4-Ring Replc.) (Diesel)	OM636.930	75.00	1767		C1480 <sup>A</sup>	P1480 <sup>A</sup>	1
180 D/DB (Diesel)	OM636.930	75.00	1767	53-61	C1533	P1533	2
180 DC (Diesel)	OM121.914	87.00	1988	62-63	C1242	P1242	29
180 DC, 190 DC, 200 D - Replc. Piston	OM621.918	87.00	1988		C1359	P1359	33
190	M121.920	85.00	1897	52-59	C1043	P1043	15
190 B	M121.920	85.00	1897	59-61	C1043	P1043	15
190 C	M121.924	85.00	1897	61-65	C1043	P1043	15
190 D (Diesel)	OM601.911	87.00	2197	84-85	C1683 <sup>+</sup>		23
190 D (Diesel)	OM602.912	87.00	2497	85-88	C1684 <sup>+</sup>		24
190 D/DB (Diesel)	OM621.910	85.00	1897	58-61	C1151	P1151	17
190 DC (Diesel)	OM621.912	87.00	1988	61-65	C1242	P1242	29
190 E (Diesel)	M102.961	89.00	1996	84-88	C1629		46
190 E 2.3 (Diesel)	M102.985	95.50	2299	84-93	C1791	P1791	60
190 E2.6 (Diesel)	M103.940	82.90	2599	85-93	C1859		14
190 SL/SLC	M121.920	85.00	1897	55-61	C1043	P1043	15
190 SL/SLC	M121.928	85.00	1897	61-63	C1043	P1043	15
190 TD (Diesel)	OM602.961	87.00	2497	87-91	C1753 <sup>+</sup>		26
200	M121.940	87.00	1988	65-68	C1387	P1387	35
200 (Diesel)	M115.923	87.00	1988	68-80	C1419	P1419	36
200 D (Diesel)	OM601.902	87.00	1997	1985	C1683 <sup>+</sup>		22
200 D (Diesel)	OM621.918	87.00	1988	65-68	C1242	P1242	29
200 D (Diesel)	OM615.913	87.00	1988	68-74	C1358	P1358	32
200, L408GC	M115.923	87.00			C1831		28
219	M180.921	80.00	2195	56-59		P1047	3
220	M180.920	80.00	2195	51-54		P1047	3
220	M180.923	80.00	2195	55-65	C1168	P1168	4
220 /8	M115.920	87.00	2197	68-77	C1363	P1363	34
220 A	M180.921	80.00	2195	54-56		P1047	3
220 D (3-Ring Replc.) (Diesel)	OM615.912	87.00	2197	68-78	C1358	P1358	31
220 D (4-Ring Replc.) (Diesel)	OM615.912	87.00	2197		C1420	P1420	37
220 D (Diesel)	OM615.912	87.00	2197	68-72	C1357	P1357	30
220 D (Diesel)	OM615.918	87.00	2197	68-78	C1466	P1466	38
220 SB	M180.941	80.00	2195	59-65	C1168	P1168	4
220 SE/SEC	M127.980	80.00	2195	56-59	C1168	P1168	4
220 SE/SEC	M127.983	80.00	2195	59-65	C1168	P1168	4
220 SE/SEC	M180.924	80.00	2195	56-59	C1168	P1168	4
220 SEB	M127.982	80.00	2195	59-65	C1168	P1168	4
220 SEB	M127.984	80.00	2195	60-65	C1168	P1168	4
230	M180.945	82.00	2281	65-67	C1285	P1285	9
230	M180.947	82.00	2306	66-68	C1285	P1285	10
230 /4	M115.951	93.75	2307	73-76	C1432	P1432	59
230 /4	M115.954	93.75	2307	76-80	C1432	P1432	59
230 /6	M180.954	81.75	2292	68-69	C1412	P1412	5
230 /6	M127.981	82.00	2292	1965	C1869		6
230 SL/SLC	M113.921	82.00	2306	63-64	C1283	P1283	7
230 SL/SLC	M127.981	82.00	2281	64-65	C1394	P1394	11
240 D (Diesel)	OM616.912/916	90.90	2399	78-84	C1488		51
240 D (Diesel)	OM616.912/916	91.00	2404	73-78	C1425		54
250	M114.920	82.00	2496	68-72	C1418	P1418	12

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# MERCEDES BENZ

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
250 (4-Ring Replc.)	M114.920	82.00	2496	68-71	C1756	P1756	13
250 C	M130.923	86.50	2778	68-72	C1321	P1321	20
250 D (Diesel)	OM602.912	87.00	2497	1985	C1684 <sup>+</sup>		24
250 S	M108.920	82.00	2496	65-69	C1418	P1418	12
250 SE/SEC	M129.980	82.00	2496	65-68	C1285	P1285	8
250 SE/SEC	M129.981	82.00	2496	65-68	C1418	P1418	12
250 SL/SLC	M129.982	82.00	2496	66-68	C1418	P1418	12
260 E/SE (Diesel)	M103.940/941	82.90	2599	1985	C1859		14
280 3.5 (Diesel)	M116.980	92.00	3499	69-71	C1365	P1365	55
280 4.5 (Diesel)	M117.984	92.00	4520	68-73	C1365	P1365	56
280 C	M110.921	86.00	2746	72-76	C1366	P1366	19
280 CE/E	M110.984	86.00	2746	76-85	C1366	P1366	19
280 S	M110.922	86.00	2746	72-80	C1366	P1366	19
280 S	M130.920	86.50	2778	68-72	C1321	P1321	20
280 S/SE/SL	M130.923	86.50	2778	68-76	C1395	P1395	21
280 SE	M110.983	86.00	2746	72-80	C1366	P1366	19
280 SE/SEC/SEL/SL/SLC	M130.980	86.50	2778	68-72	C1321	P1321	20
300	M198.980	85.00	2996	55-57	C1105	P1105	16
300 3.5 (Diesel)	M116.981	92.00	3499	70-72	C1365	P1365	55
300 4.5 (Diesel)	M117.984	92.00	4520	72-73	C1365	P1365	56
300 CD/D (Diesel)	OM617.910/912	91.00	3005	74-76	C1422		53
300 CD/SD (Diesel)	OM617.950/951	90.90	2998	78-85	C1489		52
300 D (Diesel)	OM603.912	87.00	2996	85-88	C1685 <sup>+</sup>		25
300 D (Diesel)	OM617.952	90.90	2998	81-85	C1489		52
300 E/TE	M103.983	88.50	2962	85-92	C1839		45
300 SE (Diesel)	M104E32.991	89.90	3199	1991	S5071 <sup>+</sup>		50
300 SEL	M130.981	86.50	2778	68-70	C1321	P1321	20
300 SEL/SL	M103E30	88.50	2962	87-92	C1839		45
300 SL	M198.980	85.00	2996	55-57	C1105	P1105	16
300 TD (Diesel)	OM603.960	87.00	2996	86-91	C1752 <sup>+</sup>	P1752 <sup>+</sup>	39
300 TD (Diesel)	OM617.912/952	90.90	2998	78-85	C1489		52
300 TE	M103.983	88.50	2962	86-92	C1839		45
320 E (Diesel)	M104E32.991	89.90	3199	1991	S5071 <sup>+</sup>		50
350 GD (Diesel)	OM603A.970/972	89.00	3449	1990	S5163 <sup>+</sup>		48
350 SL/SLC (Diesel)	M117.984	92.00	4520	72-79	C1365	P1365	56
380 SE/SEC	M116.960	88.00	3839	81-85	C1611		40
380 SEL	M116.961	88.00	3839	81-83	C1611		40
380 SEL (Diesel)	M117.986	92.00	4520	76-79	C1365	P1365	56
380 SL/SLC	M116.960	88.00	3839	81-85	C1611		40
400 E/SE/SEL	M119E42.971/975	92.00	4196	1992	C5075 <sup>+</sup>	P5075 <sup>+</sup>	57
409 (Diesel)	OM603A.970/972	89.00	3449	1982	S5163 <sup>+</sup>		48
450 SE (Diesel)	M117.986	92.00	4520	73-76	C1365	P1365	56
450 SEL (Diesel)	M117.983	92.00	4520	73-76	C1365	P1365	56
450 SL Coupe	M117.960	96.50	4973	78-89	C1858		61
450 SL/SLC (Diesel)	M117.982	92.00	4520	71-76	C1365	P1365	56
450 SL/SLC (Diesel)	M117.985	92.00	4520	76-80	C1365	P1365	56
500 E/SE/SEC/SEL/SL	M119.960/970/972/974/975/	96.50	4973	89-95	C1858		61
500 SEL/SEC Sport Coupe	M117.960/965	96.50	4973	79-91	C1858		61
500 SL	M117.964	96.50	4973	86-89	C1858		61
500 SL	M119.960	96.50	4973	89-92	C1858		61
500 SL	M119.972	96.50	4973	89-01	C1858		61
500 SL	M117.960	96.50	4973	78-89	C1858		61
560 SE/SEC/SEL	M117.968	96.50	5547	85-93	C1858		62
C-Class (Diesel)	OM611.960/962	88.00	2148	97-08	S7172 <sup>+</sup> N		41

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# MERCEDES BENZ

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
C-Class (Diesel)	OM646.811/812/962/963	88.00	2148	01-11	S7172 <sup>+N</sup>		41
C-Class (Diesel)	OM612.962	88.00	2685	00-09	S7172 <sup>+N</sup>		43
C180	M111.920	85.30	1799	1993	C5094	P5094	18
C220 D (Diesel)	OM604.910/912/915/917	89.00	2155	1996	S5163 <sup>+</sup>		47
C250 D (Diesel)	OM605.910/911/912	87.00	2497	93-96	C1753 <sup>+</sup>		26
C350	M272KE35	92.90	3498	2005	S5378 <sup>+N</sup>		58
CLK350	M272DE35	92.90	3498	2005	S5378 <sup>+N</sup>		58
E-Class (Diesel)	OM611.961	88.00	2148	98-03	S7172 <sup>+N</sup>		41
E-Class (Diesel)	OM646.820/821/951/961	88.00	2148	03-09	S7172 <sup>+N</sup>		41
E-Class (Diesel)	OM612.961	88.00	2688	99-03	S7172 <sup>+N</sup>		42
E-Class (Diesel)	OM647.961	88.00	2685	02-09	S7172 <sup>+N</sup>		43
E-Class (Diesel)	OM648.961	88.00	3222	02-09	S7172 <sup>+N</sup>		44
E220 D (Diesel)	OM604.910/912/915/917	89.00	2155	1996	S5163 <sup>+</sup>		47
E250 D (Diesel)	OM605.910/911/912	87.00	2497	1993	C1753 <sup>+</sup>		26
E280 (Diesel)	M112E28	89.90	2799	1997	S5071 <sup>+</sup>		49
E320 (Diesel)	M104E32.991	89.90	3199	1991	S5071 <sup>+</sup>		50
E350	M272KE35	92.90	3498	2005	S5378 <sup>+N</sup>		58
E420	M119E42.971/975	92.00	4196	93-97	C5075 <sup>+</sup>	P5075 <sup>+</sup>	57
E420 T	M119E42.971/975	92.00	4196	1996	C5075 <sup>+</sup>	P5075 <sup>+</sup>	57
E500	M119.974	96.50	4973	91-95	C1858		61
M200	L408GC	87.00	1988	66-80	C1831		27
ML350	M272DE35	92.90	3498	2006	S5378 <sup>+N</sup>		58
S-Class (Diesel)	OM648.960	88.00	3222	02-05	S7172 <sup>+N</sup>		44
S350	M272KE35	92.90	3498	2005	S5378 <sup>+N</sup>		58
S350 D (Diesel)	OM603A.971	89.00	3449	93-96	S5163 <sup>+</sup>		48
S420	M119E42.971/975	92.00	4196	92-98	C5075 <sup>+</sup>	P5075 <sup>+</sup>	57
S500 SE/SEL	M117.961	96.50	4973	79-85	C1858		61
S500 SE/SEL/SEC	M117.963	96.50	4973	79-85	C1858		61
SL350	M272KE35	92.90	3498	2005	S5378 <sup>+N</sup>		58
SLK350	M272KE35	92.90	3498	2005	S5378 <sup>+N</sup>		58
Sprinter (Diesel)	OM646.984/990	88.00	2148	2006	S7172 <sup>+N</sup>		41
Sprinter (Diesel)	OM611.981/987	88.00	2148	00-06	S7172 <sup>+N</sup>		41
Sprinter (Diesel)	OM647.981	88.00	2685	2000	S7172 <sup>+N</sup>		43
Sprinter (Diesel)	OM612.981	88.00	2685	2000	S7172 <sup>+N</sup>		43
V-Class / Vito Box (Diesel)	OM611.980	88.00	2148	99-03	S7172 <sup>+N</sup>		41

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	180 D/DB (4-Ring Replc.) (Diesel)	(1.8L)	1767	4	2.953	75.00	4 - 2.00	4 - 5.00
	170 D/DA/DB/DS/ (4-Ring Replc.) (Diesel)						4 - 2.00	
							4 - 2.00	
2	170 D (Diesel)	(1.8L)	1767	4	2.953	75.00	4 - 2.00	4 - 5.00
	170 DA/DB (Diesel)						4 - 2.00	
	170 DS (Diesel)						4 - 2.00	
	180 D/DB (Diesel)						4 - 2.00	
3	220	(2.2L)	2195	6	3.150	80.00	6 - 2.50	6 - 5.00
	219						6 - 2.50	
	220 A						6 - 3.00	
4	220 SE/SEC	(2.2L)	2195	6	3.150	80.00	6 - 2.00	6 - 5.00
	220 SEB						6 - 2.50	
	220 SE/SEC						6 - 3.00	
	220 SEB							
	220							
	220 SE/SEC							
220 SB								

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# MERCEDES BENZ

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
5	230 /6	(2.3L)	2292	<b>P1412</b> <b>C1412</b>	6	3.219	81.75	6 - 1.75 6 - 2.50	6 - 4.00
6	230 /6	(2.3L)	2292	<b>C1869</b>	6	3.228	82.00	6 - 1.75 6 - 2.50	6 - 4.00
7	230 SL/SLC	(2.3L)	2306	<b>P1283</b> <b>C1283</b>	6	3.228	82.00	6 - 1.50 6 - 1.50 6 - 2.50	6 - 4.00
8	250 SE/SEC	(2.5L)	2496	<b>P1285</b> <b>C1285</b>	6	3.228	82.00	6 - 1.50 6 - 2.50	6 - 5.00
9	230	(2.3L)	2281	<b>P1285</b> <b>C1285</b>	6	3.228	82.00	6 - 1.50 6 - 2.50	6 - 5.00
10	230	(2.3L)	2306	<b>P1285</b> <b>C1285</b>	6	3.228	82.00	6 - 1.50 6 - 2.50	6 - 5.00
11	230 SL/SLC	(2.3L)	2281	<b>P1394</b> <b>C1394</b>	6	3.228	82.00	6 - 1.50 6 - 2.50	6 - 4.00
12	250 S 250 250 SE/SEC 250 SL/SLC	(2.5L)	2496	<b>P1418</b> <b>C1418</b>	6	3.228	82.00	6 - 2.00 6 - 2.50	6 - 4.00
13	250 (4-Ring Replc.)	(2.5L)	2496	<b>P1756</b> <b>C1756</b>	6	3.228	82.00	6 - 2.00 6 - 2.00 6 - 2.50	6 - 4.00
14	190 E2.6 (Diesel) 260 E/SE (Diesel)	(2.6L)	2599	<b>C1859</b>	6	3.264	82.90	6 - 1.50 6 - 1.75	6 - 3.00
15	190 190 B 190 SL/SLC 180 A/B 190 C 190 SL/SLC	(1.9L)	1897	<b>P1043</b> <b>C1043</b>	4	3.346	85.00	4 - 2.00 4 - 2.50 4 - 3.00	4 - 5.00
16	300 300 SL	(3.0L)	2996	<b>P1105</b> <b>C1105</b>	6	3.346	85.00	6 - 2.00 6 - 2.50 6 - 3.00	6 - 5.00
17	190 D/DB (Diesel)	(1.9L)	1897	<b>P1151</b> <b>C1151</b>	4	3.346	85.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 5.00
18	C180	(1.8L)	1799	<b>P5094</b> <b>C5094</b>	4	3.358	85.30	4 - 1.50 4 - 1.75	4 - 3.00
19	280 C 280 S 280 SE 280 CE/E	(2.7L)	2746	<b>P1366</b> <b>C1366</b>	6	3.386	86.00	6 - 1.75 6 - 2.50	6 - 4.00
20	280 S 250 C 280 SE/SEC/SEL/SL/SLC 300 SEL	(2.8L)	2778	<b>P1321</b> <b>C1321</b>	6	3.406	86.50	6 - 2.00 6 - 2.00 6 - 2.50	6 - 4.00
21	280 S/SE/SL	(2.8L)	2778	<b>P1395</b> <b>C1395</b>	6	3.406	86.50	6 - 2.00 6 - 2.50	6 - 4.00
22	200 D (Diesel)	(2.0L)	1997	<b>C1683</b> <sup>†</sup>	4	3.425	87.00	4 - 2.00 4 - 2.00	4 - 3.00
23	190 D (Diesel)	(2.2L)	2197	<b>C1683</b> <sup>†</sup>	4	3.425	87.00	4 - 2.00 4 - 2.00	4 - 3.00
24	250 D (Diesel) 190 D (Diesel)	(2.5L)	2497	<b>C1684</b> <sup>†</sup>	5	3.425	87.00	5 - 2.00 5 - 2.00	5 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# MERCEDES BENZ

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
25	300 D (Diesel)	(3.0L)	2996	<b>C1685</b> <sup>+</sup>	6	3.425	87.00	6 - 2.00 6 - 2.00	6 - 3.00
26	190 TD (Diesel) C250 D (Diesel) E250 D (Diesel)	(2.5L)	2497	<b>C1753</b> <sup>+</sup>	5	3.425	87.00	5 - 2.50 5 - 2.00	5 - 3.00
27	M200	(2.0L)	1988	<b>C1831</b>	4	3.425	87.00	4 - 1.75 4 - 2.50	4 - 4.00
28	200, L408GC			<b>C1831</b>	4	3.425	87.00	4 - 1.75 4 - 2.50	4 - 4.00
29	180 DC (Diesel) 190 DC (Diesel) 200 D (Diesel)	(2.0L)	1988	<b>P1242</b> <b>C1242</b>	4	3.425	87.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 5.00
30	220 D (Diesel)	(2.2L)	2197	<b>P1357</b> <b>C1357</b>	4	3.425	87.00	4 - 3.00 4 - 2.00 4 - 2.00	4 - 4.00
31	220 D (3-Ring Replc.) (Diesel)	(2.2L)	2197	<b>P1358</b> <b>C1358</b>	4	3.425	87.00	4 - 3.00 4 - 2.00	4 - 4.00
32	200 D (Diesel)	(2.0L)	1988	<b>P1358</b> <b>C1358</b>	4	3.425	87.00	4 - 3.00 4 - 2.00	4 - 4.00
33	180 DC, 190 DC, 200 D - Replc. Piston	(2.0L)	1988	<b>P1359</b> <b>C1359</b>	4	3.425	87.00	4 - 1.50 4 - 1.50 4 - 1.50	4 - 5.00
34	220 /8	(2.2L)	2197	<b>P1363</b> <b>C1363</b>	4	3.425	87.00	4 - 2.00 4 - 2.50	4 - 4.00
35	200	(2.0L)	1988	<b>P1387</b> <b>C1387</b>	4	3.425	87.00	4 - 1.50 4 - 2.50	4 - 5.00
36	200 (Diesel)	(2.0L)	1988	<b>P1419</b> <b>C1419</b>	4	3.425	87.00	4 - 1.50 4 - 2.50	4 - 4.00
37	220 D (4-Ring Replc.) (Diesel)	(2.2L)	2197	<b>P1420</b> <b>C1420</b>	4	3.425	87.00	4 - 2.00 4 - 2.00 4 - 2.50	4 - 4.00
38	220 D (Diesel)	(2.2L)	2197	<b>P1466</b> <b>C1466</b>	4	3.425	87.00	4 - 2.00 4 - 2.00	4 - 4.00
39	300 TD (Diesel)	(3.0L)	2996	<b>P1752</b> <sup>+</sup> <b>C1752</b> <sup>+</sup>	6	3.425	87.00	6 - 2.50 6 - 2.00	6 - 3.00
40	380 SL/SLC 380 SE/SEC 380 SEL	(3.9L)	3839	<b>C1611</b>	8	3.465	88.00	8 - 1.50 8 - 2.00	8 - 3.50
41	Sprinter (Diesel) C-Class (Diesel) E-Class (Diesel) V-Class / Vito Box (Diesel) Sprinter (Diesel) C-Class (Diesel) E-Class (Diesel)	(2.2L)	2148	<b>S7172</b> <sup>+</sup> N	1	3.465	88.00	1 - 2.50 1 - 2.00	1 - 3.00
42	E-Class (Diesel)	(2.7L)	2688	<b>S7172</b> <sup>+</sup> N	1	3.465	88.00	1 - 2.50 1 - 2.00	1 - 3.00
43	Sprinter (Diesel) C-Class (Diesel) E-Class (Diesel) Sprinter (Diesel)	(2.7L)	2685	<b>S7172</b> <sup>+</sup> N	1	3.465	88.00	1 - 2.50 1 - 2.00	1 - 3.00
44	S-Class (Diesel) E-Class (Diesel)	(3.2L)	3222	<b>S7172</b> <sup>+</sup> N	1	3.465	88.00	1 - 2.50 1 - 2.00	1 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# MERCEDES BENZ

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
45	300 E/TE 300 SEL/SL 300 TE	(3.0L)	2962	<b>C1839</b>	6	3.484	88.50	6 - 1.50 6 - 1.75	6 - 3.00
46	190 E (Diesel)	(2.0L)	1996	<b>C1629</b>	4	3.504	89.00	4 - 1.75 4 - 2.00	4 - 3.50
47	E220 D (Diesel) C220 D (Diesel)	(2.2L)	2155	<b>S5163<sup>+</sup></b>	1	3.504	89.00	1 - 2.50 1 - 2.00	1 - 3.00
48	S350 D (Diesel) 350 GD (Diesel) 409 (Diesel)	(3.5L)	3449	<b>S5163<sup>+</sup></b>	1	3.504	89.00	1 - 2.50 1 - 2.00	1 - 3.00
49	E280 (Diesel)	(2.8L)	2799	<b>S5071<sup>+</sup></b>	6	3.539	89.90	6 - 1.50 6 - 1.75	6 - 3.00
50	E320 (Diesel) 320 E (Diesel) 300 SE (Diesel)	(3.2L)	3199	<b>S5071<sup>+</sup></b>	6	3.539	89.90	6 - 1.50 6 - 1.75	6 - 3.00
51	240 D (Diesel)	(2.4L)	2399	<b>C1488</b>	4	3.579	90.90	4 - 3.00 4 - 2.00	4 - 4.00
52	300 TD (Diesel) 300 CD/SD (Diesel) 300 D (Diesel)	(3.0L)	2998	<b>C1489</b>	5	3.579	90.90	5 - 3.00 5 - 2.00	5 - 4.00
53	300 CD/D (Diesel)	(3.0L)	3005	<b>C1422</b>	5	3.583	91.00	5 - 3.00 5 - 2.00	5 - 4.00
54	240 D (Diesel)	(2.4L)	2404	<b>C1425</b>	4	3.583	91.00	4 - 3.00 4 - 2.00	4 - 4.00
55	280 3.5 (Diesel) 300 3.5 (Diesel)	(3.5L)	3499	<b>P1365</b> <b>C1365</b>	8	3.622	92.00	8 - 1.75 8 - 2.50	8 - 4.00
56	450 SL/SLC (Diesel) 450 SEL (Diesel) 280 4.5 (Diesel) 300 4.5 (Diesel) 350 SL/SLC (Diesel) 450 SL/SLC (Diesel) 380 SEL (Diesel) 450 SE (Diesel)	(4.5L)	4520	<b>P1365</b> <b>C1365</b>	8	3.622	92.00	8 - 1.75 8 - 2.50	8 - 4.00
57	E420 E420 T S420 400 E/SE/SEL	(4.2L)	4196	<b>P5075<sup>+</sup></b> <b>C5075<sup>+</sup></b>	8	3.622	92.00	8 - 1.50 8 - 1.75	8 - 3.00
58	ML350 CLK350 SLK350 C350 E350 S350 SL350	(3.5L)	3498	<b>S5378<sup>+N</sup></b>	6	3.657	92.90	6 - 1.50 6 - 1.75	6 - 2.50
59	230 /4	(2.3L)	2307	<b>P1432</b> <b>C1432</b>	4	3.691	93.75	4 - 1.75 4 - 2.50	4 - 4.00
60	190 E 2.3 (Diesel)	(2.3L)	2299	<b>P1791</b> <b>C1791</b>	4	3.760	95.50	4 - 1.75 4 - 2.00	4 - 3.50
61	500 SEL/SEC Sport Coupe 450 SL Coupe S500 SE/SEL S500 SE/SEL/SEC 500 SL	(5.0L)	4973	<b>C1858</b>	8	3.800	96.50	8 - 1.75 8 - 2.00	8 - 3.50

**Continued On Next Page**

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# MERCEDES BENZ

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > 500 E/SE/SEC/SEL/SL 500 SL E500 500 SL							
62	560 SE/SEC/SEL (5.0L)	5547	<b>C1858</b>	8	3.800	96.50	8 - 1.75 8 - 2.00	8 - 3.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone