

MERCEDES BENZ TRUCK

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
0302 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
0302 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
0303 (V6) (Diesel)	OM441A	128.00	10964	89-91	S7026 ⁺ A		24
0303, 0404 (V6) (Diesel)	OM441 EURO	128.00	10964	1991	S7026 ⁺ A		24
0317 (Diesel)	OM346	128.00	10809	61-67	S5104 ⁺		18
0322 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
0322 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
0404, 1750, 1838, 1844, 1850, 2044, 2050, 2448, 2538, 2550, 2638, 2650, 3244, 3538, 3550 (V8) (Diesel)	OM442LA EURO I	128.00	14618	1991	S7026 ⁺ A		25
1013 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1013 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
1013 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
1017 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
108D Vito, 110D Vito (Diesel)	OM601.900/940-943/970	89.00	2299	1996	S5163 ⁺		1
1113 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1113 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
1113 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
1113 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1117 (Diesel)	OM366A	97.50	5958	1992	S7027 ⁺ A		10
1117 (Diesel)	OM366LA EURO II	97.50	5958	1994	S7027 ⁺ A		10
1120 (Diesel)	OM366LA EURO II	97.50	5958	1994	S7027 ⁺ A		10
1213 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
1213 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
1213, 1217 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1216 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1217 (6 cyl.) (Diesel)	OM362LA	97.00	5675	82-86	S7122 ⁺		8
1234, 1424, 1427, 1733, 1824, 1827, 1831, 1834, 2024, 2031, 2524, 2527, 2631, 3233, 3234 (V6) (Diesel)	OM441LA EURO II	128.00	10964	1995	S7026 ⁺ A		24
1313 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1313 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
1313 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
1313 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1317 (Diesel)	OM366A	97.50	5958	1992	S7027 ⁺ A		10
1317 (Diesel)	OM366LA EURO II	97.50	5958	1994	S7027 ⁺ A		10
1317 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1413 (6 cyl.) (Diesel)	OM353A	97.00	5675	64-70	S7122 ⁺		8
1413 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1417 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1417 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
1417 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
1417 (Diesel)	OM366A	97.50	5958	1992	S7027 ⁺ A		10
1417 (Diesel)	OM366LA EURO II	97.50	5958	1994	S7027 ⁺ A		10
1417 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1418 (Diesel)	OM346	128.00	10809	61-67	S5104 ⁺		18
1419, 1420 (6 cyl.) (Diesel)	OM362LA	97.00	5675	82-86	S7122 ⁺		8
1513 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1513 (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
1513 (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
1517 (Diesel)	OM366A	97.50	5958	1992	S7027 ⁺ A		10

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MERCEDES BENZ TRUCK

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
1520 (Diesel)	OM366LA EURO II	97.50	5958	1994	S7027 ⁺ A		10
1613 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1617 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1617 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1617, 1619, 1620 (6 cyl.) (Diesel)	OM362LA	97.00	5675	82-86	S7122 ⁺		8
1618, 1620 (Diesel)	OM346	128.00	10809	61-67	S5104 ⁺		18
1620 (Diesel)	OM355	128.00	11851	68-78	S5104 ⁺		19
1622, 1628 1633, 1726, 1732, 2028, 2222, 2228, 2236, 2426, 2428, 2534, 3028, 3228, 3233, 3235 (V6) (Diesel)	OM441LA	128.00	10964	1985	S7026 ⁺ A		24
1622, 1628, 2228, Industrial (V6) (Diesel)	OM421A	128.00	10964	1979	S7026 ⁺ A		20
1623 (Diesel)	OM346	128.00	10809	61-67	S5104 ⁺		18
1624 (Diesel)	OM355	128.00	11851	68-78	S5104 ⁺		19
1633, 1933, 2033, 2233, 2433, 2633, 2833, 3033, 3333, O303 (V8) (Diesel)	OM422A	128.00	14618	1979	S7026 ⁺ A		21
1635, 1735, 1928, 1929, 1935, 2028, 2036, 2228, 2235, 2435, 2436, 2529, 2536, 2628, 2635 (V8) (Diesel)	OM442A	128.00	14618	1989	S7026 ⁺ A		25
1638, 1938, 2238, 2638, 3338 (V8) (Diesel)	OM422LA	128.00	14618	1979	S7026 ⁺ A		21
1813 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
1817, 1819 (Diesel)	OM360/H	115.00	8725	69-77	S5100 ⁺		17
1820 (Diesel)	OM366LA EURO II	97.50	5958	1994	S7027 ⁺ A		10
1834, 2534, 3234, O3404 (V6) (Diesel)	OM441A EURO I	128.00	10964	1992	S7026 ⁺ A		24
1835, 1838, 1844, 1850, 1853, 2044, 2050, 2538, 2550, 2629, 2644, 2650, 2653, 3238, 3253 (V8) (Diesel)	OM442LA EURO II	128.00	14618	1995	S7026 ⁺ A		25
1920, 1924, 1928 (Diesel)	OM355A	128.00	11851	68-78	S5104 ⁺		19
2020 (Diesel)	OM346	128.00	10809	61-67	S5104 ⁺		18
2023 (Diesel)	OM346	128.00	10809	61-67	S5104 ⁺		18
207D, 208D Sprinter (Diesel)	OM601.900/940-943/970	89.00	2299	1990	S5163 ⁺		1
210D (Diesel)	OM602	89.00	2874	1990	S5163 ⁺		2
212D/312D/412D Vito (Diesel)	OM602A.982	89.00	2874	1996	S5163 ⁺		2
2219, 2220 (6 cyl.) (Diesel)	OM362LA	97.00	5675	82-86	S7122 ⁺		8
2220 (Diesel)	OM346	128.00	10809	61-67	S5104 ⁺		18
2220, 2224 (Diesel)	OM355	128.00	11851	68-78	S5104 ⁺		19
2624 (Diesel)	OM355	128.00	11851	68-78	S5104 ⁺		19
2628 (Diesel)	OM355A	128.00	11851	1970	S5104 ⁺		19
300	M100.981	103.00	6332	68-71	C1470 ⁺		15
308D Sprinter, 408D Sprinter (Diesel)	OM601.900/940-943/970	89.00	2299	1990	S5163 ⁺		1
309, 310 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965	S7122 ⁺		7
310D (Diesel)	OM602	89.00	2874	1990	S5163 ⁺		2
312D (Diesel)	OM602	89.00	2874	1994	S5163 ⁺		2
3250, 3850, 4050 (V10) (Diesel)	OM423LA	128.00	18273	1979	S7026 ⁺ A		22
407D, 507D, 508D (Diesel)	OM601.900/940-943/970	89.00	2299	1990	S5163 ⁺		1
408 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965	S7122 ⁺		7
408-O309 (Diesel)	OM314	97.00	3784	1966	S7041 ⁺ A		5
410D (Diesel)	OM602	89.00	2874	1990	S5163 ⁺		2
412D (Diesel)	OM602	89.00	2874	1994	S5163 ⁺		2
450	M100.985	107.00	6834	75-79	C1491		16
508 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965	S7122 ⁺		7

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MERCEDES BENZ TRUCK

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
508 (Diesel)	OM314	97.00	3784	1966	S7041 ⁺ A		5
512D Sprinter (Diesel)	OM602A.982	89.00	2874	1994	S5163 ⁺		2
608 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965	S7122 ⁺		7
608 (Diesel)	OM314	97.00	3784	1966	S7041 ⁺ A		5
609 (Diesel)	OM364	97.50	3972	1984	S7027 ⁺ A		9
611 (Diesel)	OM364A	97.50	3972	1984	S7027 ⁺ A		9
612D/614D Sprinter (Diesel)	OM602A.982	89.00	2874	1994	S5163 ⁺		2
614 (Diesel)	OM364LA	97.50	3972	1987	S7027 ⁺ A		9
707 (Diesel)	OM314	97.00	3784	1966	S7041 ⁺ A		5
709 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965	S7122 ⁺		7
709 (Diesel)	OM314	97.00	3784	1966	S7041 ⁺ A		5
709 (Diesel)	OM364	97.50	3972	1984	S7027 ⁺ A		9
711 (Diesel)	OM364A	97.50	3972	1984	S7027 ⁺ A		9
809 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965	S7122 ⁺		7
809 (Diesel)	OM364	97.50	3972	1984	S7027 ⁺ A		9
811 (Diesel)	OM364A	97.50	3972	1984	S7027 ⁺ A		9
812D/814D Sprinter (Diesel)	OM602A.982	89.00	2874	1994	S5163 ⁺		2
814 (Diesel)	OM364LA	97.50	3972	1987	S7027 ⁺ A		9
900-901, 910-911, 920-921, 960, 970-971 (Diesel)	OM 909 Euro 2	102.00	6374	1995	S7182 ⁺ N		12
903-912, 914-925, 926, 927-931, (Diesel)	OM904 Euro2	102.00	4250	1995	S7182 ⁺ N		11
910, 920, 930, 940-941, 960, 970 (Diesel)	OM907 Euro2	102.00	4250	1995	S7182 ⁺ N		11
914-917, 927-928, (Diesel)	OM904 LA Euro3	102.00	4250	1996	S7182 ⁺ N		11
915 (Diesel)	OM924 Euro2	102.00	4250		S7182 ⁺ N		11
915-916, 925-928, 935-936, 939, 949-952, 955, 957 (USA), 958-965, 968, 971, 982-983, 987 (Diesel)	OM906 Euro3	102.00	6374	1998	S7182 ⁺ N		12
917 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
920 (Diesel)	OM906	102.00	6374	1998	S7182 ⁺ N		12
935, 937-939 (Diesel)	OM902 Euro3	102.00	6374	2002	S7182 ⁺ N		12
984 (Diesel)	OM960 Euro2	102.00	4250	96-13	S7182 ⁺ N		11
984 (Diesel)	OM960 Euro3	102.00	4250	96-13	S7182 ⁺ N		11
Baureihe 1017 (6 cyl.) (Diesel)	OM352A	97.00	5675		S7122 ⁺		8
Cito O 520 (Diesel)	OM907.941	102.00	4250		S7201 ⁺ N		13
HHF (Diesel)	OM352	97.00	5675	1964	S7041 ⁺ A		6
HHF (Diesel)	OM353	97.00	5675	1964	S7041 ⁺ A		6
Industrial (Diesel)	OM314	97.00	3784	66-On	S5066 ⁺		3
Industrial (Diesel)	OM353	97.00	5675	64-On	S5066 ⁺		4
Industrial (Diesel)	OM352	97.00	5675	64-On	S5066 ⁺		4
Industrial (V10) (Diesel)	OM423A	128.00	18273	1979	S7026 ⁺ A		22
Industrial (V10) (Diesel)	OM443A/LA	128.00	18273	88-89	S7026 ⁺ A		26
Industrial (V12) (Diesel)	OM424A/LA	128.00	21927	1979	S7026 ⁺ A		23
Industrial (V12) (Diesel)	OM444A/LA	128.00	21927	79-86	S7026 ⁺ A		27
Industrial (V6) (Diesel)	OM421LA	128.00	10964	1979	S7026 ⁺ A		20
MB Trac 300/1100/1300/1500 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82	S7122 ⁺		8
MB-Trac 900 Turbo (4 cyl.) (Diesel)	OM314A	97.00	3784		S7122 ⁺		7
Series 1423 (Mexico) (Diesel)	OM906.966	102.00	6374		S7201 ⁺ N		14
Series 1526 (Diesel)	OM906.998	102.00	6374		S7201 ⁺ N		14
Series 1618 (Diesel)	OM904.938	102.00	4250		S7201 ⁺ N		13
Series 1626 (Diesel)	OM906.988	102.00	6374		S7201 ⁺ N		14
Series 1628 (Diesel)	OM906.933	102.00	6374		S7201 ⁺ N		14

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MERCEDES BENZ TRUCK

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
Series 1628 (Diesel)	OM906.970	102.00	6374			S7201 ^{+N}	14
Series 1718 (Diesel)	OM904.938	102.00	4250			S7201 ^{+N}	13
Series 1722 (Diesel)	OM906.917	102.00	6374			S7201 ^{+N}	14
Series 1725 (Diesel)	OM906.975	102.00	6374			S7201 ^{+N}	14
Series 1726 (Diesel)	OM906.988	102.00	6374			S7201 ^{+N}	14
Series 1726 (Diesel)	OM906.998	102.00	6374			S7201 ^{+N}	14
Series 1728 (Diesel)	OM906.933	102.00	6374			S7201 ^{+N}	14
Series 1728 (Diesel)	OM906.974	102.00	6374			S7201 ^{+N}	14
Series 1728 (Diesel)	OM906.977	102.00	6374			S7201 ^{+N}	14
Sprinter 212D (Diesel)	OM602	89.00	2874	1994		S5163 ⁺	2
Tractor 1000, 65, 70 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965		S7122 ⁺	7
U1000/L, U1200/L, U1300/L, U1500/L, U1700/L (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82		S7122 ⁺	8
U400 (Diesel)	OM902.935	102.00	6374			S7201 ^{+N}	14
UZ 150/425 (6 cyl.) (Diesel)	OM352A	97.00	5675	71-82		S7122 ⁺	8
Unimog, 66, 72, 800, 900 (4 cyl.) (Diesel)	OM314A	97.00	3784	1965		S7122 ⁺	7
Vito 110TD (Diesel)	OM601LA	89.00	2299	95-99		S5163 ⁺	1

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	207D, 208D Sprinter (Diesel) 308D Sprinter, 408D Sprinter (Diesel) 407D, 507D, 508D (Diesel) 108D Vito, 110D Vito (Diesel) Vito 110TD (Diesel)	(2.3L)	2299	S5163 ⁺	1	3.504	89.00	1 - 2.50 1 - 2.00	1 - 3.00
2	210D (Diesel) 310D (Diesel) 410D (Diesel) Sprinter 212D (Diesel) 312D (Diesel) 412D (Diesel) 512D Sprinter (Diesel) 612D/614D Sprinter (Diesel) 812D/814D Sprinter (Diesel) 212D/312D/412D Vito (Diesel)	(2.9L)	2874	S5163 ⁺	1	3.504	89.00	1 - 2.50 1 - 2.00	1 - 3.00
3	Industrial (Diesel)	(3.8L)	3784	S5066 ⁺	2	3.819	97.00	2 - 3.00 ^{FK} 2 - 3.00 2 - 3.00	2 - 5.50
4	Industrial (Diesel)	(5.7L)	5675	S5066 ⁺	2	3.819	97.00	2 - 3.00 ^{FK} 2 - 3.00 2 - 3.00	2 - 5.50
5	709 (Diesel) 508 (Diesel) 408-O309 (Diesel) 608 (Diesel) 707 (Diesel)	(3.8L)	3784	S7041 ^{+A}	2	3.819	97.00	2 - 3.00 ^{FK} 2 - 3.00 2 - 3.00	2 - 5.50 2 - 5.50
6	HHF (Diesel) 0302 (Diesel) 0322 (Diesel) 1013 (Diesel) 1113 (Diesel) 1213 (Diesel) 1313 (Diesel) 1417 (Diesel) 1513 (Diesel)	(5.7L)	5675	S7041 ^{+A}	2	3.819	97.00	2 - 3.00 ^{FK} 2 - 3.00 2 - 3.00	2 - 5.50 2 - 5.50

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MERCEDES BENZ TRUCK

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > HHF (Diesel) 0302 (Diesel) 0322 (Diesel) 1013 (Diesel) 1113 (Diesel) 1213 (Diesel) 1313 (Diesel) 1417 (Diesel) 1513 (Diesel)							
7	309, 310 (4 cyl.) (Diesel) (3.8L) 408 (4 cyl.) (Diesel) 508 (4 cyl.) (Diesel) 608 (4 cyl.) (Diesel) 709 (4 cyl.) (Diesel) 809 (4 cyl.) (Diesel) Tractor 1000, 65, 70 (4 cyl.) (Diesel) Unimog, 66, 72, 800, 900 (4 cyl.) (Diesel) MB-Trac 900 Turbo (4 cyl.) (Diesel)	3784	S7122 ⁺	2	3.819	97.00	2 - 2.50 ^{FK} 2 - 2.50	2 - 4.00
8	1217 (6 cyl.) (Diesel) (5.7L) 1419, 1420 (6 cyl.) (Diesel) 1617, 1619, 1620 (6 cyl.) (Diesel) 2219, 2220 (6 cyl.) (Diesel) 1413 (6 cyl.) (Diesel) 1013 (6 cyl.) (Diesel) 1113 (6 cyl.) (Diesel) 1213, 1217 (6 cyl.) (Diesel) 1313 (6 cyl.) (Diesel) 1513 (6 cyl.) (Diesel) 1613 (6 cyl.) (Diesel) 1813 (6 cyl.) (Diesel) 917 (6 cyl.) (Diesel) 1017 (6 cyl.) (Diesel) 1417 (6 cyl.) (Diesel) 1617 (6 cyl.) (Diesel) UZ 150/425 (6 cyl.) (Diesel) U1000/L, U1200/L, U1300/L, U1500/L, U1700/L (6 cyl.) (Diesel) MB Trac 300/1100/1300/1500 (6 cyl.) (Diesel) Baureihe 1017 (6 cyl.) (Diesel)	5675	S7122 ⁺	2	3.819	97.00	2 - 2.50 ^{FK} 2 - 2.50	2 - 4.00
9	611 (Diesel) (4.0L) 614 (Diesel) 609 (Diesel) 709 (Diesel) 809 (Diesel) 711 (Diesel) 811 (Diesel) 814 (Diesel)	3972	S7027 ^{+A}	2	3.838	97.50	2 - 2.50 ^{FK} 2 - 2.50	2 - 4.00
10	1820 (Diesel) (6.0L) 1117 (Diesel) 1317 (Diesel) 1417 (Diesel) 1517 (Diesel)	5958	S7027 ^{+A}	2	3.838	97.50	2 - 2.50 ^{FK} 2 - 2.50	2 - 4.00
Continued On Next Page								

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MERCEDES BENZ TRUCK

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > 1117 (Diesel) 1120 (Diesel) 1317 (Diesel) 1417 (Diesel) 1520 (Diesel)							
11	903-912, 914-925, 926, 927-931, (Diesel) (4.3L) 914-917, 927-928, (Diesel) 910, 920, 930, 940-941, 960, 970 (Diesel) 915 (Diesel) 984 (Diesel)	4250	S7182 *N	1	4.016	102.00	1 - 3.00 ^{FK} 1 - 2.50	1 - 4.00
12	935, 937-939 (Diesel) (6.4L) 915-916, 925-928, 935-936, 939, 949-952, 955, 957 (USA), 958-965, 968, 971, 982-983, 987 (Diesel) 920 (Diesel) 900-901, 910-911, 920-921, 960, 970-971 (Diesel)	6374	S7182 *N	1	4.016	102.00	1 - 3.00 ^{FK} 1 - 2.50	1 - 4.00
13	Series 1718 (Diesel) (4.3L) Series 1618 (Diesel) Cito O 520 (Diesel)	4250	S7201 *N	2	4.016	102.00	2 - 3.00 ^{FK} 2 - 2.50	2 - 4.00
14	Series 1728 (Diesel) (6.4L) Series 1726 (Diesel) Series 1725 (Diesel) Series 1722 (Diesel) Series 1626 (Diesel) Series 1628 (Diesel) Series 1526 (Diesel) Series 1423 (Mexico) (Diesel) U400 (Diesel)	6374	S7201 *N	2	4.016	102.00	2 - 3.00 ^{FK} 2 - 2.50	2 - 4.00
15	300 (6.3L)	6332	C1470 *	8	4.055	103.00	8 - 1.50 8 - 1.50 8 - 2.50	8 - 5.00
16	450 (6.9L)	6834	C1491	8	4.213	107.00	8 - 1.75 8 - 2.50	8 - 4.00
17	1817, 1819 (Diesel) (8.7L) 1113 (Diesel) 1216 (Diesel) 1313 (Diesel) 1617 (Diesel) 1317 (Diesel) 1413 (Diesel) 1417 (Diesel)	8725	S5100 *	6	4.528	115.00	6 - 3.50 ^{FK} 6 - 3.00	6 - 5.50
18	2220 (Diesel) (10.8L) 0317 (Diesel) 1418 (Diesel) 1618, 1620 (Diesel) 1623 (Diesel) 2020 (Diesel) 2023 (Diesel)	10809	S5104 *	6	5.039	128.00	6 - 3.50 ^{FK} 6 - 3.50 6 - 3.50	6 - 6.50
19	2624 (Diesel) (11.9L) 2628 (Diesel) 1620 (Diesel) 1624 (Diesel)	11851	S5104 *	6	5.039	128.00	6 - 3.50 ^{FK} 6 - 3.50 6 - 3.50	6 - 6.50

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MERCEDES BENZ TRUCK

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > 1920, 1924, 1928 (Diesel) 2220, 2224 (Diesel)							
20	1622, 1628, 2228, Industrial (V6) (Diesel) (11L) Industrial (V6) (Diesel)	10964	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00
21	1633, 1933, 2033, 2233, 2433, 2633, 2833, (14.6L) 3033, 3333, O303 (V8) (Diesel) 1638, 1938, 2238, 2638, 3338 (V8) (Diesel)	14618	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00
22	Industrial (V10) (Diesel) (18.2L) 3250, 3850, 4050 (V10) (Diesel)	18273	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00
23	Industrial (V12) (Diesel) (22L)	21927	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00
24	0303, 0404 (V6) (Diesel) (11L) 0303 (V6) (Diesel) 1622, 1628 1633, 1726, 1732, 2028, 2222, 2228, 2236, 2426, 2428, 2534, 3028, 3228, 3233, 3235 (V6) (Diesel) 1834, 2534, 3234, O3404 (V6) (Diesel) 1234, 1424, 1427, 1733, 1824, 1827, 1831, 1834, 2024, 2031, 2524, 2527, 2631, 3233, 3234 (V6) (Diesel)	10964	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00
25	1635, 1735, 1928, 1929, 1935, 2028, 2036, (14.6L) 2228, 2235, 2435, 2436, 2529, 2536, 2628, 2635 (V8) (Diesel) 0404, 1750, 1838, 1844, 1850, 2044, 2050, 2448, 2538, 2550, 2638, 2650, 3244, 3538, 3550 (V8) (Diesel) 1835, 1838, 1844, 1850, 1853, 2044, 2050, 2538, 2550, 2629, 2644, 2650, 2653, 3238, 3253 (V8) (Diesel)	14618	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00
26	Industrial (V10) (Diesel) (18.2L)	18273	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00
27	Industrial (V12) (Diesel) (22L)	21927	S7026 ^{+A}	1	5.039	128.00	1 - 3.00 ^{FK} 1 - 3.00	1 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone