

MITSUBISHI

| Application | Engine | Cyl | Set Number | | Line No | | |
|-------------------------------------|------------|--------|------------|-------|----------------------|--------------------|-------|
| | Model | Bore | CC | Years | | Chrome | Plain |
| (Diesel) | S6KT | 102.00 | 6380 | | S7093 ⁺ A | | 70 |
| FB501, FD511, Pajero (Diesel) | 4M40 | 95.00 | 2835 | | S5188 ⁺ | | 63 |
| Bus (Diesel) | 4D30 | 100.00 | 3298 | 1979 | C1816 | | 68 |
| Canter (Diesel) | 4D30 | 100.00 | 3298 | 1979 | C1816 | | 68 |
| Canter (Diesel) | 4D31T | 100.00 | 3298 | | S7138 ⁺ | | 69 |
| Canter (Diesel) | 4D32 | 104.00 | 3567 | | S7002 ⁺ | | 73 |
| Canter (Diesel) | 4D33 | 108.00 | 4214 | | S7137 ⁺ | | 74 |
| Carisma | 4G16 | 81.00 | 1600 | | C1842 ⁺ | | 31 |
| Celeste 1400 | 4G12 | 74.00 | 1410 | 78-81 | C1417 | P1417 | 14 |
| Celeste 2600 | 4G54 | 91.10 | 2555 | 83-85 | C1438 | P1438 | 56 |
| Challenger | 4G54B | 91.10 | 2555 | 79-83 | | P1958 | 59 |
| Chariot (Shallow Oil Ring Groove) | 4G63 | 85.00 | 1997 | 89-97 | C1947 ⁺ | | 41 |
| Colt | 4G31 | 74.50 | 1499 | 69-74 | C1623 | P1623 | 15 |
| Colt | 4G16 | 81.00 | 1600 | | C1842 ⁺ | | 31 |
| Colt 1000 | KE43 | 72.00 | 997 | 63-67 | C1224 | P1224 | 6 |
| Colt 1100 | KE44 | 73.00 | 1088 | 67-73 | C1170 | P1170 | 8 |
| Colt 1200 | KE46 | 73.00 | 1189 | 69-73 | C1170 | P1170 | 9 |
| Colt 1400 | 4G12 | 74.00 | 1410 | 80-82 | C1417 | P1417 | 14 |
| Colt 1500 | KE45 | 85.00 | 1498 | 65-70 | C1372 | P1372 | 44 |
| Colt 1600 | 4G32 | 76.90 | 1597 | 71-83 | C1298 | P1298 | 21 |
| Colt 2000 | 4G63 | 85.00 | 1997 | 1980 | C1528 | P1528 | 45 |
| Colt C14A (Diesel) | 4D65 | 80.60 | 1795 | | C1945 ⁺ | | 26 |
| Cordia | 4G62 | 80.60 | 1795 | 1983 | C1527 | P1527 | 28 |
| Cordia (Turbo) | 4G62 | 80.60 | 1795 | 84-88 | C1645 | P1645 | 30 |
| Debonair | KE64 | 80.00 | 1991 | | C1319 | P1319 | 25 |
| Debonair | 4G54B | 91.10 | 2555 | 79-83 | | P1958 | 59 |
| Debonair 2000 | 6G34 | 73.00 | 1994 | 1971 | C1596 | P1596 | 13 |
| Debonair 2600 | 4G54 | 91.10 | 2555 | 1978 | C1438 | P1438 | 56 |
| Diamante | 6G72 | 91.10 | 2972 | 91-96 | C1841 ⁺ | | 54 |
| Diamante, DOHC | 6G74 | 93.00 | 3496 | 97-04 | C1984 | P1984 | 60 |
| Eclipse | 4G69 | 87.00 | 2378 | 06-11 | S5347 ^N | | 51 |
| Eclipse (DOHC & Turbo) | 4G63, GTX | 85.00 | 1997 | 88-93 | C1775 ⁺ | | 40 |
| Eclipse (Sohc) | 4G37 | 80.60 | 1755 | 89-94 | C1645 | P1645 | 29 |
| Eclipse Single Cam 16V | 4G64, G, Y | 86.50 | 2350 | 97-05 | C1883 ⁺ | | 48 |
| Eclipse Spyder Single Cam 16V | 4G64, G, Y | 86.50 | 2350 | 01-05 | C1883 ⁺ | | 48 |
| Eclipse, DOHC | 420A | 87.50 | 1997 | 95-99 | C3896 ⁺ | P3896 ⁺ | 52 |
| Endeavor, Galant, Montero | 6G75 | 95.00 | 3828 | 03-05 | S5292 ⁺ N | | 64 |
| Eterna | 4G67 | 81.50 | 1836 | | C1967 ⁺ | | 35 |
| Executive 2600 | 4G54 | 91.10 | 2555 | 1998 | C1438 | P1438 | 56 |
| Expo | G64B | 86.50 | 2350 | 1992 | C1652 | P1652 | 50 |
| Expo LRV 2WD | 4G93 | 81.00 | 1834 | 92-95 | C1842 ⁺ | | 32 |
| Expo, Expo LRV | 4G64 | 86.50 | 2350 | 93-95 | C1883 ⁺ | | 48 |
| Forklift | 4G33 | 73.00 | 1439 | 75-78 | C1521 | P1521 | 11 |
| Forklift | 4G41 | 76.50 | 1378 | 71-76 | C1511 | P1511 | 20 |
| Forklift | 4G52 | 84.00 | 1995 | 1976 | C1331 | P1331 | 38 |
| Forklift (Diesel) | 4DQ5 | 84.00 | 2084 | 1974 | C1495 | P1495 | 39 |
| Forklift (Dish piston) (Diesel) | S4S | 94.00 | 2609 | | S5453 ⁺ N | | 62 |
| Forklift (Flat top piston) (Diesel) | S4E, S4S | 94.00 | 2609 | | S5176 ⁺ | | 61 |
| Galant | 4G67 | 81.50 | 1836 | | C1967 ⁺ | | 35 |
| Galant | 4G63 | 85.00 | 1997 | 95-99 | C1951 ⁺ | | 42 |
| Galant | 4G64 | 86.50 | 1468 | 92-96 | C1946 ⁺ | | 49 |
| Galant | G64B | 86.50 | 2350 | 84-88 | C1652 | P1652 | 50 |
| Galant | 4G69 | 87.00 | 2378 | 05-12 | S5347 ^N | | 51 |
| Galant | 6G72 | 91.10 | 2972 | 88-90 | C1664 | P1664 | 58 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

| Application | Engine | Cyl | | | Set Number | | Line |
|------------------------------------|------------|-------|------|-------|---------------------------|--------------|------|
| | Model | Bore | CC | Years | Chrome | Plain | No |
| Galant | 4G54B | 91.10 | 2555 | 79-83 | | P1958 | 59 |
| Galant (DOHC) | 4G63 | 85.00 | 1997 | 89-93 | C1775⁺ | | 40 |
| Galant (Diesel) | 4D65 | 80.60 | 1795 | | C1945⁺ | | 26 |
| Galant (Shallow Oil Ring Groove) | 4G63 | 85.00 | 1997 | 89-97 | C1947⁺ | | 41 |
| Galant 1300 | 4G30 | 73.00 | 1289 | 69-71 | C1170 | P1170 | 7 |
| Galant 1400 | 4G33 | 73.00 | 1439 | 71-75 | C1170 | P1170 | 10 |
| Galant 1400 | 4G41 | 76.50 | 1378 | 71-73 | C1511 | P1511 | 20 |
| Galant 1500 | 4G31 | 74.50 | 1499 | 69-74 | C1623 | P1623 | 15 |
| Galant 1600 | 4G32 | 76.90 | 1597 | 70-83 | C1298 | P1298 | 21 |
| Galant 1800 | 4G51 | 81.00 | 1855 | 73-77 | C1520 | P1520 | 34 |
| Galant 2000 | 4G52 | 84.00 | 1995 | 73-80 | C1331 | P1331 | 38 |
| Galant 2600 | 4G54 | 91.10 | 2555 | 1979 | C1438 | P1438 | 56 |
| Galant 8V | 4G63 | 85.00 | 1997 | 89-93 | C1755 | P1755 | 46 |
| Galant Dual/Single Cam 16V | 4G64, G, Y | 86.50 | 2350 | 93-04 | C1883⁺ | | 48 |
| Galant, Pajero, Pick-Up (Diesel) | 4D55 | 91.10 | 2346 | 1983 | C5131 | | 55 |
| Galant, V-6 | 6G72S | 91.10 | 2972 | 93-03 | C1841⁺ | | 54 |
| Jupiter | JH4 | 79.37 | 2199 | 56-72 | C2161 | P2161 | 24 |
| Lancer | 4G11 | 69.50 | 1244 | 77-83 | C1610 | P1610 | 1 |
| Lancer | 4G13 | 71.00 | 1298 | 1984 | C1761 | P1761 | 5 |
| Lancer | 4G16 | 81.00 | 1600 | | C1842⁺ | | 31 |
| Lancer | 4G94 | 81.50 | 1999 | 02-06 | S5273^{+N} | | 36 |
| Lancer | 4B11 | 86.00 | 1998 | 09-15 | S5410^{+N} | | 47 |
| Lancer | 4G69 | 87.00 | 2378 | 03-06 | S5347^N | | 51 |
| Lancer 1200 | 4G36 | 73.00 | 1238 | 75-78 | C1521 | P1521 | 12 |
| Lancer 1400 | 4G12 | 74.00 | 1410 | 79-81 | C1417 | P1417 | 14 |
| Lancer 1800 D/ Break (Diesel) | 4D65 | 80.60 | 1795 | 83-89 | S5162⁺ | | 27 |
| Lancer Evolution Turbo | 4B11T | 86.00 | 1998 | 08-14 | S5410^{+N} | | 47 |
| Lancer Sportback 2.0 DI-D (Diesel) | BKD | 81.00 | 1968 | 08-On | S5412^{+N} | | 33 |
| Magna | 4G54 | 91.10 | 2555 | 1985 | C1529 | P1529 | 57 |
| Minica 55 | 2G23 | 70.00 | 550 | 76-92 | C1692 | P1692 | 2 |
| Mirage | 4G11 | 69.50 | 1244 | 1977 | C1610 | P1610 | 1 |
| Mirage | 4G13 | 71.00 | 1298 | 1984 | C1761 | P1761 | 5 |
| Mirage | 4G15 | 75.50 | 1468 | 89-90 | C1602 | P1602 | 18 |
| Mirage | 4G91 | 78.40 | 1496 | | C5031⁺ | | 23 |
| Mirage | 4G16 | 81.00 | 1600 | | C1842⁺ | | 31 |
| Mirage (Diesel) | 4D65 | 80.60 | 1795 | | C1945⁺ | | 26 |
| Mirage (Turbo) | 4G32 | 76.90 | 1597 | 84-88 | C1604 | P1604 | 22 |
| Mirage (Turbo) | 4G61 | 82.30 | 1595 | 89-92 | C1724⁺ | | 37 |
| Mirage 12V | 4G15 | 75.50 | 1468 | 91-96 | C1778⁺ | | 16 |
| Mirage 1800 D (Diesel) | 4D65 | 80.60 | 1795 | 1983 | S5162⁺ | | 27 |
| Mirage Also w/CA ECS 12 V | 4G15 | 75.50 | 1468 | 97-02 | C1983⁺ | | 17 |
| Mirage, Lancer | 4G13 | 71.00 | 1298 | | C1643⁺ | | 3 |
| Mirage, Lancer | 4G13 | 71.00 | 1298 | | S5310 | | 4 |
| Montero | 4G54B | 91.10 | 2555 | 1983 | C1438 | P1438 | 56 |
| Montero | 4G54 | 91.10 | 2555 | 84-89 | C1529 | P1529 | 57 |
| Montero | 6G72 | 91.10 | 2972 | 89-94 | C1664 | P1664 | 58 |
| Montero Sport Single Cam 16V | 4G64, G, Y | 86.50 | 2350 | 97-99 | C1883⁺ | | 48 |
| Montero V-6 | 6G72 | 91.10 | 2972 | 93-96 | C1841⁺ | | 54 |
| Montero, 24 V, DOHC | 6G74 | 93.00 | 3496 | 93-04 | C1984 | P1984 | 60 |
| Outlander | 4B11 | 86.00 | 1998 | 10-15 | S5410^{+N} | | 47 |
| Outlander | 4G69 | 87.00 | 2378 | 04-06 | S5347^N | | 51 |
| Outlander Single Cam 16V | 4G64, G, Y | 86.50 | 2350 | 03-05 | C1883⁺ | | 48 |
| Pajero (Diesel) | 4M40-TC | 95.00 | 2835 | | S5323^{+N} | | 65 |
| Pajero (Diesel) | 4M40 | 95.00 | 2835 | | S5324^{+N} | | 66 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

| Application | Engine | Cyl | | | Set Number | | Line |
|----------------------------------|------------------------|--------|------|-------|--------------------|-------|------|
| | Model | Bore | CC | Years | Chrome | Plain | No |
| Pajero (Diesel) | 4M41 | 98.50 | 3200 | 99-11 | S5395 ^N | | 67 |
| Pick-Up | 4G63 | 85.00 | 1997 | 83-86 | C1528 | P1528 | 45 |
| Pick-Up | 4G63 | 85.00 | 1997 | 87-89 | C1755 | P1755 | 46 |
| Pick-Up | 4G64 | 86.50 | 1468 | 92-96 | C1946 ⁺ | | 49 |
| Pick-Up | 4G54B | 91.10 | 2555 | 83-85 | C1438 | P1438 | 56 |
| Pick-Up | 4G54 | 91.10 | 2555 | 86-89 | C1529 | P1529 | 57 |
| Pick-Up | 6G72 | 91.10 | 2972 | 90-93 | C1664 | P1664 | 58 |
| Pick-Up (Diesel) | 4D56 | 91.10 | 2346 | 83-85 | C1530 ⁺ | | 53 |
| Pick-Up (Diesel) | 4D56 | 91.10 | 2346 | 1983 | C5131 | | 55 |
| Pick-Up (Turbo) (Diesel) | 4D55 | 91.10 | 2346 | 83-85 | C1530 ⁺ | | 53 |
| Precis | 4G15 | 75.50 | 1468 | 87-93 | C1602 | P1602 | 18 |
| Proton Waja | 4G18P | 76.00 | 1584 | 01-On | S5288 ⁺ | | 19 |
| Sapporo | 4G54B | 91.10 | 2555 | 79-85 | | P1958 | 59 |
| Savrin | DZL, 4G63, 4G63T, D, F | 85.00 | 1998 | 03-08 | S5348 ^N | | 43 |
| Sigma | 6G72 | 91.10 | 2972 | 88-90 | C1664 | P1664 | 58 |
| Starion (Turbo) | 4G54 | 91.10 | 2555 | 83-89 | C1529 | P1529 | 57 |
| Tredia | 4G62 | 80.60 | 1795 | 1983 | C1527 | P1527 | 28 |
| Tredia | 4G63 | 85.00 | 1997 | 84-88 | C1528 | P1528 | 45 |
| Tredia (Turbo) | 4G62 | 80.60 | 1795 | 84-88 | C1645 | P1645 | 30 |
| Truck 459, BE449, FE439 (Diesel) | 4D34T | 104.00 | 3907 | | S5052 ⁺ | | 72 |
| Truck FE439 (Diesel) | 4D34 | 104.00 | 3907 | | S5051 ⁺ | | 71 |
| Van | G64B | 86.50 | 2350 | 85-93 | C1652 | P1652 | 50 |

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|----------------|--------|--------|--------------------|---------------|-------|-----------|----------------------|----------|
| | | | | | Inch | MM | Comp | Oil | |
| 1 | Mirage | (1.2L) | 1244 | P1610 | 4 | 2.736 | 69.50 | 4 - 1.50 | 4 - 4.00 |
| | Lancer | | | C1610 | | | | 4 - 1.50 | |
| 2 | Minica 55 | (.5L) | 550 | P1692 C1692 | 2 | 2.756 | 70.00 | 2 - 1.50 2 - 1.50 | 2 - 2.50 |
| 3 | Mirage, Lancer | | 1298 | C1643 ⁺ | 4 | 2.795 | 71.00 | 4 - 1.20 4 - 1.50 | 4 - 3.00 |
| 4 | Mirage, Lancer | (1.3L) | 1298 | S5310 | 4 | 2.795 | 71.00 | 4 - 1.20 4 - 1.50 | 4 - 2.80 |
| 5 | Mirage | (1.3L) | 1298 | P1761 | 4 | 2.795 | 71.00 | 4 - 1.50 | 4 - 4.00 |
| | Lancer | | | C1761 | | | | 4 - 1.50 | |
| 6 | Colt 1000 | (1.0L) | 997 | P1224 C1224 | 4 | 2.835 | 72.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 7 | Galant 1300 | (1.3L) | 1289 | P1170 C1170 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 8 | Colt 1100 | (1.1L) | 1088 | P1170 C1170 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 9 | Colt 1200 | (1.2L) | 1189 | P1170 C1170 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 10 | Galant 1400 | (1.4L) | 1439 | P1170 C1170 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 11 | Forklift | (1.4L) | 1439 | P1521 C1521 | 4 | 2.874 | 73.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 12 | Lancer 1200 | (1.2L) | 1238 | P1521 C1521 | 4 | 2.874 | 73.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 13 | Debonair 2000 | (2.0L) | 1994 | P1596 C1596 | 6 | 2.874 | 73.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 14 | Celeste 1400 | (1.4L) | 1410 | P1417 | 4 | 2.913 | 74.00 | 4 - 1.50 | 4 - 4.00 |
| | Colt 1400 | | | C1417 | | | | 4 - 1.50 | |
| | Lancer 1400 | | | | | | | | |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|--|--------|--------|------------------------------|---------------|-------|-----------|--|----------|
| | | | | | Inch | MM | Comp | Oil | |
| 15 | Colt Galant 1500 | (1.5L) | 1499 | P1623 C1623 | 4 | 2.933 | 74.50 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 16 | Mirage 12V | (1.5L) | 1468 | C1778 ⁺ | 4 | 2.972 | 75.50 | 4 - 1.20 4 - 1.50 | 4 - 3.00 |
| 17 | Mirage Also w/CA ECS 12 V | (1.5L) | 1468 | C1983 ⁺ | 4 | 2.972 | 75.50 | 4 - 1.20 4 - 1.50 | 4 - 2.80 |
| 18 | Mirage Precis | (1.5L) | 1468 | P1602 C1602 | 4 | 2.972 | 75.50 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 19 | Proton Waja | (1.6L) | 1584 | S5288 ⁺ | 4 | 2.992 | 76.00 | 4 - 1.20 4 - 1.20 | 4 - 2.50 |
| 20 | Galant 1400 Forklift | (1.4L) | 1378 | P1511 C1511 | 4 | 3.012 | 76.50 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 21 | Colt 1600 Galant 1600 | (1.6L) | 1597 | P1298 C1298 | 4 | 3.028 | 76.90 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 22 | Mirage (Turbo) | (1.6L) | 1597 | P1604 C1604 | 4 | 3.028 | 76.90 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 23 | Mirage | (1.5L) | 1496 | C5031 ⁺ | 4 | 3.086 | 78.40 | 4 - 1.20 4 - 1.20 | 4 - 2.80 |
| 24 | Jupiter | (2.2L) | 2199 | P2161 C2161 | 4 | 3.125 | 79.37 | 4 - 3/32 4 - 3/32 | 4 - 3/16 |
| 25 | Debonair | (2.0L) | 1991 | P1319 C1319 | 6 | 3.150 | 80.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 26 | Colt C14A (Diesel) Galant (Diesel) Mirage (Diesel) | (1.8L) | 1795 | C1945 ⁺ | 4 | 3.173 | 80.60 | 4 - 2.00 ^{HK} 4 - 2.00 ^{HK} | 4 - 4.00 |
| 27 | Lancer 1800 D/ Break (Diesel) Mirage 1800 D (Diesel) | (1.8L) | 1795 | S5162 ⁺ | 4 | 3.173 | 80.60 | 4 - 2.00 ^{HK} 4 - 2.00 | 4 - 4.00 |
| 28 | Tredia Cordia | (1.8L) | 1795 | P1527 C1527 | 4 | 3.173 | 80.60 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 29 | Eclipse (Sohc) | (1.8L) | 1755 | P1645 C1645 | 4 | 3.173 | 80.60 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 30 | Tredia (Turbo) Cordia (Turbo) | (1.8L) | 1795 | P1645 C1645 | 4 | 3.173 | 80.60 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 31 | Lancer Carisma Colt Mirage | (1.6L) | 1600 | C1842 ⁺ | 4 | 3.189 | 81.00 | 4 - 1.20 4 - 1.20 | 4 - 2.80 |
| 32 | Expo LRV 2WD | (1.8L) | 1834 | C1842 ⁺ | 4 | 3.189 | 81.00 | 4 - 1.20 4 - 1.20 | 4 - 2.80 |
| 33 | Lancer Sportback 2.0 DI-D (Diesel) | (2.0L) | 1968 | S5412 ^{+N} | 4 | 3.189 | 81.00 | 4 - 1.75 4 - 2.00 | 4 - 3.00 |
| 34 | Galant 1800 | (1.9L) | 1855 | P1520 C1520 | 4 | 3.189 | 81.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 35 | Eterna Galant | (1.8L) | 1836 | C1967 ⁺ | 4 | 3.209 | 81.50 | 4 - 1.20 4 - 1.50 | 4 - 3.00 |
| 36 | Lancer | (2.0L) | 1999 | S5273 ^{+N} | 4 | 3.209 | 81.50 | 4 - 1.20 4 - 1.20 | 4 - 2.50 |
| 37 | Mirage (Turbo) | (1.6L) | 1595 | C1724 ⁺ | 4 | 3.240 | 82.30 | 4 - 1.20 4 - 1.50 | 4 - 3.00 |
| 38 | Galant 2000 Forklift | (2.0L) | 1995 | P1331 C1331 | 4 | 3.307 | 84.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 39 | Forklift (Diesel) | (2.1L) | 2084 | P1495 C1495 | 4 | 3.307 | 84.00 | 4 - 2.50 4 - 2.00 | 4 - 4.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|---|--------|--------|--|---------------|-------|-----------|--|----------|
| | | | | | Inch | MM | Comp | Oil | |
| 40 | Eclipse (DOHC & Turbo) Galant (DOHC) | (2.0L) | 1997 | C1775 ⁺ | 4 | 3.346 | 85.00 | 4 - 1.20 4 - 1.50 | 4 - 3.00 |
| 41 | Chariot (Shallow Oil Ring Groove) Galant (Shallow Oil Ring Groove) | (2.0L) | 1997 | C1947 ⁺ | 4 | 3.346 | 85.00 | 4 - 1.20 4 - 1.50 | 4 - 3.00 |
| 42 | Galant | (2.0L) | 1997 | C1951 ⁺ | 4 | 3.346 | 85.00 | 4 - 1.20 4 - 1.50 | 4 - 2.80 |
| 43 | Savrin | (2.0L) | 1998 | S5348 ^N | 4 | 3.346 | 85.00 | 4 - 1.20 4 - 1.20 | 4 - 2.00 |
| 44 | Colt 1500 | (1.5L) | 1498 | P1372 C1372 | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 45 | Pick-Up Tredia Colt 2000 | (2.0L) | 1997 | P1528 C1528 | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 46 | Galant 8V Pick-Up | (2.0L) | 1997 | P1755 C1755 | 4 | 3.346 | 85.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 47 | Outlander Lancer Evolution Turbo Lancer | (2.0L) | 1998 | S5410 ^{+N} | 4 | 3.386 | 86.00 | 4 - 1.20 4 - 1.20 | 4 - 2.00 |
| 48 | Expo, Expo LRV Galant Dual/Single Cam 16V Eclipse Single Cam 16V Montero Sport Single Cam 16V Eclipse Spyder Single Cam 16V Outlander Single Cam 16V | (2.4L) | 2350 | C1883 ⁺ | 4 | 3.406 | 86.50 | 4 - 1.20 4 - 1.50 | 4 - 2.80 |
| 49 | Pick-Up Galant | (1.5L) | 1468 | C1946 ⁺ | 4 | 3.406 | 86.50 | 4 - 1.20 4 - 1.50 | 4 - 3.00 |
| 50 | Galant Van Expo | (2.4L) | 2350 | P1652 C1652 | 4 | 3.406 | 86.50 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 51 | Outlander Eclipse Galant Lancer | (2.4L) | 2378 | S5347 ^N | 4 | 3.425 | 87.00 | 4 - 1.20 4 - 1.20 | 4 - 2.00 |
| 52 | Eclipse, DOHC | (2.0L) | 1997 | P3896 ⁺ C3896 ⁺ | 4 | 3.445 | 87.50 | 4 - 1.20 4 - 1.20 | 4 - 3.00 |
| 53 | Pick-Up (Turbo) (Diesel) Pick-Up (Diesel) | (2.4L) | 2346 | C1530 ⁺ | 4 | 3.587 | 91.10 | 4 - 2.50 ^{HK} 4 - 2.00 ^{HK} | 4 - 4.00 |
| 54 | Diamante Montero V-6 Galant, V-6 | (3.0L) | 2972 | C1841 ⁺ | 6 | 3.587 | 91.10 | 6 - 1.20 6 - 1.50 | 6 - 3.00 |
| 55 | Galant, Pajero, Pick-Up (Diesel) Pick-Up (Diesel) | (2.4L) | 2346 | C5131 | 4 | 3.587 | 91.10 | 4 - 2.50 4 - 2.00 | 4 - 4.00 |
| 56 | Celeste 2600 Debonair 2600 Executive 2600 Galant 2600 Montero Pick-Up | (2.6L) | 2555 | P1438 C1438 | 4 | 3.587 | 91.10 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 57 | Montero Starion (Turbo) Magna Pick-Up | (2.6L) | 2555 | P1529 C1529 | 4 | 3.587 | 91.10 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 58 | Galant Montero | (3.0L) | 2972 | P1664 C1664 | 6 | 3.587 | 91.10 | 6 - 1.50 6 - 1.50 | 6 - 4.00 |

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|---|--------|--------|------------------------------|---------------|-------|-----------|--|----------|
| | | | | | Inch | MM | Comp | Oil | |
| | < Continued > Pick-Up Sigma | | | | | | | | |
| 59 | Challenger Debonair Galant Sapporo | (2.6L) | 2555 | P1958 | 4 | 3.587 | 91.10 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 60 | Montero, 24 V, DOHC Diamante, DOHC | (3.5L) | 3496 | P1984 C1984 | 6 | 3.661 | 93.00 | 6 - 1.50 6 - 1.50 | 6 - 3.00 |
| 61 | Forklift (Flat top piston) (Diesel) | (2.6L) | 2609 | S5176 ⁺ | 4 | 3.701 | 94.00 | 4 - 2.50 ^{HK} 4 - 2.00 | 4 - 4.50 |
| 62 | Forklift (Dish piston) (Diesel) | (2.6L) | 2609 | S5453 ^{+N} | 4 | 3.701 | 94.00 | 4 - 2.50 ^{HK} 4 - 2.00 | 4 - 4.00 |
| 63 | FB501, FD511, Pajero (Diesel) | (2.8L) | 2835 | S5188 ⁺ | 4 | 3.740 | 95.00 | 4 - 2.50 ^{FK} 4 - 2.00 | 4 - 4.00 |
| 64 | Endeavor, Galant, Montero | (3.8L) | 3828 | S5292 ^{+N} | 6 | 3.740 | 95.00 | 6 - 1.20 6 - 1.20 | 6 - 2.00 |
| 65 | Pajero (Diesel) | | 2835 | S5323 ^{+N} | 4 | 3.740 | 95.00 | 4 - 2.30 ^{FK} 4 - 2.00 | 4 - 3.00 |
| 66 | Pajero (Diesel) | | 2835 | S5324 ^{+N} | 4 | 3.740 | 95.00 | 4 - 2.30 ^{FK} 4 - 2.00 | 4 - 4.00 |
| 67 | Pajero (Diesel) | (3.2L) | 3200 | S5395 ^{+N} | 4 | 3.878 | 98.50 | 4 - 2.35 ^{FK} 4 - 1.50 | 4 - 3.00 |
| 68 | Bus (Diesel) Canter (Diesel) | (3.3L) | 3298 | C1816 | 4 | 3.937 | 100.00 | 4 - 3.00 ^{HK} 4 - 2.00 | 4 - 5.00 |
| 69 | Canter (Diesel) | (3.3L) | 3298 | S7138 ⁺ | 4 | 3.937 | 100.00 | 4 - 3.00 ^{HK} 4 - 2.00 | 4 - 4.00 |
| 70 | (Diesel) | (6.4L) | 6380 | S7093 ^{+A} | 1 | 4.016 | 102.00 | 1 - 3.00 ^{HK} 1 - 2.00 ^{HK} | 1 - 4.00 |
| 71 | Truck FE439 (Diesel) | (3.9L) | 3907 | S5051 ⁺ | 4 | 4.094 | 104.00 | 4 - 3.00 4 - 2.00 | 4 - 4.00 |
| 72 | Truck 459, BE449, FE439 (Diesel) | (3.9L) | 3907 | S5052 ⁺ | 4 | 4.094 | 104.00 | 4 - 2.80 ^{FK} 4 - 2.00 | 4 - 4.00 |
| 73 | Canter (Diesel) | (3.6L) | 3567 | S7002 ⁺ | 4 | 4.094 | 104.00 | 4 - 3.00 ^{HK} 4 - 2.00 | 4 - 4.00 |
| 74 | Canter (Diesel) | (4.2L) | 4214 | S7137 ⁺ | 4 | 4.252 | 108.00 | 4 - 3.00 4 - 2.00 | 4 - 4.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone