

NISSAN

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
	GA13	71.00	1200		C1771	P1771	3
100NX	GA16DS	76.00	1597	90-93	S5201 ⁺		16
1200/110	A12	73.00	1171	70-74	C1170	P1170	5
1500	J15	78.00	1483	70-84	C1262	P1262	30
1800	J18	80.50	1800	81-00	C1569	P1569	40
200 SX/S10	L20B	85.00	1952	77-80	C1372	P1372	67
200 SX/S110	Z20E	85.00	1952	80-84	C1474	P1474	68
200 SX/S110	Z22E	87.00	2187	82-83	C1502	P1502	80
200 SX/S12	CA20E	84.50	1974	82-88	C1493	P1493	61
200 SX/S12	VG30E	87.00	2960	87-88	C1559	P1559	81
200 SX/S12 (Turbo)	CA18ET	83.00	1809	84-89	C1576	P1576	55
200SX, 2 ring piston	GA16DE	76.00	1597	95-99	C5027	P5027	23
210/B310	A12A	75.00	1237	79-82	C1473	P1473	14
210/B310	A15	76.00	1488	79-82	C1471 ⁺		15
210/B310	A14	76.00	1397	75-82	C1477	P1477	18
240 SX	KA24DE	89.00	2389	91-95	C1798	P1798	98
240 SX	KA24E	89.00	2389	89-90	C1798	P1798	98
240 Z/S30	L24	83.00	2393	70-73	C1297	P1297	51
260 Z/S30	L26	83.00	2565	74-75	C1297	P1297	52
280 Z/S30	L28E	86.00	2753	75-78	C1405	P1405	74
280 ZX/S130	L28	86.00	2753	79-80	C1405	P1405	74
280 ZX/S130 (Turbo)	L28E/ET	86.00	2753	81-83	C1500	P1500	75
300 ZX	VG30DE	87.00	2960	90-95	C1559	P1559	81
300 ZX (Turbo)	VG30DETT	87.00	2960	90-96	C1806 ⁺		79
300 ZX/Z31 (Turbo)	VG30E/ET	87.00	2960	84-89	C1559	P1559	81
310/N10	A15	76.00	1488	1981	C1471 ⁺		15
310/N10	A14	76.00	1397	79-80	C1477	P1477	18
310/N10	E15	76.00	1487	1982	C1506	P1506	20
312	E1	73.00	1189	63-65	C1170	P1170	9
320	E1	73.00	1189	61-64	C1170	P1170	9
350Z Roadster	VQ35DE	90.00	3498	03-05	S5394 ^{+N}		99
410	E1	73.00	1189	64-65	C1170	P1170	9
411	J13	73.00	1299	65-67	C1170	P1170	10
510	L16	83.00	1595	68-73	C1290	P1290	50
510/A10	L20B	85.00	1952	78-79	C1372	P1372	67
510/A10	Z20S	85.00	1974	80-81	C1474	P1474	69
520/521	J13	73.00	1299	65-69	C1170	P1170	10
520/521	L16	83.00	1595	69-72	C1290	P1290	50
610	L18	85.00	1770	72-74	C1372	P1372	66
610	L20B	85.00	1952	74-76	C1372	P1372	67
620	L16	83.00	1595	72-73	C1290	P1290	50
620	L18	85.00	1770	73-74	C1372	P1372	66
620	L20B	85.00	1952	75-79	C1372	P1372	67
710	L18	85.00	1770	73-74	C1372	P1372	66
710	L20B	85.00	1952	75-77	C1372	P1372	67
720	L20B	85.00	1952	1980	C1372	P1372	67
720	Z20	85.00	1952	83-85	C1474	P1474	68
720	Z20	85.00	1952	1985	C1809	P1809	71
720	Z22	87.00	2187	81-84	C1502	P1502	80
720	Z24	89.00	2389	83-84	C1561	P1561	96
720	Z24I	89.00	2389	85-90	C1609	P1609	97
720 (Diesel)	SD22	83.00	2164	80-83	C1512		46
720 (Diesel)	SD25	89.00	2488	83-86	C1560		89
810	L24	83.00	2393	77-80	C1297	P1297	51

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
810/910	L24E	83.00	2393	79-80	C1507		45
810/910 - Calif. Only	L24E	83.00	2393	79-81	C1501	P1501	53
Ad Ban, R-VY10, VFY10	GA14	73.60	1400		C1972	P1972	12
Ad Ban, R-VY10, VFY10	GA15	73.60	1500		C1972	P1972	13
Altima	KA24DE	89.00	2389	98-01	S5260 ⁺		91
Altima	QR25DE	89.00	2488	02-08	S5260 ⁺		92
Altima	QR25DE	89.00	2488	07-15	S5383 ^{+N}		94
Altima	QR25DE	89.00	2488	07-15	S5383 ^{+N}		94
Altima	KA24DE	89.00	2389	92-97	C1798	P1798	98
Altima	VQ35DE	90.00	3498	02-06	S5394 ^{+N}		99
Altima	VQ35DE	95.50	3498	07-15	S5392 ^{+N}		104
Altima	VQ35DE	95.50	3498	07-15	S5392 ^{+N}		106
Altima Hybrid	QR25DE	89.00	2488	07-12	S5383 ^{+N}		94
Altima Hybrid	QR25DE	89.00	2488	07-12	S5383 ^{+N}		94
Altima Hybrid (V-6)	QR25DE	89.00	2488	07-08	S5260 ⁺		92
Altima SE-R	VQ35DE	90.00	3498	04-08	S5394 ^{+N}		99
Armada Vin: U	VK56, VK56DE	98.00	5552	04-15	S5297 ^{+N}	P5297 ^{+N}	118
Atlas (Diesel)	BD25/TD25	92.90	2494	1988	C1909		101
Axxess	KA24E	89.00	2389	89-91	C1798	P1798	98
B110	A12	73.00	1171	71-73	C1170	P1170	5
B210	A13	73.00	1288	1974	C1170	P1170	6
B210	A14	76.00	1397	75-81	C1477	P1477	18
Bassara dCi (Diesel)	YD25DDTi	89.00	2488	99-03	S5346 ^N		93
Bison, Civilian (Diesel)	ED33	100.00	3300		S7047 ^{+A}		120
Bluebird (Diesel)	LD20	85.00	1952	80-89	S5259 ⁺		64
Bluebird 1300	J	73.00	1299	65-75	C1170	P1170	10
Bluebird 1300	L13	83.00	1295	67-70	C1290	P1290	48
Bluebird 1400	L14	83.00	1428	70-72	C1290	P1290	49
Bluebird, Presta, Sunny Primera	SR18	82.50	1838		C1976 ^N	P1976 ^N	42
CB20, CK20, M20, TK20, TAF21, CD40, CV40, CW40, CW41, PT81 (Diesel)	PD6T	125.00	10308	73-82	S5098 ⁺		125
CB20, CK20, M20, TK20, U20, TFA21, CD40, CV40, CW40, PT81 (Diesel)	PD6	125.00	10308		C5097		124
Cabstar	D12	73.00	1198	68-69	C1170	P1170	8
Cabstar dCi (Diesel)	YD25DDTi	89.00	2488	2006	S5346 ^N		93
Caraban (Diesel)	TD27T, AD2T	96.00	2700		S5192 ⁺		113
Caraban (Diesel)	QD32NA/AD5	99.20	3200		S5095 ⁺	P5095 ⁺	119
Caravan	J16	78.00	1567	70-84	C1262	P1262	31
Cargo (Diesel)	SD33	83.00	3246	1966	C1597		47
Cedric	J20	73.00	1973	65-69	C1596	P1596	11
Cedric	L20A	78.00	1988	69-72	C1182	P1182	29
Cedric	VG20E	78.00	1998	84-93	C1813	P1813	33
Cedric (Diesel)	SD20	83.00	1991	63-81	C1478		43
Cedric (Diesel)	SD22	83.00	2164	1964	C1478		44
Cedric Bluebird	L20S	77.95	1988	1988	C1857		26
Cedric Custom, Special	L20	77.95	1988	65-69	C1856		24
Cedric, DOHC.	VQ30, VQ30DE	93.00	2987	95-01	C1957 ⁺		103
Cefiro	VQ20	76.00	1995	94-03	S5286 ⁺		17
Cherry	A10	73.00	988	67-82	C1170	P1170	4
Cherry (Diesel)	LD20	85.00	1952	80-89	S5259 ⁺		64
Cherry 920 (Europe)	301	80.00	1186	1983	C1328	P1328	39
Civilian (Diesel)	TD42/AD3	96.00	4169		S5272 ⁺		114
Civilian Turbo (1/2 Keystone Top Ring) (Diesel)	TD42T	96.00	4169	95-04	S5405 ^{+N}		115

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
Civilian Turbo (Diesel)	TD42T	96.00	4169	95-04	S5406 ^{+N}		116
Condor (Diesel)	FD46	108.00	4617		S7137 ⁺		123
Condore (Diesel)	FD35T	102.50	3465		S7104 ^{+A}		121
Cube	MR18DE	84.00	1797	09-12	S5375 ^{+N}		58
Cube 16V	HR16DE	78.00	1598	2010	S5358 ^N		28
D21 Pick-up	VG30I	87.00	2960	85-89	C1659	P1659	82
D21 Pick-up	Z24I	89.00	2389	84-90	C1609	P1609	97
Datsun Jeep (Diesel)	TD27, TD27T, BD30T	96.00	2663		S5077 ⁺		111
Datsun Truck (Diesel)	QD32NA/AD5	99.20	3200		S5095 ⁺	P5095 ⁺	119
Datsun truck (Diesel)	CD20	84.50	1973		C1953		60
Datsun truck, Caraban (Diesel)	TD27	96.00	2700		C1917		108
F10	A14	76.00	1397	75-81	C1477	P1477	18
Fairlady	VG20E	78.00	1998	84-93	C1813	P1813	33
Fairlady Z	L20S	77.95	1988		C1857		26
Forklift	D11	73.00	1138	66-78	C1170	P1170	7
Forklift	J15	78.00	1483	1973	C1262	P1262	30
Forklift	P40	85.70	3956	63-82	C1518	P1518	72
Forklift	H20	87.20	1982	67-74	C1301	P1301	83
Forklift (Diesel)	SD22	83.00	2164	77-81	C1478		44
Forklift (Diesel)	SD33	83.00	3246	1980	C1597		47
Forklift (Diesel)	SD25	89.00	2488	1981	C1560		89
Frontier	KA24DE	89.00	2389	98-04	S5260 ⁺		91
Frontier	QR25DE	89.00	2488	05-08	S5260 ⁺		92
Frontier	VG33E	91.50	3272	99-04	C1949	P1949	100
Frontier	VQ40DE	95.50	3954	12-15	S5392 ^{+N}		107
Gazelle	CA18E/S	83.00	1809	1983	C1838	P1838	56
Gloria	VG20E	78.00	1998	1984	C1813	P1813	33
Gloria Van	L20S	77.95	1809		C1857		25
Gloria, DOHC.	VQ30, VQ30DE	93.00	2987	95-01	C1957 ⁺		103
H 130	L20	88.00	1988	65-69	C1988 ^A	P1988 ^A	87
H130	L20	77.95	1988	65-69	C1856		24
Hardbody	NA16S	81.50	1627	1994	C5084 ⁺	P5084 ⁺	41
Hardbody	NA20	86.00	1998	1994	C5090	P5090	78
Interstar 2.5 dCi 16V (Diesel)	G9U 720	89.00	2463	02-On	S5431 ^{+N}		95
Juke	HR16DE	78.00	1598	2010	S5358 ^N		28
Kubistar	D4F	69.00	1149	2003	S5207 ^{+AN}		2
Laurel	VG20E	78.00	1998	1984	C1813	P1813	33
Laurel	CA18E/S	83.00	1809	1983	C1838	P1838	56
Laurel	CA18E/S	85.00	1809	83-85	C1809	P1809	70
Laurel (Diesel)	LD20	85.00	1952	80-89	S5259 ⁺		64
Livina	MR18DE	84.00	1797	2006	S5375 ^{+N}		58
MK250 (Diesel)	FE6	107.95	6925		S5086 ⁺		122
Maverick (Australia), Patrol, Safari	TB42/E	96.00	4169	1987	C1938	P1938	117
Maxima	VG30DE	87.00	2960	92-94	C1559	P1559	81
Maxima	VQ35DE	90.00	3498	02-08	S5394 ^{+N}		99
Maxima	VQ35DE	95.50	3498	09-15	S5392 ^{+N}		104
Maxima	VQ35DE	95.50	3498	09-15	S5392 ^{+N}		106
Maxima QX	VQ20	76.00	1995	95-99	S5286 ⁺		17
Maxima, DOHC.	VQ30, VQ30DE	93.00	2987	95-01	C1957 ⁺		103
Maxima/U11	L24E	83.00	2393	81-85	C1513	P1513	54
Maxima/U11	VG30E	87.00	2960	85-94	C1559	P1559	81
Maxima/U11 (Diesel)	LD28	84.50	2793	81-84	C1508 ⁺		59
Maxima/U11 - Calif. Only	L24E	83.00	2393	1981	C1501	P1501	53
Micra	MA10	68.00	987	1982	C1718		1

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Micra	MA12	71.00	1200	83-89	C1771	P1771	3
Micra	HR16DE	78.00	1598	2005	S5358 ^N		28
Mistral (Diesel)	TD27	96.00	2663		S5177 ⁺		112
Murano	VQ35DE	90.00	3498	03-07	S5394 ^{+N}		99
Murano	VQ35DE	95.50	3498	08-15	S5392 ^{+N}		104
Murano	VQ35DE	95.50	3498	08-15	S5392 ^{+N}		106
NP300 dCi (Diesel)	YD25DDTi	89.00	2488	2008	S5346 ^N		93
NV Passenger	VQ40DE	95.50	3954	12-15	S5392 ^{+N}		107
NV Passenger	VK56DE	98.00	5552	12-15	S5297 ^{+N}	P5297 ^{+N}	118
NV1500	VQ40DE	95.50	3954	12-15	S5392 ^{+N}		107
NV200 16V	HR16DE	78.00	1598	2010	S5358 ^N		28
NV2500HD	VQ40DE	95.50	3954	12-15	S5392 ^{+N}		107
NV2500HD	VK56DE	98.00	5552	11-15	S5297 ^{+N}	P5297 ^{+N}	118
NV3500HD	VK56DE	98.00	5552	11-15	S5297 ^{+N}	P5297 ^{+N}	118
NV400 (Diesel)	M9T	85.00	2298	2011	S5350 ^N		65
NX 1600	GA16DE	76.00	1597	89-94	C1797	P1797	22
NX 2000	SR20DE	86.00	1998	91-00	C1794	P1794	77
Navara dCi 4WD (Diesel)	YD25DDTi	89.00	2488	2005	S5346 ^N		93
Nissan Atlas (Diesel)	BD30T	96.00	2953		S5077 ⁺		110
Nissan Caravan (Diesel)	ZD30	96.00	2953		S5077 ⁺		110
Nissan Caravan Coach (Diesel)	TD27ETi	96.00	2664		S5077 ⁺		109
Nissan Mistral (Diesel)	TD27ETi	96.00	2664		S5077 ⁺		109
Nissan Navara (Diesel)	ZD30	96.00	2953		S5077 ⁺		110
Nissan Terrano (Diesel)	TD27ETi	96.00	2664		S5077 ⁺		109
PL 411	R16	87.20	1595	67-74	C1301	P1301	84
Pathfinder	VG30E	87.00	2960	90-95	C1559	P1559	81
Pathfinder	VQ35DE	90.00	3498	01-04	S5394 ^{+N}		99
Pathfinder	VG33E	91.50	3272	96-04	C1949	P1949	100
Pathfinder	VQ35DE	95.50	3498	13-15	S5392 ^{+N}		104
Pathfinder	VQ35DE	95.50	3498	13-15	S5392 ^{+N}		106
Pathfinder	VQ40DE	95.50	3954	2012	S5392 ^{+N}		107
Pathfinder Vin: U	VK56, VK56DE	98.00	5552	04-12	S5297 ^{+N}	P5297 ^{+N}	118
Pathfinder dCi (Diesel)	YD25DDTi	89.00	2488	2005	S5346 ^N		93
Pathfinder/WD21	VG30I	87.00	2960	85-95	C1659	P1659	82
Pathfinder/WD21	Z24I	89.00	2389	85-90	C1609	P1609	97
Patrol	P	85.70	3956	64-82	C1518	P1518	72
Patrol (Diesel)	TD25	92.90	2494		S5322 ^N		102
Pick-up	VG30E	87.00	2960	90-95	C1559	P1559	81
Pickup	KA24E	89.00	2389	89-98	C1798	P1798	98
Platina (Renault Eng.)	K4M	79.50	1595	02-On	S5190 ⁺		35
Prairie	E15	76.00	1487	1982	C1506	P1506	20
Prairie	CA18ET	83.00	1809	82-89	C1576	P1576	55
Prairie	CA18E/S	83.00	1809	1983	C1838	P1838	56
Primastar 2.5 dCi 115 (Diesel)	G9U 720	89.00	2463	08-On	S5431 ^{+N}		95
Primastar 2.5 dCi 140 (Diesel)	G9U 730	89.00	2463	03-On	S5431 ^{+N}		95
Primera	GA16DS	76.00	1597	90-93	S5201 ⁺		16
Pulsar	CA16D	78.00	1598	83-87	C1686	P1686	32
Pulsar NX	GA16I	76.00	1597	89-94	C1797	P1797	22
Pulsar SE	CA16DE	78.00	1597	87-88	C1820	P1820	34
Pulsar SE/KN13	CA18D	83.00	1809	84-89	C1576	P1576	55
Pulsar/N12	E13	76.00	1270	1981	C1506	P1506	19
Pulsar/N12	E16	76.00	1597	83-88	C1506	P1506	21
Pulsar/N12 (Turbo)	E15T	76.00	1487	83-84	C1506	P1506	20
Quest	VG30E	87.00	2960	84-98	C1559	P1559	81

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
Quest	VQ35DE	90.00	3498	04-09	S5394 ^{+N}		99
Quest	VG33E	91.50	3272	99-03	C1949	P1949	100
Quest	VQ35DE	95.50	3498	10-15	S5392 ^{+N}		104
Quest	VQ35DE	95.50	3498	10-15	S5392 ^{+N}		106
RD28 Turbo (Diesel)	RD28	85.00	2825		S5034 ⁺		63
Rogue	QR25DE	89.00	2488	08-15	S5383 ^{+N}		94
Rogue	QR25DE	89.00	2488	08-15	S5383 ^{+N}		94
Rogue	QR25DE	89.00	2488	2008	S5260 ⁺		92
SPL 310	G15	80.00	1488	62-65	C1244	P1244	38
SPL 311	R16	87.20	1595	65-74	C1301	P1301	84
SRL 311	U20	87.20	1982	67-70	C1317	P1317	85
Safari (Diesel)	TD42/AD3	96.00	4169		S5272 ⁺		114
Safari Turbo (1/2 Keystone Top Ring) (Diesel)	TD42T	96.00	4169	93-02	S5405 ^{+N}		115
Safari Turbo (Diesel)	TD42T	96.00	4169	93-02	S5406 ^{+N}		116
Sentra	GA16DE/I	76.00	1597	89-94	C1797	P1797	22
Sentra	QG18DE	80.00	1769	00-06	S5199 ⁺		37
Sentra	MR20DE	84.00	1999	07-12	S5375 ^{+N}		57
Sentra	SR20DE	86.00	1998	00-01	S5284 ^{+N}		73
Sentra	SR20DE	86.00	1998	91-00	C1794	P1794	77
Sentra SE-R	QR25DE	89.00	2488	02-08	S5260 ⁺		92
Sentra SE-R	QR25DE	89.00	2488	07-12	S5383 ^{+N}		94
Sentra SE-R	QR25DE	89.00	2488	07-12	S5383 ^{+N}		94
Sentra, 2 ring piston	GA16DE	76.00	1597	95-99	C5027	P5027	23
Sentra/B11 (Diesel)	CD17	80.00	1680	83-88	C1558 ⁺		36
Sentra/B11/B12	E16	76.00	1597	83-88	C1506	P1506	21
Serena dCi SGX (Diesel)	YD25DDTi	89.00	2488	1999	S5346 ^N		93
Silvia	CA18E/S	83.00	1809	1983	C1838	P1838	56
Skyline	CA18E/S	83.00	1809	1983	C1838	P1838	56
Skyline	RB30E	86.00	2965	78-83	C1725	P1725	76
Skyline (Diesel)	LD20	85.00	1952	80-89	S5259 ⁺		64
Skyline 2000GT	L20S	77.95	1988		C1857		26
Stanza	CA20E	84.50	1974	1989	C1719	P1719	62
Stanza	KA24E	89.00	2389	89-98	C1798	P1798	98
Stanza/T11	CA20S	84.50	1974	82-83	C1493	P1493	61
Stanza/T12	CA20E	84.50	1974	84-88	C1493	P1493	61
Sunny	GA16DS	76.00	1597	90-93	S5201 ⁺		16
Sunny	E15S	76.00	1487	82-84	C1506	P1506	20
Sunny (Diesel)	LD20	85.00	1952	80-89	S5259 ⁺		64
Terrano II (Diesel)	TD27	96.00	2663		S5177 ⁺		112
Tiida	HR15DE	78.00	1498		S5358 ^N		27
Tiida	HR16DE	78.00	1598	2007	S5358 ^N		28
Tiida	MR18DE	84.00	1797	04-12	S5375 ^{+N}		58
Titan Vin: U	VK56, VK56DE	98.00	5552	04-15	S5297 ^{+N}	P5297 ^{+N}	118
Trade (Diesel)	LD20	85.00	1952	80-89	S5259 ⁺		64
Truck	H20	87.20	1982	72-82	C1301	P1301	83
Truck	H30	87.20	2794	1969	C1621	P1621	86
Truck (Diesel)	SD23	89.00	2289	83-88	C1560		88
Truck (Diesel)	TD23	89.00	2289		S5175 ⁺		90
Truck (Diesel)	TD27T, AD2T	96.00	2700		S5192 ⁺		113
Tsuru (Mexico)	E15	76.00	1487	84-86	C1506	P1506	20
Van	KA24E	89.00	2389	89-98	C1798	P1798	98
Van (Diesel)	BD25/TD25	92.90	2494	1988	C1909		101
Van/GC22	Z24I	89.00	2389	85-90	C1609	P1609	97
Vanette (Diesel)	LD20	85.00	1952	80-89	S5259 ⁺		64

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Application		Engine Model	Cyl Bore	CC	Years	Set Number		Line No	
Line No		Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
	Versa	MR18DE	84.00	1797	07-12	S5375 ^{+N}		58	
	Xterra	KA24DE	89.00	2389	99-04	S5260 ⁺		91	
	Xterra	VG33E	91.50	3272	99-04	C1949	P1949	100	
	Xterra	VQ40DE	95.50	3954	12-15	S5392 ^{+N}		105	
Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	Micra (1.0L)	987	C1718	4	2.677	68.00	4 - 1.50 4 - 1.50	4 - 2.80	
2	Kubistar (1.1L)	1149	S5207 ^{+AN}	4	2.717	69.00	4 - 1.20 4 - 1.50	4 - 2.50	
3	Micra (1.2L)	1200	P1771 C1771	4	2.795	71.00	4 - 1.50 4 - 1.50	4 - 2.80	
4	Cherry (1.0L)	988	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00	
5	B110 1200/110 (1.2L)	1171	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00	
6	B210 (1.3L)	1288	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00	
7	Forklift (1.1L)	1138	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00	
8	Cabstar (1.2L)	1198	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00	
9	312 320 410 (1.2L)	1189	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00	
10	Bluebird 1300 411 520/521 (1.3L)	1299	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00	
11	Cedric (2.0L)	1973	P1596 C1596	6	2.874	73.00	6 - 2.00 6 - 2.00	6 - 4.00	
12	Ad Ban, R-VY10, VFY10 (1.4L)	1400	P1972 C1972	4	2.898	73.60	4 - 1.50 4 - 1.50	4 - 2.80	
13	Ad Ban, R-VY10, VFY10 (1.5L)	1500	P1972 C1972	4	2.898	73.60	4 - 1.50 4 - 1.50	4 - 2.80	
14	210/B310 (1.2L)	1237	P1473 C1473	4	2.953	75.00	4 - 2.00 4 - 2.00	4 - 4.00	
15	310/N10 210/B310 (1.5L)	1488	C1471 ⁺	4	2.992	76.00	4 - 1.20 4 - 2.00	4 - 4.00	
16	Primera Sunny 100NX (1.6L)	1597	S5201 ⁺	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 3.00	
17	Cefiro Maxima QX (2.0L)	1995	S5286 ⁺	6	2.992	76.00	6 - 1.20 6 - 1.20	6 - 2.50	
18	F10 B210 310/N10 210/B310 (1.4L)	1397	P1477 C1477	4	2.992	76.00	4 - 2.00 4 - 2.00	4 - 4.00	
19	Pulsar/N12 (1.3L)	1270	P1506 C1506	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 4.00	
20	310/N10 Tsuru (Mexico) Prairie Sunny Pulsar/N12 (Turbo) (1.5L)	1487	P1506 C1506	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 4.00	

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
21	Pulsar/N12 Sentra/B11/B12	(1.6L)	1597	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 4.00
22	NX 1600 Sentra Pulsar NX	(1.6L)	1597	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 2.80
23	Sentra, 2 ring piston 200SX, 2 ring piston	(1.6L)	1597	4	2.992	76.00	4 - 1.50	4 - 2.80
24	Cedric Custom, Special H130	(2.0L)	1988	6	3.069	77.95	6 - 2.00 6 - 2.50	6 - 4.00
25	Gloria Van	(1.8L)	1809	6	3.069	77.95	6 - 1.50 6 - 2.00	6 - 4.00
26	Fairlady Z Skyline 2000GT Cedric Bluebird	(2.0L)	1988	6	3.069	77.95	6 - 1.50 6 - 2.00	6 - 4.00
27	Tiida	(1.5L)	1498	4	3.071	78.00	4 - 1.20 4 - 1.20	4 - 2.00
28	NV200 16V Tiida Cube 16V Juke Micra	(1.6L)	1598	4	3.071	78.00	4 - 1.20 4 - 1.20	4 - 2.00
29	Cedric	(2.0L)	1988	6	3.071	78.00	6 - 2.00 6 - 2.00	6 - 4.00
30	1500 Forklift	(1.5L)	1483	4	3.071	78.00	4 - 2.00 4 - 2.00	4 - 4.00
31	Caravan	(1.6L)	1567	4	3.071	78.00	4 - 2.00 4 - 2.00	4 - 4.00
32	Pulsar	(1.6L)	1598	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
33	Fairlady Cedric Gloria Laurel	(2.0L)	1998	6	3.071	78.00	6 - 1.50 6 - 1.50	6 - 2.80
34	Pulsar SE	(1.6L)	1597	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 2.80
35	Platina (Renault Eng.)	(1.6L)	1595	4	3.130	79.50	4 - 1.20 4 - 1.50	4 - 2.50
36	Sentra/B11 (Diesel)	(1.7L)	1680	4	3.150	80.00	4 - 1.75 4 - 2.00	4 - 3.00
37	Sentra	(1.8L)	1769	4	3.150	80.00	4 - 1.20 4 - 1.20	4 - 2.50
38	SPL 310	(1.5L)	1488	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 4.00
39	Cherry 920 (Europe)	(1.2L)	1186	4	3.150	80.00	4 - 1.50 4 - 1.75	4 - 4.00
40	1800	(1.8L)	1800	4	3.169	80.50	4 - 1.50 4 - 2.00	4 - 4.00
41	Hardbody	(1.6L)	1627	4	3.209	81.50	4 - 1.50 4 - 1.50	4 - 4.00
42	Bluebird, Presta, Sunny Primera		1838	4	3.248	82.50	4 - 1.50 4 - 1.50	4 - 3.00
43	Cedric (Diesel)	(2.0L)	1991	4	3.268	83.00	4 - 2.50 4 - 2.00 4 - 2.00	4 - 4.50 4 - 4.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
44	Cedric (Diesel) Forklift (Diesel)	(2.2L)	2164	C1478	4	3.268	83.00	4 - 2.50 4 - 2.00 4 - 2.00	4 - 4.50 4 - 4.50
45	810/910	(2.4L)	2393	C1507	6	3.268	83.00	6 - 1.20 6 - 2.00	6 - 4.00
46	720 (Diesel)	(2.2L)	2164	C1512	4	3.268	83.00	4 - 2.50 4 - 2.00	4 - 4.50
47	Cargo (Diesel) Forklift (Diesel)	(3.2L)	3246	C1597	6	3.268	83.00	6 - 2.50 6 - 2.00 6 - 2.00	6 - 4.50 6 - 4.50
48	Bluebird 1300	(1.3L)	1295	P1290 C1290	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 4.00
49	Bluebird 1400	(1.4L)	1428	P1290 C1290	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 4.00
50	510 520/521 620	(1.6L)	1595	P1290 C1290	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 4.00
51	240 Z/S30 810	(2.4L)	2393	P1297 C1297	6	3.268	83.00	6 - 2.00 6 - 2.00	6 - 4.00
52	260 Z/S30	(2.6L)	2565	P1297 C1297	6	3.268	83.00	6 - 2.00 6 - 2.00	6 - 4.00
53	810/910 - Calif. Only Maxima/U11 - Calif. Only	(2.4L)	2393	P1501 C1501	6	3.268	83.00	6 - 1.50 6 - 2.00	6 - 4.00
54	Maxima/U11	(2.4L)	2393	P1513 C1513	6	3.268	83.00	6 - 1.50 6 - 1.50	6 - 4.00
55	Pulsar SE/KN13 Prairie 200 SX/S12 (Turbo)	(1.8L)	1809	P1576 C1576	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 2.80
56	Prairie Silvia Gazelle Skyline Laurel	(1.8L)	1809	P1838 C1838	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 4.00
57	Sentra	(2.0L)	1999	S5375 ^{+N}	4	3.307	84.00	4 - 1.20 4 - 1.20	4 - 2.00
58	Versa Livina Cube Tiida	(1.8L)	1797	S5375 ^{+N}	4	3.307	84.00	4 - 1.20 4 - 1.20	4 - 2.00
59	Maxima/U11 (Diesel)	(2.8L)	2793	C1508 ⁺	6	3.327	84.50	6 - 2.00 6 - 2.00	6 - 4.00
60	Datsun truck (Diesel)	(2.0L)	1973	C1953	4	3.327	84.50	4 - 2.00 4 - 2.00	4 - 3.00
61	Stanza/T12 200 SX/S12 Stanza/T11	(2.0L)	1974	P1493 C1493	4	3.327	84.50	4 - 1.50 4 - 1.50	4 - 4.00
62	Stanza	(2.0L)	1974	P1719 C1719	4	3.327	84.50	4 - 1.50 4 - 1.50	4 - 2.80
63	RD28 Turbo (Diesel)	(2.8L)	2825	S5034 ⁺	6	3.346	85.00	6 - 2.00 6 - 2.00	6 - 4.00
64	Bluebird (Diesel) Cherry (Diesel) Laurel (Diesel) Skyline (Diesel)	(2.0L)	1952	S5259 ⁺	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
	< Continued > Sunny (Diesel) Trade (Diesel) Vanette (Diesel)								
65	NV400 (Diesel)	(2.3L)	2298	S5350 ^N	4	3.346	85.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 2.00
66	610 620 710	(1.8L)	1770	P1372 C1372	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.00
67	200 SX/S10 510/A10 610 620 710 720	(2.0L)	1952	P1372 C1372	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.00
68	720 200 SX/S110	(2.0L)	1952	P1474 C1474	4	3.346	85.00	4 - 1.50 4 - 1.50	4 - 4.00
69	510/A10	(2.0L)	1974	P1474 C1474	4	3.346	85.00	4 - 1.50 4 - 1.50	4 - 4.00
70	Laurel	(1.8L)	1809	P1809 C1809	4	3.346	85.00	4 - 2.00 4 - 1.50	4 - 4.00
71	720	(2.0L)	1952	P1809 C1809	4	3.346	85.00	4 - 2.00 4 - 1.50	4 - 4.00
72	Patrol Forklift	(4.0L)	3956	P1518 C1518	6	3.375	85.70	6 - 2.50 6 - 2.50	6 - 4.75
73	Sentra	(2.0L)	1998	S5284 ^{+N}	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.50
74	280 ZX/S130 280 Z/S30	(2.8L)	2753	P1405 C1405	6	3.386	86.00	6 - 2.00 6 - 2.00	6 - 4.00
75	280 ZX/S130 (Turbo)	(2.8L)	2753	P1500 C1500	6	3.386	86.00	6 - 1.50 6 - 2.00	6 - 4.00
76	Skyline	(3.0L)	2965	P1725 C1725	6	3.386	86.00	6 - 1.50 6 - 1.50	6 - 2.80
77	Sentra NX 2000	(2.0L)	1998	P1794 C1794	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 3.00
78	Hardbody	(2.0L)	1998	P5090 C5090	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00
79	300 ZX (Turbo)	(3.0L)	2960	C1806 ⁺	6	3.425	87.00	6 - 1.50 6 - 1.50	6 - 2.80
80	720 200 SX/S110	(2.2L)	2187	P1502 C1502	4	3.425	87.00	4 - 1.50 4 - 1.50	4 - 4.00
81	300 ZX/Z31 (Turbo) 200 SX/S12 300 ZX Maxima Maxima/U11 Quest Pathfinder Pick-up	(3.0L)	2960	P1559 C1559	6	3.425	87.00	6 - 1.50 6 - 1.50	6 - 2.80
82	D21 Pick-up Pathfinder/WD21	(3.0L)	2960	P1659 C1659	6	3.425	87.00	6 - 2.00 6 - 1.50	6 - 2.80
83	Forklift Truck	(2.0L)	1982	P1301 C1301	4	3.433	87.20	4 - 2.00 4 - 2.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
84	SPL 311 PL 411	(1.6L)	1595	P1301 C1301	4	3.433	87.20	4 - 2.00 4 - 2.50	4 - 4.00
85	SRL 311	(2.0L)	1982	P1317 C1317	4	3.433	87.20	4 - 2.00 4 - 2.00	4 - 4.00
86	Truck	(3.0L)	2794	P1621 C1621	6	3.433	87.20	6 - 2.00 6 - 2.50	6 - 4.00
87	H 130	(2.0L)	1988	P1988 ^A C1988 ^A	4	3.465	88.00	4 - 1.50 4 - 1.50	4 - 5.00
88	Truck (Diesel)	(2.3L)	2289	C1560	4	3.504	89.00	4 - 2.50 4 - 2.00	4 - 4.50
89	720 (Diesel) Forklift (Diesel)	(2.5L)	2488	C1560	4	3.504	89.00	4 - 2.50 4 - 2.00	4 - 4.50
90	Truck (Diesel)	(2.3L)	2289	S5175 ⁺	4	3.504	89.00	4 - 2.50 4 - 2.00	4 - 4.00
91	Altima Frontier Xterra	(2.4L)	2389	S5260 ⁺	4	3.504	89.00	4 - 1.20 4 - 1.20	4 - 2.50
92	Altima Frontier Rouge Sentra SE-R Altima Hybrid (V-6)	(2.5L)	2488	S5260 ⁺	4	3.504	89.00	4 - 1.20 4 - 1.20	4 - 2.50
93	Serena dCi SGX (Diesel) Pathfinder dCi (Diesel) Bassara dCi (Diesel) Navara dCi 4WD (Diesel) Cabstar dCi (Diesel) NP300 dCi (Diesel)	(2.5L)	2488	S5346 ^N	4	3.504	89.00	4 - 2.00 ^{HK} 4 - 2.00	4 - 3.00
94	Rogue Altima Altima Hybrid Sentra SE-R Altima Hybrid Rogue Altima Sentra SE-R	(2.5L)	2488	S5383 ^{+N}	4	3.504	89.00	4 - 1.20 4 - 1.20	4 - 2.00
95	Interstar 2.5 dCi 16V (Diesel) Primastar 2.5 dCi 115 (Diesel) Primastar 2.5 dCi 140 (Diesel)	(2.5L)	2463	S5431 ^{+N}	4	3.504	89.00	4 - 2.50 4 - 1.75	4 - 2.50
96	720	(2.4L)	2389	P1561 C1561	4	3.504	89.00	4 - 1.50 4 - 1.50	4 - 4.00
97	D21 Pick-up Pathfinder/WD21 Van/GC22 720	(2.4L)	2389	P1609 C1609	4	3.504	89.00	4 - 2.00 4 - 1.50	4 - 4.00
98	Altima 240 SX Axxess Pickup 240 SX Stanza Van	(2.4L)	2389	P1798 C1798	4	3.504	89.00	4 - 1.50 4 - 1.50	4 - 2.80
99	Pathfinder 350Z Roadster	(3.5L)	3498	S5394 ^{+N}	4	3.543	90.00	4 - 1.50 4 - 1.50	4 - 2.50

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
	< Continued > Altima Altima SE-R Maxima Murano Quest								
100	Pathfinder Xterra Frontier Quest	(3.3L)	3272	P1949 C1949	6	3.602	91.50	6 - 1.50 6 - 1.50	6 - 2.80
101	Van (Diesel) Atlas (Diesel)	(2.5L)	2494	C1909	4	3.657	92.90	4 - 2.50 4 - 2.00	4 - 4.00
102	Patrol (Diesel)		2494	S5322^N	4	3.657	92.90	4 - 2.50 ^{HK} 4 - 2.00	4 - 3.00
103	Maxima, DOHC. Cedric, DOHC. Gloria, DOHC.	(3.0L)	2987	C1957⁺	6	3.661	93.00	6 - 1.20 6 - 1.20	6 - 2.50
104	Altima Quest Maxima Pathfinder Murano	(3.5L)	3498	S5392^{+N}	6	3.760	95.50	6 - 1.20 6 - 1.20	6 - 2.00
105	Xterra	(4.0L)	3954	S5392^{+N}	6	3.760	95.50	6 - 1.20 6 - 1.20	6 - 2.00
106	Pathfinder Altima Maxima Murano Quest	(3.5L)	3498	S5392^{+N}	6	3.760	95.50	6 - 1.20 6 - 1.20	6 - 2.00
107	Frontier NV1500 NV2500HD NV Passenger Pathfinder	(4.0L)	3954	S5392^{+N}	6	3.760	95.50	6 - 1.20 6 - 1.20	6 - 2.00
108	Datsun truck, Caraban (Diesel)	(2.7L)	2700	C1917	4	3.780	96.00	4 - 2.50 4 - 2.00	4 - 4.00
109	Nissan Caravan Coach (Diesel) Nissan Mistral (Diesel) Nissan Terrano (Diesel)	(2.7L)	2664	S5077⁺	4	3.780	96.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 3.00
110	Nissan Atlas (Diesel) Nissan Caravan (Diesel) Nissan Navara (Diesel)	(3.0L)	2953	S5077⁺	4	3.780	96.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 3.00
111	Datsun Jeep (Diesel)	(2.7L)	2663	S5077⁺	4	3.780	96.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 3.00
112	Terrano II (Diesel) Mistral (Diesel)	(2.7L)	2663	S5177⁺	4	3.780	96.00	4 - 2.50 4 - 2.00	4 - 3.00
113	Truck (Diesel) Caraban (Diesel)	(2.7L)	2700	S5192⁺	4	3.780	96.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 4.00
114	Safari (Diesel) Civilian (Diesel)	(4.2L)	4169	S5272⁺	6	3.780	96.00	6 - 2.50 6 - 2.00	6 - 4.00
115	Safari Turbo (1/2 Keystone Top Ring) (Diesel) Civilian Turbo (1/2 Keystone Top Ring) (Diesel)	(4.2L)	4169	S5405^{+N}	6	3.780	96.00	6 - 2.50 ^{HK} 6 - 2.00	6 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
116	Safari Turbo (Diesel) Civilian Turbo (Diesel)	(4.2L)	4169	S5406 ^{+N}	6	3.780	96.00	6 - 2.50 6 - 2.00	6 - 3.00
117	Maverick (Australia), Patrol, Safari	(4.2L)	4169	P1938 C1938	6	3.780	96.00	6 - 2.00 6 - 2.00	6 - 4.00
118	Titan Vin: U Armada Vin: U Pathfinder Vin: U NV2500HD NV3500HD NV Passenger	(5.6L)	5552	P5297 ^{+N} S5297 ^{+N}	8	3.858	98.00	8 - 1.50 8 - 1.50	8 - 2.50
119	Datsun Truck (Diesel) Caraban (Diesel)	(3.2L)	3200	P5095 ⁺ S5095 ⁺	4	3.905	99.20	4 - 2.50 4 - 2.00	4 - 3.00
120	Bison, Civilian (Diesel)	(3.3L)	3300	S7047 ^{+A}	4	3.937	100.00	4 - 3.00 4 - 2.00	4 - 4.50
121	Condore (Diesel)	(3.5L)	3465	S7104 ^{+A}	4	4.035	102.50	4 - 3.00 ^{HK} 4 - 2.00	4 - 4.00
122	MK250 (Diesel)	(7.0L)	6925	S5086 ⁺	6	4.250	107.95	6 - 3.00 ^{HK} 6 - 2.00	6 - 4.00
123	Condor (Diesel)	(4.6L)	4617	S7137 ⁺	4	4.252	108.00	4 - 3.00 4 - 2.00	4 - 4.00
124	CB20, CK20, M20, TK20, U20, TFA21, CD40, CV40, CW40, PT81 (Diesel)	(10.3L)	10308	C5097	6	4.921	125.00	6 - 5.00 6 - 3.50	6 - 5.00
125	CB20, CK20, M20, TK20, TAF21, CD40, CV40, CW40, CW41, PT81 (Diesel)	(10.3L)	10308	S5098 ⁺	6	4.921	125.00	6 - 4.00 ^{FK} 6 - 3.50	6 - 5.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone