

PACKARD

Cubic Inch	Year	Application	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
37-39		SUPER 8, 1500, 1501, 1502, 1603, 1605, 1703, 1705	P2180	8	3.187	80.95	8 - 1/8 8 - 1/8	8 - 5/32 8 - 5/32
41-47	120		P2175 C2175	8	3.250	82.55	8 - 3/32 8 - 1/8	8 - 3/16
38-39		MODEL 110	P2115 C2115	6	3.500	88.90	6 - 1/8 6 - 1/8	6 - 3/16
1940		SUPER 8	P2182 C2182	8	3.500	88.90	8 - 1/8 8 - 1/8	8 - 3/16
245	40-47	MODEL 110	P2185 C2185	6	3.500	88.90	6 - 3/32 6 - 3/32	6 - 3/16
256	41-48		P2172^A	6	3.500	88.90	6 - 3/32 6 - 1/8	6 - 3/16
288	41-47	356 Super 8	P2183 C2183	8	3.500	88.90	8 - 3/32 8 - 1/8	8 - 3/16
288	48-54		P3102 C3102	8	3.500	88.90	8 - 3/32 8 - 3/32	8 - 3/16
289	57-58		P2186 C2186	8	3.563	90.50	8 - 5/64 8 - 5/64	8 - 3/16
320	1955		P2339 C2339	8	3.813	96.85	8 - 5/64 8 - 5/64	8 - 3/16
327	49-54		P3102 C3102	8	3.500	88.90	8 - 3/32 8 - 3/32	8 - 3/16
352	55-56		P2271 C2271	8	4.000	101.60	8 - 5/64 8 - 5/64	8 - 3/16
359	1954		P2186 C2186	8	3.563	90.50	8 - 5/64 8 - 5/64	8 - 3/16
374	1956		P2187 C2187	8	4.125	104.78	8 - 5/64 8 - 5/64	8 - 3/16

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone