

PEUGEOT

| Application | Engine | Cyl | | | Set Number | | Line |
|---|--------------------|-------|------|-------|---------------------|--------------------|------|
| | Model | Bore | CC | Years | Chrome | Plain | No |
| | EC5M | 78.50 | | | S5451 ^{+N} | | 31 |
| 1.4XAD/ ND (Diesel) | TUD3 | 75.00 | 1361 | 92-96 | S5117 ⁺ | | 10 |
| 1000 Fourgon (Diesel) | CRD93 | 93.00 | 2499 | 83-85 | S5157 ⁺ | | 66 |
| 104 2e Model ZS Berline GL 6 | XZ5 | 75.00 | 1219 | 80-85 | C1665 | P1665 | 14 |
| 104 Coupe ZS Berline GLS 6 | XW3/XW35, XW7, 108 | 72.00 | 1124 | 79-ON | C1866 | P1866 | 3 |
| 104 GL, GR, L, Z, ZA, ZL, ZR | XV3/XV5/XW8 | 70.00 | 954 | 75-85 | C5121 ⁺ | | 1 |
| 104 GL, GR, Z, ZA ZR | XW7, 109 | 72.00 | 1124 | 80-83 | C1866 | P1866 | 3 |
| 104 GL, GR, ZR | XW3/108 | 72.00 | 1124 | 75-85 | C1866 | P1866 | 3 |
| 104 GLS, ZL | XW7, 109 | 72.00 | 1124 | 85-87 | C1866 | P1866 | 3 |
| 104 GR, S, SR, ZS | XZ5 | 75.00 | 1218 | 80-83 | C1665 | P1665 | 17 |
| 104 S, SR, SL, ZL, ZS | XW3/108 | 72.00 | 1124 | 75-85 | C1866 | P1866 | 3 |
| 104 Style Z, Z Plus | XW7, 109 | 72.00 | 1124 | 82-87 | C1866 | P1866 | 3 |
| 106 | TU1JP | 72.00 | 1124 | 1996 | C5420 ^N | P5420 ^N | 5 |
| 106 (Diesel) | TU3JP | 75.00 | 1360 | 96-01 | S5265 ⁺ | | 11 |
| 106 1.4D (Diesel) | TUD3 | 75.00 | 1361 | 92-96 | S5117 ⁺ | | 10 |
| 106 1.5D (Series 1 & 2) (Diesel) | TUD5 | 77.00 | 1527 | 1994 | S5182 ⁺ | | 24 |
| 106 1.6i Griffe | TU5JP/J2 | 78.50 | 1587 | 93-96 | S5149 ⁺ | | 29 |
| 106 Rallye | TU2J2/Z | 75.00 | 1294 | 94-96 | C1865 | P1865 | 18 |
| 106 XN | TU9/C1/H1 | 70.00 | 954 | 87-ON | C1824 | P1824 | 2 |
| 106 XR, 205 CJ, GL. GT (Diesel) | TU3A/AN/S/M/2/2K | 75.00 | 1361 | 1991 | C5119 | P5119 | 21 |
| 106 XR, XN | TU1/H1A | 72.00 | 1124 | 1992 | C1902 | P1902 | 4 |
| 106, 206, 307, 308, 1007, Berlingo, Partner, Xsara, C3, 110 Saxo 1.6i 16V | TU5JP4 | 78.50 | 1587 | 00-ON | S5313 | | 30 |
| 1100 | XW7, 109 | 72.00 | 1124 | 85-87 | C1866 | P1866 | 3 |
| 1300 Fourgon (Diesel) | CRD93 | 93.00 | 2499 | 83-85 | S5157 ⁺ | | 66 |
| 2008 | EP6 | 77.00 | 1598 | 2013 | S5389 ^{+N} | | 25 |
| 2008 1.6 HDi (Diesel) | 9HP | 75.00 | 1560 | 13-On | S5422 ^{+N} | | 13 |
| 203 | TM, MT, Q3A, D3A | 75.00 | 1130 | 57-59 | C5113 | | 9 |
| 204 | TM, MT, Q3A, D3A | 75.00 | 1130 | 65-75 | C5113 | | 9 |
| 204 | XK5 | 78.00 | 1127 | 75-77 | C1649 ^A | P1649 ^A | 26 |
| 205 | XU5J/JA | 83.00 | 1580 | 84-88 | C1271 ^A | P1271 ^A | 44 |
| 205 A, XL, XR, XA | XW7, 109 | 72.00 | 1124 | 80-87 | C1866 | P1866 | 3 |
| 205 Automatic | XU5 | 83.00 | 1580 | 84-93 | C1864 | P1864 | 46 |
| 205 D, GLD, GRD, SRDXLD, (Diesel) | XUD7 | 80.00 | 1768 | 84-93 | C1862 | | 33 |
| 205 D, GLD, GRD, XLD (Diesel) | XED9/S/B/L/Y | 83.00 | 1905 | 87-98 | C1974 ⁺ | P1974 ⁺ | 47 |
| 205 GE, GL, GR, L, XE, XR | XV8 | 70.00 | 954 | 83-87 | C5121 ⁺ | | 1 |
| 205 GL, GR | XW7, 109 | 72.00 | 1124 | 85-87 | C1866 | P1866 | 3 |
| 205 GL, GR, XL, XR | TU1/H1A | 72.00 | 1124 | 87-93 | C1902 | P1902 | 4 |
| 205 GR,GT, SR, XR | XY7 | 75.00 | 1768 | 83-87 | C1665 | P1665 | 15 |
| 205 II 1.1 XA | E1 | 74.00 | 1118 | 87-88 | C1377 | P1377 | 8 |
| 205 II 1.2 | F1 | 74.00 | 1118 | 87-90 | C1377 | P1377 | 8 |
| 205 Junior | TU9/C1/H1 | 70.00 | 954 | 87-ON | C1824 | P1824 | 2 |
| 205 Rallye | TU24 | 75.00 | 1294 | 87-92 | C1865 | P1865 | 18 |
| 205 Rallye (Diesel) | TU2.4 | 75.00 | 1294 | 1988 | C5119 | P5119 | 20 |
| 205 X5, XT | XY8 | 75.00 | 1360 | 83-87 | C1665 | P1665 | 16 |
| 205 XA Espagne | E1/E1A | 74.00 | 1118 | 1988 | S5105 ⁺ | | 7 |
| 205 XAD, XRD, XTD | XUD7 | 80.00 | 1768 | 84-93 | C1768 ⁺ | | 32 |
| 205 XRA | G1E | 76.70 | 1294 | 87-88 | C1481 | P1481 | 23 |
| 205, 309 GRD, SRD, SXD, 405 GRD, GTD, SRD (Diesel) | XUD7/T/TE | 80.00 | 1769 | 88-93 | S5116 | | 34 |
| 205XS, GR, SR, XR | TU3 | 75.00 | 1360 | | C1865 | P1865 | 19 |
| 206 | TU1JP | 72.00 | 1124 | 1998 | C5420 ^N | P5420 ^N | 5 |
| 206 (Diesel) | TU3JP | 75.00 | 1360 | 98-02 | S5265 ⁺ | | 11 |
| 206 (Diesel) | DV6TED4 | 75.00 | 1560 | 2003 | S5421 ^{+N} | | 12 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

PEUGEOT

| Application | Engine | Cyl | | Years | Set Number | | Line No |
|--|-------------------|-------|------|-------|---------------------|--------------------|---------|
| | Model | Bore | CC | | Chrome | Plain | |
| 206 1.6i | TU5JP/J2 | 78.50 | 1587 | 98-00 | S5149 ⁺ | | 29 |
| 206 1.9D, 206 LD, 306 1.9D, 306 Break, Expert 1.9D, Partner (Diesel) | DW8/B | 82.20 | 1868 | 98-01 | C5069 | P5069 | 36 |
| 206, 206 CC, 206 SW | EW10J4 | 85.00 | 1997 | | S5219 ⁺ | | 54 |
| 206, 307 (1.4 TD) (Diesel) | DV4TD | 73.70 | 1399 | 2002 | S5247 ⁺ | | 6 |
| 206, 307 (1.4 TD) (Diesel) | DV4TED | 73.70 | 1399 | 2002 | S5247 ⁺ | | 6 |
| 207 | EP6 | 77.00 | 1598 | 2007 | S5389 ^{+N} | | 25 |
| 207 (Diesel) | DV6TED4, DV6ATED4 | 75.00 | 1560 | 2006 | S5421 ^{+N} | | 12 |
| 207 1.6 HDi (Diesel) | 9HP | 75.00 | 1560 | 09-On | S5422 ^{+N} | | 13 |
| 207 1.6 HDi (Diesel) | 9HR | 75.00 | 1560 | 09-On | S5422 ^{+N} | | 13 |
| 208 | EP6 | 77.00 | 1598 | 2012 | S5389 ^{+N} | | 25 |
| 208 1.6 HDi (Diesel) | 9HK | 75.00 | 1560 | 13-On | S5422 ^{+N} | | 13 |
| 208 1.6 HDi (Diesel) | 9HP | 75.00 | 1560 | 12-On | S5422 ^{+N} | | 13 |
| 20J, 205 XL, XR, XE, GL | TU9/C1/H1 | 70.00 | 954 | 87-ON | C1824 | P1824 | 2 |
| 3008 | EP6 | 77.00 | 1598 | 2009 | S5389 ^{+N} | | 25 |
| 3008 1.6 HDi (Diesel) | 9HR | 75.00 | 1560 | 09-On | S5422 ^{+N} | | 13 |
| 301 1.6 HDI 90 (Diesel) | 9HF (DV6DTEd) | 75.00 | 1560 | 12-On | S5422 ^{+N} | | 13 |
| 304 | XL3 | 76.00 | 1288 | 69-75 | C1408 | P1408 | 22 |
| 304 | XK5 | 78.00 | 1127 | 76-80 | C1649 ^A | P1649 ^A | 26 |
| 304 | XL5 | 78.00 | 1290 | 72-75 | C1649 ^A | P1649 ^A | 27 |
| 305 | XL5 | 78.00 | 1290 | 77-82 | C1649 ^A | P1649 ^A | 27 |
| 305 | XR5 | 78.00 | 1472 | 77-82 | C1649 ^A | P1649 ^A | 28 |
| 305 | XU9J2 | 83.00 | 1905 | 83-86 | C1271 ^A | P1271 ^A | 45 |
| 305 D, 309 D, 405 D (Diesel) | XUD9/A | 83.00 | 1905 | 1983 | C1974 ⁺ | P1974 ⁺ | 47 |
| 305 D, 309 D, 405 D, gld, grd (Diesel) | XUD9/A/B/L/Y | 83.00 | 1905 | 82-88 | C1974 ⁺ | P1974 ⁺ | 47 |
| 305 GL, GLS, GR, GT SR | XU5 | 83.00 | 1580 | 82-88 | C1864 | P1864 | 46 |
| 305 GLD, GRD (Diesel) | XUD7 | 80.00 | 1768 | 1987 | C1862 | | 33 |
| 306 1.6i XR, XT Auto | TU5JP/J2 | 78.50 | 1587 | 94-00 | S5149 ⁺ | | 29 |
| 306 1.9TD (Diesel) | XUD9TE | 83.00 | 1905 | 1993 | S5147 ⁺ | | 38 |
| 306, 406 16V | XU7JP4 | 83.00 | 1762 | 1995 | S5158 ⁺ | | 40 |
| 307 (Diesel) | DV6TED4, DV6ATED4 | 75.00 | 1560 | 2005 | S5421 ^{+N} | | 12 |
| 307 HDi (Diesel) | DW10ATED | 85.00 | 1998 | 2001 | S5150 ⁺ | | 53 |
| 307, 307 SW | EW10J4 | 85.00 | 1997 | | S5219 ⁺ | | 54 |
| 307Affaire, XR (Diesel) | TU3JP | 75.00 | 1360 | 01-On | S5265 ⁺ | | 11 |
| 308 | EP6 | 77.00 | 1598 | 2007 | S5389 ^{+N} | | 25 |
| 308 (Diesel) | DV6TED4, DV6ATED4 | 75.00 | 1560 | 2007 | S5421 ^{+N} | | 12 |
| 308 1.6 HDi (Diesel) | 9HP | 75.00 | 1560 | 09-On | S5422 ^{+N} | | 13 |
| 308 1.6 HDi (Diesel) | 9HR | 75.00 | 1560 | 09-On | S5422 ^{+N} | | 13 |
| 309 (Diesel) | XUD7 | 80.00 | 1768 | 88-89 | C1862 | | 33 |
| 309 GE, GL, GR, XE, XL, XS | XU5 | 83.00 | 1580 | 85-93 | C1864 | P1864 | 46 |
| 309 GE, GL, XE | E1/E1A | 74.00 | 1118 | 86-89 | S5105 ⁺ | | 7 |
| 309 GE, XE, Chorus | TU1/H1A | 72.00 | 1124 | 89-92 | C1902 | P1902 | 4 |
| 309 GR, 309 Green, 309 Profil | G1/A | 76.70 | 1294 | 85-89 | C1481 | P1481 | 23 |
| 309 GTi 16V | XU9J4 | 83.00 | 1905 | 1987 | S5158 ⁺ | | 41 |
| 309 I 1.1 | E1 | 74.00 | 1118 | 85-89 | C1377 | P1377 | 8 |
| 309 SR Automatic | XU5 | 83.00 | 1580 | 85-93 | C1864 | P1864 | 46 |
| 309 SR/GR | XU9JA/J1/JAZ/M | 83.00 | 1905 | 1983 | C1271 ^A | P1271 ^A | 43 |
| 309 SX, XR | XU5 | 83.00 | 1580 | 88-93 | C1864 | P1864 | 46 |
| 403 | TM, MT, Q3A, D3A | 75.00 | 1130 | 60-66 | C5113 | | 9 |
| 403 | TN | 80.00 | 1468 | 55-66 | C1104 | P1104 | 35 |
| 404 | XB | 80.00 | 1468 | 63-69 | C1104 | P1104 | 35 |
| 404 | XC | 84.00 | 1618 | 60-70 | C1204 | P1204 | 49 |
| 404 | XM | 84.00 | 1796 | 68-71 | C1369 | P1369 | 50 |
| 404 D (Diesel) | XD88 | 88.00 | 1948 | 63-73 | C1441 | | 57 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

PEUGEOT

| Application | Engine | Cyl | | | Set Number | | Line No |
|--|--------------|-------|------|-------|---------------------|--------------------|---------|
| | Model | Bore | CC | Years | Chrome | Plain | |
| 405 | XU9 2C/S | 83.00 | 1905 | 1983 | C1271 ^A | P1271 ^A | 43 |
| 405 | XU5 | 83.00 | 1580 | 87-88 | C1864 | P1864 | 46 |
| 405Mi 16V | XU9J4 | 83.00 | 1905 | 1987 | S5158 ⁺ | | 39 |
| 405SR | XU7 | 83.00 | 1761 | 1993 | S5158 ⁺ | | 42 |
| 405SRi/STi/BREAK | XU10 | 86.00 | 1998 | 1989 | C5047 | P5047 | 56 |
| 406 | EW7J4.6FZ | 82.70 | 1749 | 00-On | S5239 ^{+N} | | 37 |
| 406 1.9TD, Expert 1.9D (Diesel) | XUD9SD/TF | 83.00 | 1905 | 96-98 | S5147 ⁺ | | 38 |
| 406 2.1TD (Diesel) | XUD11ATE/L | 85.00 | 2088 | 1995 | S5118 ⁺ | | 52 |
| 406 Break | EW7J4.EURO3 | 82.70 | 1749 | 00-On | S5239 ^{+N} | | 37 |
| 406, 406 Break, 406 Coupe | EW10J4 | 85.00 | 1997 | | S5219 ⁺ | | 54 |
| 407 (Diesel) | DV6TED4 | 75.00 | 1560 | 2003 | S5421 ^{+N} | | 12 |
| 5008 1.6 HDi (Diesel) | 9HR | 75.00 | 1560 | 10-On | S5422 ^{+N} | | 13 |
| 504 | KF5/6, XM/1 | 84.00 | 1796 | 1970 | C5178 ⁺ | | 48 |
| 504 | XM | 84.00 | 1796 | 68-70 | C1369 | P1369 | 50 |
| 504 | ZM | 88.00 | 2664 | 74-81 | C1440 ^A | P1440 ^A | 59 |
| 504 (Diesel) | XD2XD2P | 94.00 | 2304 | 76-82 | C1860 | | 69 |
| 504 D (Diesel) | XD90 | 90.00 | 2112 | 74-76 | C1462 ^A | P1462 ^A | 61 |
| 504 D (Diesel) | XD2 | 94.00 | 2304 | 77-81 | C1463 ⁺ | | 68 |
| 504 E, GL, S (Diesel) | XC6A, XMA7 | 85.00 | | | C1891 ^A | | 51 |
| 504 GL, SL | XN | 88.00 | 1971 | 71-86 | C1370 ^A | P1370 ^A | 58 |
| 505 | XN | 88.00 | 1971 | 80-87 | C1370 ^A | P1370 ^A | 58 |
| 505 | ZDJ | 88.00 | 2165 | 88-91 | C1598 | P1598 | 60 |
| 505 (Diesel) | XD2XD2P | 94.00 | 2304 | 76-82 | C1860 | | 69 |
| 505 (Diesel) | XD3XD3P | 94.00 | 2498 | 82-92 | C1860 | | 70 |
| 505 D (Diesel) | XD2 | 94.00 | 2304 | 77-82 | C1463 ⁺ | | 68 |
| 505 G5, GL, GR, SR, SX | XM7A | 84.00 | 1796 | 85-86 | C5178 ⁺ | | 48 |
| 505 SRD Turbo, 604 GRD Turbo (Diesel) | XD2S | 94.00 | 2304 | 78-86 | S5114 ⁺ | | 71 |
| 505 SRD Turbo, 604 GRD Turbo (Diesel) | XD3T/TE | 94.00 | 2498 | 83-93 | S5114 ⁺ | | 72 |
| 505 T | ZEJ | 88.00 | 2165 | 79-88 | C1598 | P1598 | 60 |
| 508 | EP6 | 77.00 | 1598 | 2010 | S5389 ^{+N} | | 25 |
| 508 (Diesel) | DV6TED4 | 75.00 | 1560 | 2010 | S5421 ^{+N} | | 12 |
| 508 1.6 HDi (Diesel) | 9HR | 75.00 | 1560 | 10-On | S5422 ^{+N} | | 13 |
| 604 | ZM | 88.00 | 2664 | 75-77 | C1440 ^A | P1440 ^A | 59 |
| 604 | ZNV | 91.00 | 2849 | 77-88 | C1515 ^A | P1515 ^A | 62 |
| 605 2.1TD SRDT, SVDT (Diesel) | XUD11ATE/L | 85.00 | 2088 | 89-94 | S5118 ⁺ | | 52 |
| 605 SLD, SRD (Diesel) | XUD1A/L | 86.00 | 2138 | 1990 | S5120 ⁺ | | 55 |
| 806 | EW10J4 | 85.00 | 1997 | | S5219 ⁺ | | 54 |
| 806 HDi (Diesel) | DW10ATED | 85.00 | 1998 | 99-02 | S5150 ⁺ | | 53 |
| B4 (Diesel) | XD3XD3P | 94.00 | 2498 | 1982 | C1860 | | 70 |
| Berline (Diesel) | XD3XD3P | 94.00 | 2498 | 82-92 | C1860 | | 70 |
| Boxer (Diesel) | XUD9/A/B/L/Y | 83.00 | 1905 | 99-02 | C1974 ⁺ | P1974 ⁺ | 47 |
| Boxer 2.5D (Diesel) | DJ5 | 92.00 | 2446 | 94-02 | S5173 ⁺ | | 64 |
| Boxer, 605, 806 (Diesel) | DK5ATE, DJ5T | 92.00 | 2446 | 93-99 | S5170 ⁺ | | 63 |
| Break GLD, GRD, SRD (Diesel) | XD3XD3P | 94.00 | 2498 | 82-92 | C1860 | | 70 |
| EXPERT Kasten (VF3A, VF3U, VF3X) 1.6 HDi90 8V (Diesel) | 9HH, 9HM | 75.00 | 1560 | 07-On | S5422 ^{+N} | | 13 |
| EXPERT Tepee (VF3V) 1.6 HDi 90 8V (Diesel) | 9HH, 9HM | 75.00 | 1560 | 07-On | S5422 ^{+N} | | 13 |
| Evasion, Expert Combi, Expert Tole | EW10J4 | 85.00 | 1997 | | S5219 ⁺ | | 54 |
| Familiale D, GLD, GRD, SRD (Diesel) | XD3 | 94.00 | 2498 | 81-90 | C1463 ⁺ | | 67 |
| Fourgon 1900 (Diesel) | XD3 | 94.00 | 2498 | 1981 | C1463 ⁺ | | 67 |
| J5 (Diesel) | CRD93 | 93.00 | 2499 | 83-85 | S5157 ⁺ | | 66 |
| J5, 1000K, 1300K (Diesel) | CRD93 | 93.00 | 2500 | 1981 | S5115 ⁺ | | 65 |
| J7 B, BD, PX, PY, PZXD 2P (Diesel) | XD2XD2P | 94.00 | 2304 | 1976 | C1860 | | 69 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

PEUGEOT

| Application | Engine | Cyl | | | Set Number | | Line |
|------------------------------------|--------------|-------|------|-------|---------------------------|--------------------------|------|
| | Model | Bore | CC | Years | Chrome | Plain | No |
| J9 (Diesel) | XD2XD2P | 94.00 | 2304 | 1976 | C1860 | | 69 |
| J9 (Diesel) | XD3XD3P | 94.00 | 2498 | 1982 | C1860 | | 70 |
| Junior | XV8 | 70.00 | 954 | 83-87 | C5121⁺ | | 1 |
| PARTNER Kasten 1.6 HDi 90 (Diesel) | 9HP | 75.00 | 1560 | 10-On | S5422^{+N} | | 13 |
| PARTNER Tepee 1.6 HDi 90 (Diesel) | 9HP | 75.00 | 1560 | 10-On | S5422^{+N} | | 13 |
| Partner | TU1JP | 72.00 | 1124 | 1996 | C5420^N | P5420^N | 5 |
| Partner | EP6 | 77.00 | 1598 | 2010 | S5389^{+N} | | 25 |
| Partner (Diesel) | TU3JP | 75.00 | 1360 | 97-On | S5265⁺ | | 11 |
| Partner (Diesel) | XUD9/A/B/L/Y | 83.00 | 1905 | 1996 | C1974⁺ | P1974⁺ | 47 |
| Partner (Diesel) | DW10TD | 85.00 | 1998 | 1999 | S5150⁺ | | 53 |
| Xsara | EW10J4 | 85.00 | 1997 | | S5219⁺ | | 54 |
| Z1100 GL, GR | XW7, 109 | 72.00 | 1124 | 80-87 | C1866 | P1866 | 3 |

| Line No | Application | | CC | Set No | Cyl | Bore Diameter | | Ring Size | |
|---------|--|--------|------|--|-----|---------------|-------|------------------------------------|----------|
| | | | | | | Inch | MM | Comp | Oil |
| 1 | 104 GL, GR, L, Z, ZA, ZL, ZR Junior 205 GE, GL, GR, L, XE, XR | (1.0L) | 954 | C5121⁺ | 4 | 2.756 | 70.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 2 | 106 XN 20J, 205 XL, XR, XE, GL 205 Junior | (1.0L) | 954 | P1824 C1824 | 4 | 2.756 | 70.00 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |
| 3 | 104 Coupe ZS Berline GLS 6 104 GL, GR, ZR 104 S, SR, SL, ZL, ZS 104 GLS, ZL 104 GL, GR, Z, ZA ZR 104 Style Z, Z Plus 1100 205 A, XL, XR, XA 205 GL, GR Z1100 GL, GR | (1.1L) | 1124 | P1866 C1866 | 4 | 2.835 | 72.00 | 4 - 1.50 4 - 2.00 | 4 - 4.00 |
| 4 | 309 GE, XE, Chorus 205 GL, GR, XL, XR 106 XR, XN | (1.1L) | 1124 | P1902 C1902 | 4 | 2.835 | 72.00 | 4 - 1.50 4 - 2.00 | 4 - 3.00 |
| 5 | Partner 106 206 | (1.1L) | 1124 | P5420^N C5420^N | 4 | 2.835 | 72.00 | 4 - 1.50 4 - 1.50 | 4 - 2.50 |
| 6 | 206, 307 (1.4 TD) (Diesel) | (1.4L) | 1399 | S5247⁺ | 4 | 2.901 | 73.70 | 4 - 2.50 ^{FK} 4 - 1.95 | 4 - 2.50 |
| 7 | 205 XA Espagne 309 GE, GL, XE | (1.1L) | 1118 | S5105⁺ | 4 | 2.913 | 74.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 8 | 309 I 1.1 205 II 1.2 205 II 1.1 XA | (1.1L) | 1118 | P1377 C1377 | 4 | 2.913 | 74.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 9 | 204 203 403 | (1.1L) | 1130 | C5113 | 4 | 2.953 | 75.00 | 4 - 2.00 4 - 2.00 | 4 - 4.50 |
| 10 | 1.4XAD/ ND (Diesel) 106 1.4D (Diesel) | (1.4L) | 1361 | S5117⁺ | 4 | 2.953 | 75.00 | 4 - 2.25 4 - 1.75 | 4 - 3.00 |
| 11 | 106 (Diesel) 206 (Diesel) 307Affaire, XR (Diesel) Partner (Diesel) | (1.4L) | 1360 | S5265⁺ | 4 | 2.953 | 75.00 | 4 - 1.50 4 - 1.50 | 4 - 2.50 |
| 12 | 508 (Diesel) 206 (Diesel) | (1.6L) | 1560 | S5421^{+N} | 4 | 2.953 | 75.00 | 4 - 3.00 ^{FK} 4 - 1.95 | 4 - 2.50 |

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

PEUGEOT

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | |
|---------|--|------|--|-----|---------------|-------|----------------------|----------|
| | | | | | Inch | MM | Comp | Oil |
| | < Continued > 207 (Diesel) 307 (Diesel) 308 (Diesel) 407 (Diesel) | | | | | | | |
| 13 | 301 1.6 HDi 90 (Diesel) (1.6L) EXPERT Kasten (VF3A, VF3U, VF3X) 1.6 HDi90 8V (Diesel) EXPERT Tepee (VF3V) 1.6 HDi 90 8V (Diesel) 208 1.6 HDi (Diesel) 2008 1.6 HDi (Diesel) 207 1.6 HDi (Diesel) 308 1.6 HDi (Diesel) PARTNER Kasten 1.6 HDi 90 (Diesel) PARTNER Tepee 1.6 HDi 90 (Diesel) 207 1.6 HDi (Diesel) 3008 1.6 HDi (Diesel) 208 1.6 HDi (Diesel) 308 1.6 HDi (Diesel) 5008 1.6 HDi (Diesel) 508 1.6 HDi (Diesel) | 1560 | S5422 ^{*N} | 4 | 2.953 | 75.00 | 4 - 2.00 4 - 2.50 | 4 - 2.00 |
| 14 | 104 2e Model ZS Berline GL 6 (1.2L) | 1219 | P1665 C1665 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 15 | 205 GR,GT, SR, XR (1.8L) | 1768 | P1665 C1665 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 16 | 205 X5, XT (1.4L) | 1360 | P1665 C1665 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 17 | 104 GR, S, SR, ZS (1.2L) | 1218 | P1665 C1665 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 18 | 106 Rallye (1.3L) 205 Rallye | 1294 | P1865 C1865 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 3.00 |
| 19 | 205XS, GR, SR, XR (1.4L) | 1360 | P1865 C1865 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 3.00 |
| 20 | 205 Rallye (Diesel) (1.3L) | 1294 | P5119 C5119 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 3.00 |
| 21 | 106 XR, 205 CJ, GL. GT (Diesel) (1.4L) | 1361 | P5119 C5119 | 4 | 2.953 | 75.00 | 4 - 1.75 4 - 2.00 | 4 - 3.00 |
| 22 | 304 (1.3L) | 1288 | P1408 C1408 | 4 | 2.992 | 76.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 23 | 205 XRA (1.3L) 309 GR, 309 Green, 309 Profil | 1294 | P1481 C1481 | 4 | 3.020 | 76.70 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 24 | 106 1.5D (Series 1 & 2) (Diesel) (1.5L) | 1527 | S5182 ⁺ | 4 | 3.031 | 77.00 | 4 - 2.00 4 - 1.75 | 4 - 3.00 |
| 25 | Partner (1.6L) 2008 207 208 3008 308 508 | 1598 | S5389 ^{*N} | 4 | 3.031 | 77.00 | 4 - 1.20 4 - 1.50 | 4 - 2.00 |
| 26 | 204 (1.1L) 304 | 1127 | P1649 ^A C1649 ^A | 4 | 3.071 | 78.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

PEUGEOT

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|---|--------|--------|--|---------------|-------|-----------|------------------------------------|----------|
| | | | | | Inch | MM | Comp | Oil | |
| 27 | 304 305 | (1.3L) | 1290 | P1649 ^A C1649 ^A | 4 | 3.071 | 78.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 28 | 305 | (1.5L) | 1472 | P1649 ^A C1649 ^A | 4 | 3.071 | 78.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 29 | 106 1.6i Griffe 206 1.6i 306 1.6i XR, XT Auto | (1.6L) | 1587 | S5149 ⁺ | 4 | 3.091 | 78.50 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |
| 30 | 106, 206, 307, 308, 1007, Berlingo, Partner, Xsara, C3, 110 Saxo 1.6i 16V | (1.6L) | 1587 | S5313 | 4 | 3.091 | 78.50 | 4 - 1.20 4 - 1.50 | 4 - 2.50 |
| 31 | | (1.6L) | | S5451 ^{+N} | 4 | 3.091 | 78.50 | 4 - 1.00 4 - 1.00 | 4 - 1.50 |
| 32 | 205 XAD, XRD, XTD | (1.8L) | 1768 | C1768 ⁺ | 4 | 3.150 | 80.00 | 4 - 1.20 4 - 1.20 | 4 - 3.00 |
| 33 | 205 D, GLD, GRD, SRDXLD, (Diesel) 305 GLD, GRD (Diesel) 309 (Diesel) | (1.8L) | 1768 | C1862 | 4 | 3.150 | 80.00 | 4 - 2.00 4 - 2.00 | 4 - 3.00 |
| 34 | 205, 309 GRD, SRD, SXD, 405 GRD, GTD, SRD (Diesel) | (1.8L) | 1769 | S5116 | 4 | 3.150 | 80.00 | 4 - 3.00 ^{FK} 4 - 2.00 | 4 - 3.00 |
| 35 | 403 404 | (1.5L) | 1468 | P1104 C1104 | 4 | 3.150 | 80.00 | 4 - 2.00 4 - 2.00 | 4 - 4.50 |
| 36 | 206 1.9D, 206 LD, 306 1.9D, 306 Break, Expert 1.9D, Partner (Diesel) | (1.9L) | 1868 | P5069 C5069 | 4 | 3.236 | 82.20 | 4 - 2.00 4 - 2.00 | 4 - 3.00 |
| 37 | 406 406 Break | (1.8L) | 1749 | S5239 ^{+N} | 4 | 3.256 | 82.70 | 4 - 1.20 4 - 1.50 | 4 - 2.00 |
| 38 | 406 1.9TD, Expert 1.9D (Diesel) 306 1.9TD (Diesel) | (1.9L) | 1905 | S5147 ⁺ | 4 | 3.268 | 83.00 | 4 - 3.50 ^{FK} 4 - 2.00 | 4 - 3.00 |
| 39 | 405Mi 16V | (1.9L) | 1905 | S5158 ⁺ | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |
| 40 | 306, 406 16V | (1.8L) | 1762 | S5158 ⁺ | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |
| 41 | 309 GTi 16V | (1.9L) | 1905 | S5158 ⁺ | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |
| 42 | 405SR | (1.8L) | 1761 | S5158 ⁺ | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |
| 43 | 309 SR/GR 405 | (1.9L) | 1905 | P1271 ^A C1271 ^A | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 44 | 205 | (1.6L) | 1580 | P1271 ^A C1271 ^A | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 45 | 305 | (1.9L) | 1905 | P1271 ^A C1271 ^A | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 46 | 205 Automatic 305 GL, GLS, GR, GT SR 309 GE, GL, GR, XE, XL, XS 309 SR Automatic 309 SX, XR 405 | (1.6L) | 1580 | P1864 C1864 | 4 | 3.268 | 83.00 | 4 - 1.75 4 - 1.75 | 4 - 4.00 |
| 47 | 205 D, GLD, GRD, XLD (Diesel) 305 D, 309 D, 405 D, gld, grd (Diesel) Boxer (Diesel) Partner (Diesel) 305 D, 309 D, 405 D (Diesel) | (1.9L) | 1905 | P1974 ⁺ C1974 ⁺ | 4 | 3.268 | 83.00 | 4 - 2.00 4 - 2.00 | 4 - 3.00 |
| 48 | 504 505 G5, GL, GR, SR, SX | (1.8L) | 1796 | C5178 ⁺ | 4 | 3.307 | 84.00 | 4 - 1.50 4 - 2.00 | 4 - 4.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

PEUGEOT

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|---|--------|--------|--|---------------|-------|-----------|------------------------------------|----------|
| | | | | | Inch | MM | Comp | Oil | |
| 49 | 404 | (1.6L) | 1618 | P1204 C1204 | 4 | 3.307 | 84.00 | 4 - 2.00 4 - 2.00 | 4 - 4.50 |
| 50 | 404 504 | (1.8L) | 1796 | P1369 C1369 | 4 | 3.307 | 84.00 | 4 - 1.50 4 - 2.00 | 4 - 4.00 |
| 51 | 504 E, GL, S (Diesel) | | | C1891 ^A | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 2.00 | 4 - 4.50 |
| 52 | 406 2.1TD (Diesel) 605 2.1TD SRDT, SVDT (Diesel) | (2.1L) | 2088 | S5118 ⁺ | 4 | 3.346 | 85.00 | 4 - 3.00 ^{FK} 4 - 2.00 | 4 - 3.00 |
| 53 | 307 HDi (Diesel) 806 HDi (Diesel) Partner (Diesel) | (2.0L) | 1998 | S5150 ⁺ | 4 | 3.346 | 85.00 | 4 - 3.50 ^{FK} 4 - 2.00 | 4 - 3.00 |
| 54 | 406, 406 Break, 406 Coupe 806 Evasion, Expert Combi, Expert Tole 206, 206 CC, 206 SW 307, 307 SW Xsara | (2.0L) | 1997 | S5219 ⁺ | 4 | 3.346 | 85.00 | 4 - 1.20 4 - 1.50 | 4 - 2.50 |
| 55 | 605 SLD, SRD (Diesel) | (2.2L) | 2138 | S5120 ⁺ | 4 | 3.386 | 86.00 | 4 - 2.50 4 - 2.00 | 4 - 3.00 |
| 56 | 405SRi/STi/BREAK | (2.0L) | 1998 | P5047 C5047 | 4 | 3.386 | 86.00 | 4 - 1.50 4 - 1.75 | 4 - 3.00 |
| 57 | 404 D (Diesel) | (2.0L) | 1948 | C1441 | 4 | 3.465 | 88.00 | 4 - 2.00 4 - 2.00 4 - 2.00 | 4 - 4.50 |
| 58 | 504 GL, SL 505 | (2.0L) | 1971 | P1370 ^A C1370 ^A | 4 | 3.465 | 88.00 | 4 - 1.50 4 - 2.00 | 4 - 4.00 |
| 59 | 504 604 | (2.7L) | 2664 | P1440 ^A C1440 ^A | 6 | 3.465 | 88.00 | 6 - 1.50 6 - 2.00 | 6 - 4.00 |
| 60 | 505 505 T | (2.1L) | 2165 | P1598 C1598 | 4 | 3.465 | 88.00 | 4 - 1.75 4 - 2.00 | 4 - 4.00 |
| 61 | 504 D (Diesel) | (2.1L) | 2112 | P1462 ^A C1462 ^A | 4 | 3.543 | 90.00 | 4 - 2.00 4 - 2.00 4 - 2.00 | 4 - 4.50 |
| 62 | 604 | (2.8L) | 2849 | P1515 ^A C1515 ^A | 6 | 3.583 | 91.00 | 6 - 1.50 6 - 2.00 | 6 - 4.00 |
| 63 | Boxer, 605, 806 (Diesel) | (2.5L) | 2446 | S5170 ⁺ | 4 | 3.622 | 92.00 | 4 - 3.00 ^{FK} 4 - 1.75 | 4 - 3.50 |
| 64 | Boxer 2.5D (Diesel) | (2.5L) | 2446 | S5173 ⁺ | 4 | 3.622 | 92.00 | 4 - 2.25 4 - 2.00 | 4 - 3.00 |
| 65 | J5, 1000K, 1300K (Diesel) | (2.5L) | 2500 | S5115 ⁺ | 4 | 3.661 | 93.00 | 4 - 2.50 4 - 2.00 | 4 - 4.00 |
| 66 | J5 (Diesel) 1000 Fourgon (Diesel) 1300 Fourgon (Diesel) | (2.5L) | 2499 | S5157 ⁺ | 4 | 3.661 | 93.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 67 | Fourgon 1900 (Diesel) Familiale D, GLD, GRD, SRD (Diesel) | (2.5L) | 2498 | C1463 ⁺ | 4 | 3.701 | 94.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 68 | 504 D (Diesel) 505 D (Diesel) | (2.3L) | 2304 | C1463 ⁺ | 4 | 3.701 | 94.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 69 | 504 (Diesel) 505 (Diesel) J7 B, BD, PX, PY, PZXD 2P (Diesel) J9 (Diesel) | (2.3L) | 2304 | C1860 | 4 | 3.701 | 94.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 70 | 505 (Diesel) B4 (Diesel) | (2.5L) | 2498 | C1860 | 4 | 3.701 | 94.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

PEUGEOT

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | |
|---------|--|------|---------------------------|-----|---------------|-------|------------------------------------|----------|
| | | | | | Inch | MM | Comp | Oil |
| | < Continued > Berline (Diesel) Break GLD, GRD, SRD (Diesel) J9 (Diesel) | | | | | | | |
| 71 | 505 SRD Turbo, 604 GRD Turbo (Diesel) (2.3L) | 2304 | S5114 ⁺ | 4 | 3.701 | 94.00 | 4 - 3.00 ^{FK} 4 - 2.00 | 4 - 4.00 |
| 72 | 505 SRD Turbo, 604 GRD Turbo (Diesel) (2.5L) | 2498 | S5114 ⁺ | 4 | 3.701 | 94.00 | 4 - 3.00 ^{FK} 4 - 2.00 | 4 - 4.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone