

RENAULT

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
25 2.8 V6 Injection, Alpine GTA, R 25, Espace	Z7W-700/702/706/707	91.00	2849	86-92	C1515 ^A	P1515 ^A	55
Alliance	847	76.00	1397	83-86	S5159 ⁺		21
Aloutte	810/25/26/29/03	73.00	1289	72-80	S5160 ⁺		13
Alpine /R1273	144	88.00	2664	72-84	C1440 ^A	P1440 ^A	48
Caravelle R-4	670	58.00	845	56-64	C1069	P1069	1
Caravelle R-4 (4-Ring Replc.)	670	58.00	845		C1206 ^A	P1206 ^A	4
Caravelle R-4 (5-Ring Replc.) (Diesel)	670	58.00	845	56-64	C1128 ^A	P1128 ^A	3
Caravelle S/R1131	689	65.00	956	62-64	C1210 ^A	P1210 ^A	6
Caravelle S/R1132	688	70.00	1108	62-68	C1243	P1243	10
Clio	D4F	69.00	1149	00-On	S5207 ^{+AN}		8
Clio	D7F	69.00	1149	95-00	S5207 ^{+AN}		8
Clio	K7M-702/703/720/744/745/7	79.50	1598	96-98	S5111 ⁺		27
Clio	F7P-722	82.00	1764	91-94	S5152 ⁺		33
Clio	F3P	82.70	1794	94-97	C1959	P1959	36
Clio Alize	E7J/E7J-T710	75.80	1390	94-99	C1863	P1863	18
Clio Baccara	E6J-H713/E7JH711	75.80	1390	91-94	C1863	P1863	18
Clio Baccara	F2N-U770	81.00	1721	91-92	C1636	P1636	32
Clio Be Bop	E7F-708	75.80	1171	94-95	C1863	P1863	17
Clio Be Bop, RC, RL, Twingo	C3G-720	74.00	1239	92-96	C5112	P5112	14
Clio Chipie	E7F-708/E7F-D700	75.80	1171	93-95	C1863	P1863	19
Clio Fidji	E7J	75.80	1390	96-98	C1863	P1863	20
Clio RL (Diesel)	FQ8-730	80.00	1870	1990	C1837	P1837	31
Clio RT	F2N-U770	81.00	1721	90-92	C1636	P1636	32
Clio dCi (Diesel)	K9K	76.00	1461	2001	S5243 ⁺		22
Clio, Clio Sport	K4M	79.50	1598	00-01	S5190 ⁺		28
Clio, Twingo	D7F-700.701.702.706	69.00	1149	1996	S5059 ⁺	P5059 ⁺	9
Coupe	807 727	77.00	1565	80-86	C1299	P1299	24
Dauphine R-4	670	58.00	845	56-69	C1069	P1069	1
Dauphine R-4/R-2130	670	58.00	845	60-67	C1127	P1127	2
Encore	840	76.00	1397	84-87	S5159 ⁺		21
Escape 2000 GTS, TSE	J5/J6/J7	88.00	1995	85-91	C1598	P1598	51
Escape GTS	J7R/T/RA	88.00	2165	86-91	C1598	P1598	52
Espace (Diesel)	G8T.714/716/740/760	87.00	2188	96-00	S5153 ⁺		44
Espace (Diesel)	G8T	87.00	2188	96-00	S5155 ⁺		45
Espace, Alize, Cyclade, Espace Grand	F3R	82.70	1998	96-00	C1959	P1959	37
Espace, Fuego, R21	J7T-718/762/763	88.00	2165	86-90	S5197 ⁺		46
Espace, Fuego, R21	J6R-710/711	88.00	1995	81-90	S5197 ⁺		47
Express (Diesel)	F8M	78.00	1595	87-92	C1932 ⁺		25
Express Break Europa	E7J-Q724	75.80	1390	96-97	C1863	P1863	20
Express Break Phase II, Combi Phase II	C1G-726	71.50	1237	1992	C5109		12
Express Break, Combi, Pick up	C3G-710	74.00	1239	1993	C5112	P5112	14
Fuego	847-700/701/720/722	76.00	1397	80-85	S5159 ⁺		21
Fuego (Diesel)	825	86.00	2068	84-87	C1661 ^{+A}		41
Fuego (Diesel)	J8S-712	86.00	2068	83-84	S5107 ⁺		42
Fuego /R1361	841	79.00	1647	72-84	C1436	P1436	26
Fuego GTS, TX	J5/J6/J7	88.00	1995	1984	C1598	P1598	51
Fuego R20 /TX/R1363	829	88.00	2165	84-86	C1598	P1598	50
Fuego Turbo	A5LD750	77.00	1565	80-85	C1299	P1299	24
J-112	J5/J6/J7	88.00	1995	81-84	C1598	P1598	51
Kangoo	D4F	69.00	1149	00-On	S5207 ^{+AN}		8
Kangoo	K7M-702/703/720/744/745/7	79.50	1598	1997	S5111 ⁺		27
Kangoo Pampa	E7J	75.80	1390	98-01	C1863	P1863	20
Kangoo dCi (Diesel)	K9K	76.00	1461	2001	S5243 ⁺		22

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Laguna	F4P-720/733	82.70	1783	00-On	S5239 ^{+N}		34
Laguna	F5R-740	82.70	1783	00-On	S5239 ^{+N}		34
Laguna (Diesel)	G8T.714/716/740/760	87.00	2188	1995	S5153 ⁺		44
Laguna (Diesel)	G8T/E706/V760/752	87.00	2188	96-00	S5155 ⁺		45
Laguna, Aida, Baccara, Dedicace, Initiale, RT	F3R-E722/723	82.70	1998	93-01	C1959	P1959	37
Laguna, Aida, Baccara, Initiale, Lancel	F3P	82.70	1794	97-00	C1959	P1959	38
Logan (Diesel)	K9K	76.00	1461	07-On	S5243 ⁺		22
Master (Diesel)	8144.81.200	93.00	2445	1981	S5108 ⁺		58
Master II 2.5 dCi 16V (Diesel)	G9U 720	89.00	2463	00-03	S5431 ^{+N}		54
Master II 2.5 dCi 16V (Diesel)	G9U 724	89.00	2463	00-03	S5431 ^{+N}		54
Master II 2.5 dCi 16V (Diesel)	G9U 750	89.00	2463	03-06	S5431 ^{+N}		54
Master II 2.5 dCi 16V (Diesel)	G9U 754	89.00	2463	03-06	S5431 ^{+N}		54
Master III (Diesel)	M9T	85.00	2298	2010	S5350 ^N		40
Master Q2 Propulsion	J5R-718/728/829	88.00	1995	1981	S5197 ⁺		47
Master R-3 (Diesel)	J8S-330	86.00	2068	1983	S5110 ⁺		43
Master T30, T35, Micro Bus	J5R	88.00	1995	1981	C1598	P1598	51
Master, Propulsion PA, Traction, Trafic (Diesel)	8140.61.300	93.00	2445	1981	C5106		56
Megane	E7J	75.80	1390	99-00	C1863	P1863	20
Megane	F4R	82.70	2000	04-On	S5239 ^{+N}		35
Megane Aida, Initiale	F3R	82.70	1998	96-98	C1959	P1959	39
Megane Classic, RL, RN, RTA (Diesel)	FQ8-620	80.00	1870	1985	C1837	P1837	31
Megane Coupe, RL, RN, RT, RXE, Scenic	K7M-702/703/720/744/745/7	79.50	1598	1995	S5111 ⁺		27
Megane dCi (Diesel)	K9K	76.00	1461	2002	S5243 ⁺		22
Megane, Cabrio, Classic, Scenic	K4M	79.50	1598	1999	S5190 ⁺		28
Megane, RN, RT, RXE, Scenic (Diesel)	F8Q-784	80.00	1870	1996	S5169 ⁺		30
Megane, Scenic	K4J.714/750	79.50	1390	1999	S5190 ⁺		29
Nevada	F3N	81.00	1721	93-95	C1636	P1636	32
Nevada GTS	F2N	81.00	1721	89-91	C1636	P1636	32
R-10	688	70.00	1108	1962	C1808	P1808	11
R-10/R1190	688	70.00	1108	66-72	C1243	P1243	10
R-10/R1192	810	73.00	1289	71-72	S5160 ⁺		13
R-11	688	70.00	1108	1962	C1808	P1808	11
R-11	C1G	71.50	1237	1984	C5109		12
R-12 /R1152	807/821	77.00	1565	1971	C1299	P1299	24
R-12 /R1178	841	79.00	1647	72-77	C1436	P1436	26
R-12 Break	810/25/26/29/03	73.00	1289	70-84	S5160 ⁺		13
R-12 GORDINI	R12	77.00	1565	1972	C1299	P1299	24
R-14 GTL, GTS, TS,	150-A700/X5J-A700	75.00	1360	79-83	C1665	P1665	15
R-14 L, TL, GTL (Type R1210)	129-C710	75.00	1218	76-83	C1665	P1665	16
R-15 TL/R1304	841	79.00	1647	72-76	C1436	P1436	26
R-15 TS	807/821	77.00	1565	1972	C1299	P1299	24
R-15 TS/R1301	821	77.00	1565	72-75	C1299	P1299	24
R-16 R1150	697	76.00	1470	66-70	C1378	P1378	23
R-16 TA, TL, TS	807/821	77.00	1565	1968	C1299	P1299	24
R-17 TL	841	79.00	1647	74-80	C1436	P1436	26
R-17 TL, Gordini	843	79.00	1647	74-80	C1436	P1436	26
R-17 TL, TS	807/844	77.00	1565	1968	C1299	P1299	24
R-18 /R1341	841	79.00	1647	81-83	C1436	P1436	26
R-18 Break Turbo, R18 Turbo	A5L	77.00	1565	82-86	C1299	P1299	24
R-18 GTD, GTD, Societe (Diesel)	J8S	86.00	2068	1980	S5110 ⁺		43
R-18 TX Break GTX, 4X4	J5/J6/J7	88.00	1995	82-86	C1598	P1598	51

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
R-18, R-21TD, R-25TD (Diesel)	J8S	86.00	2068	1980	S5107 ⁺		42
R-19	F7P-704	82.00	1764	89-96	S5152 ⁺		33
R-19 Alize, Baccara, Cabriolet, RT	F3P-B704/C705/706/M700	82.70	1794	94-97	C1959	P1959	38
R-19 Chamade Dynamic, GTX, TXE	F2N-M720	81.00	1721	89-92	C1636	P1636	32
R-19 D, DX, RT, TDX (Diesel)	F8Q-740/744/768	80.00	1870	92-95	S5169 ⁺		30
R-20 GTD, TD (Diesel)	J8S-852	86.00	2068	79-84	S5107 ⁺		42
R-20 LS, TS	J5/J6/J7	88.00	1995	78-83	C1598	P1598	51
R-20 TX,	851	88.00	2165	81-84	C1598	P1598	50
R-20/R1272	829	88.00	1995	79-84	C1598	P1598	49
R-21 GTS, GTX	J5/J6/J7	88.00	1995	86-92	C1598	P1598	51
R-21 Turbo	J7R/752T	88.00	1995	86-92	C1598	P1598	51
R-25 GTD,TD (Diesel)	J8S-706	86.00	2068	84-88	S5110 ⁺		43
R-25 GTX, Automatic	J7R/T/RA	88.00	1995	84-90	C1598	P1598	53
R-25 TS, GTS 2000	J5/J6/J7	88.00	1995	85-92	C1598	P1598	51
R-4	688	70.00	1108	1962	C1808	P1808	11
R-4 Plus	826	65.00	1020		C1572 ^A	P1572 ^A	7
R-5	688	70.00	1108	1962	C1808	P1808	11
R-5 "Le Car"	847	76.00	1397	80-83	S5159 ⁺		21
R-5TL, R-5GTL, "Le Car"	810	73.00	1289	76-79	S5160 ⁺		13
R-6/R1180	800	58.00	845	69-80	C1584	P1584	5
R-6L	688	70.00	1108	1962	C1808	P1808	11
R-8	688	70.00	1108	1962	C1808	P1808	11
R-8 MKI	689	65.00	956	62-79	C1210 ^A	P1210 ^A	6
R-8 Major	688	70.00	1108	64-72	C1243	P1243	10
R-9	688	70.00	1108	1962	C1808	P1808	11
R-9 (Diesel)	F8M	78.00	1595	82-89	C1932 ⁺		25
R-9 Broadway 1.4	C1J-700/793	76.00	1397	83-86	S5159 ⁺		21
R19 RL (Diesel)	F8Q-A706	80.00	1870	92-94	C1837	P1837	31
S-112	J5/J6/J7	88.00	1995	1981	C1598	P1598	51
Safrane (Diesel)	G8T.714/716/740/760	87.00	2188	96-01	S5153 ⁺		44
Safrane (Diesel)	G8T	87.00	2188	97-00	S5155 ⁺		45
Safrane RN TD, RT TD, RXE TD (Diesel)	8144.97.1400.2400	93.00	2499	1992	S5108 ⁺		57
Scenic Alize, Egeus, RTE, RXT	F3R	82.70	1998	96-99	C1959	P1959	39
Scenic RTA	E7J	75.80	1390	96-98	C1863	P1863	20
Super (Diesel)	F8M	78.00	1595	85-95	C1932 ⁺		25
Traffic 4X4	J5R	88.00	1995	1982	C1598	P1598	51
Traffic 900, 1100, Bus	F1N-A720/F1N-C724	81.00	1721	89-94	C1636	P1636	32
Traffic Estafette	810/25/26/29/03	73.00	1289	72-80	S5160 ⁺		13
Traffic II 2.5 dCi 16V (Diesel)	G9U 730	89.00	2463	02-On	S5431 ^{+N}		54
Twingo	D4F	69.00	1149	00-On	S5207 ^{+AN}		8
Twingo	D7F	69.00	1149	95-00	S5207 ^{+AN}		8
Twingo	C3G-700/702	74.00	1239	93-96	C5112	P5112	14

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	Caravelle R-4 Dauphine R-4	(7L)	845	P1069	4	2.283	58.00	4 - 2.00	4 - 3.50
				C1069				4 - 2.00	
								4 - 2.00	
2	Dauphine R-4/R-2130	(7L)	845	P1127	4	2.283	58.00	4 - 2.00	4 - 3.50
				C1127				4 - 2.00	
3	Caravelle R-4 (5-Ring Replc.) (Diesel)	(7L)	845	P1128 ^A	4	2.283	58.00	4 - 2.00	4 - 3.50
				C1128 ^A				4 - 2.00	4 - 3.50
								4 - 2.00	

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
4	Caravelle R-4 (4-Ring Replc.)	(.7L)	845	P1206^A C1206^A	4	2.283	58.00	4 - 2.00 4 - 2.00	4 - 3.50 4 - 3.50
5	R-6/R1180	(.8L)	845	P1584 C1584	4	2.283	58.00	4 - 1.75 4 - 2.00	4 - 3.50
6	Caravelle S/R1131 R-8 MKI	(1.0L)	956	P1210^A C1210^A	4	2.559	65.00	4 - 2.00 4 - 2.00	4 - 3.50
7	R-4 Plus	(1.0L)	1020	P1572^A C1572^A	4	2.559	65.00	4 - 1.75 4 - 2.00	4 - 4.00
8	Clio Kangoo Twingo Clio Twingo	(1.1L)	1149	S5207^{+AN}	4	2.717	69.00	4 - 1.20 4 - 1.50	4 - 2.50
9	Clio, Twingo	(1.1L)	1149	P5059⁺ S5059⁺	4	2.717	69.00	4 - 1.50 4 - 1.50	4 - 2.50
10	Caravelle S/R1132 R-8 Major R-10/R1190	(1.1L)	1108	P1243 C1243	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 3.50
11	R-4 R-5 R-6L R-8 R-9 R-10 R-11	(1.1L)	1108	P1808 C1808	4	2.756	70.00	4 - 1.75 4 - 2.00	4 - 3.50
12	R-11 Express Break Phase II, Combi Phase II	(1.2L)	1237	C5109	4	2.815	71.50	4 - 1.75 4 - 2.00	4 - 4.00
13	Aloutte R-12 Break Trafic Estafette R-5TL, R-5GTL, "Le Car" R-10/R1192	(1.3L)	1289	S5160⁺	4	2.874	73.00	4 - 1.75 4 - 2.00	4 - 4.00
14	Twingo Express Break, Combi, Pick up Clio Be Bop, RC, RL, Twingo	(1.2L)	1239	P5112 C5112	4	2.913	74.00	4 - 1.50 4 - 1.75	4 - 3.00
15	R-14 GTL, GTS, TS,	(1.4L)	1360	P1665 C1665	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
16	R-14 L, TL, GTL (Type R1210)	(1.2L)	1218	P1665 C1665	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
17	Clio Be Bop	(1.2L)	1171	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
18	Clio Alize Clio Baccara	(1.4L)	1390	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
19	Clio Chipie	(1.2L)	1171	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
20	Clio Fidji Express Break Europa Kangoo Pampa Megane Scenic RTA	(1.4L)	1390	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
21	Fuego R-9 Broadway 1.4 Encore Alliance	(1.4L)	1397	S5159⁺	4	2.992	76.00	4 - 1.75 4 - 2.00	4 - 3.97

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
	< Continued > R-5 "Le Car"								
22	Kangoo dCi (Diesel) Clio dCi (Diesel) Megane dCi (Diesel) Logan (Diesel)	(1.5L)	1461	S5243 ⁺	4	2.992	76.00	4 - 2.00 4 - 2.00	4 - 2.50
23	R-16 R1150	(1.5L)	1470	P1378 C1378	4	2.992	76.00	4 - 2.00 4 - 2.00	4 - 4.00
24	R-12 /R1152 R-15 TS/R1301 Coupe Fuego Turbo R-12 GORDINI R-15 TS R-16 TA, TL, TS R-17 TL, TS R-18 Break Turbo, R18 Turbo	(1.6L)	1565	P1299 C1299	4	3.031	77.00	4 - 1.75 4 - 2.00	4 - 4.00
25	R-9 (Diesel) Super (Diesel) Express (Diesel)	(1.6L)	1595	C1932 ⁺	4	3.071	78.00	4 - 2.00 4 - 2.00	4 - 3.00
26	Fuego /R1361 R-12 /R1178 R-15 TL/R1304 R-17 TL R-18 /R1341 R-17 TL, Gordini	(1.6L)	1647	P1436 C1436	4	3.110	79.00	4 - 1.75 4 - 2.00	4 - 4.00
27	Clio Kangoo Megane Coupe, RL, RN, RT, RXE, Scenic	(1.6L)	1598	S5111 ⁺	4	3.130	79.50	4 - 1.50 4 - 1.50	4 - 2.50
28	Clio, Clio Sport Megane, Cabrio, Classic, Scenic	(1.6L)	1598	S5190 ⁺	4	3.130	79.50	4 - 1.20 4 - 1.50	4 - 2.50
29	Megane, Scenic	(1.4L)	1390	S5190 ⁺	4	3.130	79.50	4 - 1.20 4 - 1.50	4 - 2.50
30	Megane, RN, RT, RXE, Scenic (Diesel) R-19 D, DX, RT, TDX (Diesel)	(1.9L)	1870	S5169 ⁺	4	3.150	80.00	4 - 2.50 ^{FK} 4 - 2.00	4 - 3.00
31	Clio RL (Diesel) Megane Classic, RL, RN, RTA (Diesel) R19 RL (Diesel)	(1.9L)	1870	P1837 C1837	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 3.00
32	Trafic 900, 1100, Bus Clio Baccara Nevada R-19 Chamade Dynamic, GTX, TXE Clio RT Nevada GTS	(1.7L)	1721	P1636 C1636	4	3.189	81.00	4 - 1.75 4 - 2.00	4 - 3.00
33	R-19 Clio	(1.8L)	1764	S5152 ⁺	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 3.00
34	Laguna	(1.8L)	1783	S5239 ^{+N}	4	3.256	82.70	4 - 1.20 4 - 1.50	4 - 2.00
35	Megane	(2.0L)	2000	S5239 ^{+N}	4	3.256	82.70	4 - 1.20 4 - 1.50	4 - 2.00
36	Clio	(1.8L)	1794	P1959 C1959	4	3.256	82.70	4 - 1.50 4 - 1.75	4 - 3.00
37	Laguna, Aida, Baccara, Dedicace, Initiale, RT Continued On Next Page	(2.0L)	1998	P1959 C1959	4	3.256	82.70	4 - 1.50 4 - 1.75	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Espace, Alize, Cyclade, Espace Grand							
38	Laguna, Aida, Baccara, Initiale, Lancel R-19 Alize, Baccara, Cabriolet, RT	(1.8L)	1794	4	3.256	82.70	4 - 1.50 4 - 1.75	4 - 3.00
39	Megane Aida, Initiale Scenic Alize, Egeus, RTE, RXT	(2.0L)	1998	4	3.256	82.70	4 - 1.50 4 - 1.75	4 - 3.00
40	Master III (Diesel)	(2.3L)	2298	4	3.346	85.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 2.00
41	Fuego (Diesel)	(2.0L)	2068	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 4.00
42	R-18, R-21TD, R-25TD (Diesel) Fuego (Diesel) R-20 GTD, TD (Diesel)	(2.0L)	2068	4	3.386	86.00	4 - 2.50 ^{FK} 4 - 2.50	4 - 4.00
43	R-18 GTD, GTD, Societe (Diesel) Master R-3 (Diesel) R-25 GTD, TD (Diesel)	(2.0L)	2068	4	3.386	86.00	4 - 2.25 4 - 2.00	4 - 3.00
44	Espace (Diesel) Laguna (Diesel) Safrane (Diesel)	(2.2L)	2188	4	3.425	87.00	4 - 3.50 ^{FK} 4 - 1.75	4 - 2.50
45	Espace (Diesel) Laguna (Diesel) Safrane (Diesel)	(2.2L)	2188	4	3.425	87.00	4 - 2.50 4 - 1.75	4 - 2.50
46	Espace, Fuego, R21	(2.2L)	2165	4	3.465	88.00	4 - 1.50 4 - 1.75	4 - 3.00
47	Espace, Fuego, R21 Master Q2 Propulsion	(2.0L)	1995	4	3.465	88.00	4 - 1.50 4 - 1.75	4 - 3.00
48	Alpine /R1273	(2.7L)	2664	6	3.465	88.00	6 - 1.50 6 - 2.00	6 - 4.00
49	R-20/R1272	(2.0L)	1995	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
50	Fuego R20 /TX/R1363 R-20 TX,	(2.1L)	2165	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
51	Fuego GTS, TX J-112 R-18 TX Break GTX, 4X4 R-20 LS, TS R-21 GTS, GTX R-25 TS, GTS 2000 S-112 Escape 2000 GTS, TSE Master T30, T35, Micro Bus Traffic 4X4 R-21 Turbo	(2.0L)	1995	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
52	Escape GTS	(2.2L)	2165	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
53	R-25 GTX, Automatic	(2.0L)	1995	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
54	Trafic II 2.5 dCi 16V (Diesel) Master II 2.5 dCi 16V (Diesel)	(2.5L)	2463	4	3.504	89.00	4 - 2.50 4 - 1.75	4 - 2.50
55	25 2.8 V6 Injection, Alpine GTA, R 25, Espace		2849	6	3.583	91.00	6 - 1.50 6 - 2.00	6 - 4.00
56	Master, Propulsion PA, Traction, Trafic (Diesel)	(2.4L)	2445	4	3.661	93.00	4 - 3.00 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line							Bore Diameter		Ring Size	
No	Application	CC	Set No	Cyl	Inch	MM	Comp	Oil		
57	Safrane RN TD, RT TD, RXE TD (Diesel) (2.5L)	2499	S5108 ⁺	4	3.661	93.00	4 - 3.00 ^{FK} 4 - 2.00	4 - 3.00		
58	Master (Diesel) (2.4L)	2445	S5108 ⁺	4	3.661	93.00	4 - 3.00 ^{FK} 4 - 2.00	4 - 3.00		

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone