

ROOTES

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Commer Cob Mk IV (4-Ring)		81.54	1725			P1263	23
Commer Express Delivery Van		65.00	1265	50-58		P1026	2
Commer Express Delivery Van		76.20	1390	56-65		P1027	4
Commer Express Delivery Van		79.00	1494	59-61		P1028	9
Commer Express Delivery Van (4-Ring)		76.20	1494			P1029	5
Commer Imp. Van		68.00	875	63-76		P1255	3
Commer Mk IV, V		65.00	1265	50-58		P1026	2
Commer Mk VIII		76.20	1390	56-65		P1027	4
Commer Super Van		65.00	1265	50-58		P1026	2
Commer Van (3/4-1 Ton) (4-Ring)		81.54				P1263	22
Hillman Avenger		87.40	1599	74-77	C1522	P1522	31
Hillman Avenger 1300		78.60	1295	73-81		P1557	8
Hillman Avenger Deluxe		78.60	1248	70-73		P1557	7
Hillman Avenger GT		86.10	1498	70-73	C1332	P1332	29
Hillman Hunter I, II		81.54	1725	66-75	C1122	P1122	11
Hillman Hunter I, II (4-Ring)		81.54				P1263	25
Hillman Husky I, II		76.20	1390	58-66		P1027	4
Hillman Husky I, II (4-Ring)		76.20	1390			P1029	6
Hillman Imp. Sedan		68.00	875	63-76		P1255	3
Hillman Minx		63.00	948	48-49		P1025	1
Hillman Minx III A, B		79.00	1494	59-61		P1028	9
Hillman Minx MK IV, V, VI, VII		65.00	1265	50-54		P1026	2
Hillman Minx MK VIII		76.20	1390	55-58		P1027	4
Hillman Minx MK VIII (4-Ring)		76.20	1390			P1029	6
Hillman Super Minx 1600 MK I, II, III		81.54	1592	61-65	C1122	P1122	10
Hillman Super Minx 1600 MK I, II, III (4-Ring)		81.54	1592			P1263	24
Hillman Super Minx MK IV		81.54	1725	66-67	C1122	P1122	11
Hillman Super Minx MK IV (4-Ring)		81.54	1725			P1263	26
Humber Imperial		87.30	2965	60-66	C2134	P2134	30
Humber Sceptre MK I		81.54	1592	63-65	C1122	P1122	12
Humber Sceptre MK I, II (4-Ring)		81.54				P1263	27
Humber Sceptre MK II		81.54	1725	66-76	C1122	P1122	13
Humber Super Snipe		82.50	2651	59-63		P1240 ^A	28
Humber Super Snipe		87.30	2965	60-66	C2134	P2134	30
Singer Chamois		68.00	875	65-71		P1255	3
Singer Gazelle		79.00	1494	58-61		P1028	9
Singer Gazelle		81.54	1496	67-69	C1122	P1122	14
Singer Gazelle		81.54	1592	61-65	C1122	P1122	15
Singer Gazelle		81.54	1725	66-69	C1122	P1122	16
Singer Gazelle (4-Ring)		81.54				P1263	27
Singer Vogue		81.54	1592	61-65	C1122	P1122	17
Singer Vogue		81.54	1725	66-69	C1122	P1122	18
Singer Vogue (4-Ring)		81.54				P1263	27
Sunbeam Alpine Series I		79.00	1494	58-61		P1028	9
Sunbeam Alpine Series II, III, IV		81.54	1592	61-65	C1122	P1122	19
Sunbeam Alpine Series II, III, IV (4-Ring)		81.54				P1263	27
Sunbeam Alpine Series V, GT		81.54	1725	66-76	C1122	P1122	20
Sunbeam Arrow		81.54	1725	66-68	C1122	P1122	20
Sunbeam GL, GLS		87.40	1599	77-81	C1522	P1522	31
Sunbeam GL, LS		78.60	1295	77-81		P1557	8
Sunbeam Imp.		68.00	875	68-72		P1255	3
Sunbeam Rapier Series I		76.20	1390	56-58		P1027	4
Sunbeam Rapier Series I (4-Ring)		76.20	1390			P1029	6
Sunbeam Rapier Series II		79.00	1494	58-61		P1028	9

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

ROOTES

Application		Engine Model	Cyl Bore	CC	Years	Set Number		Line No	
Line No Application		CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
Sunbeam Rapier Series III, A, IV				81.54	1592	61-65	C1122	P1122	21
Sunbeam Tiger, Ford (260)				96.50	4267	1967	C3101	P3101	32
1	Hillman Minx (1.0L)	948	P1025	4	2.480	63.00	4 - 2.00 4 - 2.00	4 - 4.00 4 - 4.00	
2	Commer Express Delivery Van (1.3L) Commer Mk IV, V Commer Super Van Hillman Minx MK IV, V, VI, VII	1265	P1026	4	2.559	65.00	4 - 5/64 4 - 5/64	4 - 5/32 4 - 5/32	
3	Commer Imp. Van (.9L) Hillman Imp. Sedan Singer Chamois Sunbeam Imp.	875	P1255	4	2.677	68.00	4 - 1/16 4 - 1/16	4 - 1/8	
4	Commer Express Delivery Van (1.4L) Commer Mk VIII Hillman Husky I, II Hillman Minx MK VIII Sunbeam Rapier Series I	1390	P1027	4	3.000	76.20	4 - 5/64 4 - 5/64	4 - 5/32	
5	Commer Express Delivery Van (4-Ring) (1.5L)	1494	P1029	4	3.000	76.20	4 - 5/64 4 - 5/64	4 - 5/32 4 - 5/32	
6	Hillman Husky I, II (4-Ring) (1.4L) Hillman Minx MK VIII (4-Ring) Sunbeam Rapier Series I (4-Ring)	1390	P1029	4	3.000	76.20	4 - 5/64 4 - 5/64	4 - 5/32 4 - 5/32	
7	Hillman Avenger Deluxe (1.2L)	1248	P1557	4	3.095	78.60	4 - 2.00 4 - 2.00	4 - 4.00	
8	Hillman Avenger 1300 (1.3L) Sunbeam GL, LS	1295	P1557	4	3.095	78.60	4 - 2.00 4 - 2.00	4 - 4.00	
9	Commer Express Delivery Van (1.5L) Hillman Minx III A, B Singer Gazelle Sunbeam Alpine Series I Sunbeam Rapier Series II	1494	P1028	4	3.110	79.00	4 - 5/64 4 - 5/64	4 - 5/32 4 - 5/32	
10	Hillman Super Minx 1600 MK I, II, III (1.6L)	1592	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
11	Hillman Hunter I, II (1.7L) Hillman Super Minx MK IV	1725	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
12	Humber Sceptre MK I (1.6L)	1592	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
13	Humber Sceptre MK II (1.7L)	1725	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
14	Singer Gazelle (1.5L)	1496	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
15	Singer Gazelle (1.5L)	1592	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
16	Singer Gazelle (1.7L)	1725	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
17	Singer Vogue (1.6L)	1592	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
18	Singer Vogue (1.7L)	1725	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	
19	Sunbeam Alpine Series II, III, IV (1.5L)	1592	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32	

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

ROOTES

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
20	Sunbeam Alpine Series V, GT Sunbeam Arrow	(1.7L)	1725	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
21	Sunbeam Rapier Series III, A, IV	(1.6L)	1592	P1122 C1122	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
22	Commer Van (3/4-1 Ton) (4-Ring)			P1263	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
23	Commer Cob Mk IV (4-Ring)	(1.7L)	1725	P1263	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
24	Hillman Super Minx 1600 MK I, II, III (4-Ring) (1.6L)		1592	P1263	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
25	Hillman Hunter I, II (4-Ring)			P1263	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
26	Hillman Super Minx MK IV (4-Ring)	(1.7L)	1725	P1263	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
27	Humber Sceptre MK I, II (4-Ring) Singer Gazelle (4-Ring) Singer Vogue (4-Ring) Sunbeam Alpine Series II, III, IV (4-Ring)			P1263	4	3.210	81.54	4 - 5/64 4 - 5/64	4 - 5/32
28	Humber Super Snipe	(2.7L)	2651	P1240^A	6	3.248	82.50	6 - 2.00 6 - 1.60 6 - 1.60	6 - 4.00
29	Hillman Avenger GT	(1.5L)	1498	P1332 C1332	4	3.391	86.10	4 - 5/64 4 - 5/64	4 - 5/32
30	Humber Imperial Humber Super Snipe	(3.0L)	2965	P2134 C2134	6	3.437	87.30	6 - 5/64 6 - 5/64	6 - 3/16
31	Hillman Avenger Sunbeam GL, GLS	(1.6L)	1599	P1522 C1522	4	3.441	87.40	4 - 2.00 4 - 2.00	4 - 4.00
32	Sunbeam Tiger, Ford (260)	(4.3L)	4267	P3101 C3101	8	3.800	96.50	8 - 5/64 8 - 3/32	8 - 3/16

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone