

SIMCA

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
1000 GLS	349	68.00	944	62-74	C1212	P1212	1
1100	350	74.00	1118	70-78	C1377	P1377	5
1204	345	74.00	1204	69-72	C1377	P1377	3
1300	315	74.00	1290	64-66		P1079	2
1301S, LS, GL, GLS	345	74.00	1295	68-72	C1377	P1377	4
Alpine	366	76.70	1294	75-79	C1481	P1481	6
Aronde	315	74.00	1290	56-59		P1079	2
Horizon	366	76.70	1442	72-78	C1481	P1481	7

Line		Bore Diameter				Ring Size		
No	Application	CC	Set No	Cyl	Inch	MM	Comp	Oil
1	1000 GLS	(1.0L)	944	4	2.677	68.00	4 - 1.75 4 - 2.00	4 - 4.00
2	Aronde 1300	(1.3L)	1290	4	2.913	74.00	4 - 2.50 4 - 2.50 4 - 2.50	4 - 5.00
3	1204	(1.2L)	1204	4	2.913	74.00	4 - 1.75 4 - 2.00	4 - 4.00
4	1301S, LS, GL, GLS	(1.3L)	1295	4	2.913	74.00	4 - 1.75 4 - 2.00	4 - 4.00
5	1100	(1.1L)	1118	4	2.913	74.00	4 - 1.75 4 - 2.00	4 - 4.00
6	Alpine	(1.3L)	1294	4	3.020	76.70	4 - 1.75 4 - 2.00	4 - 4.00
7	Horizon	(1.4L)	1442	4	3.020	76.70	4 - 1.75 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone